### 2005 DODGE RAM 1500 (DR)









Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

### VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Other Type Other Type Series Body Style Engine Check Digit Year Plant Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S. 3 = Mexico
2	Make	D = Dodge
3	Vehicle type	2 = Incomplete with Side Airbag 3 = Truck with Side Airbag 6 = Incomplete without Side Airbag 7 = Truck without Side Airbag
4	GVWR & Pass. Safety	H=2722-3175 kg (6001-7000 lbs) W=Buses/Incomplete Vehicles with Hydraulic Brakes
5	Vehicle Line	A = Ram Pick Up (4x2) U = Ram Pick Up (4x4)
6	Series	1 = 1500 (DR1, DR6) 2 = 2500 (DR2, DR7) 3 = 3500 <u>w/o 'AA9'</u> (DR3, DR8) 4 = 3500 (DR3, DR8)
7	Body Style	6 = Conventional Cab (61, 62) 8 = Quad Cab Full Rear Doors (41, 42)
8	Engine	D = 5.7L 8 Cyl. SMPI (EZA) K = 3.7L 6 Cyl. MPI (EKG) N = 4.7L 8 Cyl. MPI (EVA) 6 = 5.9L 6 Cyl. Turbo Diesel (ETC) C = 5.9L 6 Cyl. Turbo Diesel H/O (ETH) W = 8.0L 10 Cyl. MPI (EWA) Z = 5.9L 8 Cyl. MPI-LDC (EML)
9	Check Digit	0 through 9 or X
10	Model Year	5 = 2005
11	Assembly Plant	S = Dodge City G = Saltillo J = St. Louis (North)
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

## **Group – 001**

### **Component Parts for Mopar Accessories**




001-100	001–200	001-300	001–400
Audio & Electronics	Carriers & Cargo Hauling	Driving Convenience	Exterior Appearance
Additional Electronics	Carriers & Cargo Hauling	Silving convenience	Exterior Appearance
001-500	001–600	001-900	
Exterior Protection	Fog Lights & Electrical	Security	

#### **GROUP 1 - Component Parts for Mopar Accessories**

Illustration Title	Group-Fig. No.
Audio & Electronics	
Player Kit - CD Changer 6 Disc	Fig. 001-110
Satellite Receiver Kit	Fig. 001-120
Navigation Kit (RB1)	Fig. 001-150
Navigation Kit (RB4)	Fig. 001-160
Media System - Rear Seat Video	Fig. 001-170
Carriers & Cargo Hauling	
Wiring Package - Trailer Tow 7 Way	Fig. 001-240
Adapter Kit - Ball Mount	Fig. 001-250
Cover Kit - Tonneau Hard, One Piece	Fig. 001-255
Cover Kit - Tonneau Hard, Gull Wing	Fig. 001-256
Cover Kit - Tonneau Soft	Fig. 001-257
Driving Convenience	
Remote Start - Installation Kit	Fig. 001-310
Exterior Appearance	
Daytona	Fig. 001-405
Rumble Bee	Fig. 001-410
Hemi Sport	Fig. 001-420
Accent Kit, Body	Fig. 001-430
Exterior Protection	
Grille Kit / Chrome Applique	Fig. 001-520
Liner Kit / Wheel House	Fig. 001-522
Skid Plate Package - Front	Fig. 001-530
Skid Plate Transfer Case	Fig. 001-534
Fog Lights & Electrical	
Light Kit - Fog	Fig. 001-610
Hands-Free Kit/ Cell Phone-Blue Tooth	Fig. 001-620
	1.3. 00. 020
Security  Alarma FVS II Without Kouloop Entry	Fig. 004 040
Alarms - EVS II, Without Keyless Entry	Fig. 001-910
Alarm Package - Security with Sentry Key	Fig. 001-914
Factory keyless Entry	Fig. 001-916

### Player Kit - CD Changer 6 Disc Figure 001-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
TIEW	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
NOTE: F	or Warranty R	epairs o	n item 3. C	Order Usino	z Prefix.				
1	8220 7483	1			<u>,                                      </u>				PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1							MAGAZINE, CD Changer
3									CHANGER, CD, (NOT SERVICED) (Not Serviced)
-									

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Satellite Receiver Kit** Figure 001-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
Note; Fo	r Warranty Rep		Item 3, Or	der using Z	<u> 2 Prefix</u>				
1	82206 488AB	3 1							RECEIVER, Satelite, Includes
2	5066 205AC	1							Receiver and Antenna ANTENNA, Satellite, Antenna Only
3	5066 205AC 5064 020AJ	1							RECEIVER, Satellite, Receiver Onl
-4	8220 8116	1							INSTALL KIT, Satelite Receiver,
									Includes Antenna Cable Extension
									Interconnecting Cable, Receiver Brackets, Antenna Templates, and
									Installation Instructions.
									motion and a second a second and a second an
ODGE RA	M 1500 (DR)								
ERIES	LINE		BODY	(110 5 W/D)		NGINE	\/00		TRANSMISSION
l = SLT = ST	1, 6 = 1500	42 = 61 =	= Quad Cab = Quad Cab = Reg. Cab ( = Reg. Cab (	(160.5 WB) (120.5 WB)	EKG = EVA = EVD =	5.7L HEMI Magnu = 3.7L Magnu = 4.7L Magnu = 4.7L Magnu = 8.3L V10 S	um V6 MPI um V8 um V8 FFV	MPI	DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual

(2)
3


ITEM	PART	QTY	LINE	CEDIEC	BODY	ENCINE	TDANE	TDIM	DESCRIPTION
ITEM	NUMBER	QIT	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Nata. Far	Marranti Dan	-i= O=	lta 0 Om	don	Drofin				
	Warranty Rep 82208 715AB		item 2, Or	der using z	Pielix				RADIO, AM/FM CD W/NAV/DVD 8
•	02200 1 10/13	•							CD-CTRL
2	56038 629AG	1							RADIO, AM/FM CD W/NAV/DVD 8 CD-CTRL
3	56038 630AA	1							ANTENNA, GPS
	5064 033AA	1							DVD, Geographic Database
DDGF RAM	1500 (DR)								

500 (DR)-LINE

DODGE RA SERIES H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: For	Warranty Rep	air on I	tem 2, Ord	der Using Z	Prefix				
1	8220 8481	1							RADIO, AM/FM CD W/NAV/DVD &
									CD-CTRL
2	56043 286AE	1							RADIO, AM/FM CD W/NAV/DVD &
									CD-CTRL
3	5094 003AA	1							ANTENNA, Satellite
4	5091 501AG	1							COMPACT DISC, Navigation
									_

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Media System - Rear Seat Video Figure 001-170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ust Order Item #								
Note; Fo	r Warranty Rep	air On	Item 8, Ord	er Using Z	? Prefix				
1	8220 7997	1			41, 42				MEDIA SYSTEM, Monitor with DVD
2	8220 6419	1			41, 42				INSTALL KIT, MEDIA SYSTEM
3	5166 867AA	1			41, 42				SHROUD, SHROUD
4	5166 865AA	1			41, 42				BRACKET, Mounting
5	5166 869AA	1			41, 42				MEDIA SYSTEM, Monitor with DVD
6	5166 870AA	1			41, 42				HARNESS, Wiring
7	5166 871AA	1			41, 42				HARNESS, Wiring
8	5166 872AA	1			41, 42				MODULATOR, FM
9	5166 873AA	1			41, 42				REMOTE, Wireless Infrared
10	5064 037AA	1			41, 42				HEADPHONES, Wireless
ODGE RAI	M 1500 (DR)———								
ERIES	LINE		BODY	440.5 1475		GINE		MDI.	TRANSMISSION
		41 =	= Quad Cab (		EZA=5	5.7L HEMI M		1PI	DGQ, DG4 = Multi-Speed Auto(45RFE)
ERIES = SLT	LINE	41 = 42 = 61 =		160.5 WB) 120.5 WB)	EZA=5 EKG = EVA =		m V6 MPI m V8	<b>1</b> PI	

### Wiring Package - Trailer Tow 7 Way Figure 001-240



1-240									
17-14	PART	0.77/		050150	DODY	FNONE	<b>TD 4110</b>		DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									WIDING DAGKAGE T. II. T
1	8220 7253	1							WIRING PACKAGE, Trailer Tow
2	0154 554	1							SCREW, Self Piercing, .25-14x.62
3 4	6034 912	4							SCREW, Pan Head, .19-16x.75 STRAP, Tie
4	5073 039AA	1							6.9 Inch
	6016 155	<u>'</u> 1							14.5 Inch
5	56038 366AB								CONNECTOR, 7 Way
6		•							WIRING KIT, Trailer Tow - 7 Way
-									(NOT SERVICED) (Not Serviced
7	55077 360AB	1							TAPPING PLATE


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Adapter Kit - Ball Mount Figure 001-250



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADAPTER KIT, Ball Mount
	8220 7411	1							Kit Includes Adapter and Pin Only
•	8220 1148	1							BIN 11% I
2 3	5016 666AA	1							PIN, Hitch BALL KIT, Trailer Tow
<u> </u>	8240 1102	1							1 7/8 Inch Ball
	8240 1103	1							2 Inch Ball
	02101100	·							z mon zan

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Cover Kit - Tonneau Hard, One Piece** Figure 001-255








	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7082	1			41, 61				COVER KIT, Tonneau-Hard
2									GAS PROP KIT, tonneau-hard
	5018 067AA	1			41, 61				[ZBJ]
		1			41, 61				[WB7]
		1			41, 61				[WS2]
		1							[WB7] W/ 6.5' Bed
		1			41, 61				[BR8, SWB]
3	5018 117AA	1							LOCK KIT, hard-tonneau
4	5018 343AA	1							KEY, Master

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Cover Kit - Tonneau Hard, Gull Wing Figure 001-256





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									COVER KIT, Tonneau-Hard
_		8220 7091	1			41, 61				Flame Red Clear Coat
		8220 7092	1			41, 61				Light Almond Pearl
		8220 7097	1			41, 61				Black
		8220 7100	1			41, 61				Atlantic Blue
		8220 7761	1			41, 61				Patroit Blue [WB7]
		8220 7103	1			41, 61				Patroit Blue [WBT]
		8220 7098	1			41, 61				Bright Siver Metallic [WSB]
		8220 8525	1			41, 61				Bright Silver Metallic [WS2]
_		8220 8321	1			41, 61				Molten Red
		8220 7099	1			41, 61				Bright White [GW7]
	2	5018 067AA	1							GAS PROP KIT, tonneau-hard
	3	5135 239AA	1			41, 61				GAS PROP KIT, tonneau-hard
_	4	5018 117AA	1							LOCK KIT, hard-tonneau
	5	5018 343AA	1							KEY, Master

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Cover Kit - Tonneau Soft** Figure 001-257




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	82208 129AB	1			41, 61				COVER, Tonneau, Includes Items
	02200 123AD				71, 01				2-7, 17,18,19
2	5139 863AA	1			41, 61				COVER ASSY, Tonneau, Cover Only
3	55276 842AA	1			41, 61				RAIL, Tonneau Cover
4	55276 843AA	1			41, 61				RAIL, Tonneau Cover
5	5096 071AA	1			41, 61				BOW, Tonneau Cover, Bow #1
6	5096 072AA	1			41, 61				BOW, Tonneau Cover, Bow #2
7	5096 073AA	1			41, 61				BOW, Tonneau Cover, Bow #3
8	5166 574AA	1			41, 61				BOW, Tonneau Cover
9	82208 130AB	1			42, 62				COVER, Tonneau, Includes Items
3	02200 100/1D	•			72, 02				10-19
10	5139 864AA	1			42, 62				COVER ASSY, Tonneau, Cover Only
11	55276 840AA	1			42, 62				RAIL, Tonneau Cover
12	55276 841AA	1			42, 62				RAIL, Tonneau Cover
13	5096 075AA	1			42, 62				BOW, Tonneau Cover, Bow #1
14	5096 076AA	1			42, 62				BOW, Tonneau Cover, Bow #2
15	5096 077AA	1			42, 62				BOW, Tonneau Cover, Bow #3
16	5096 078AA	1			42, 62				BOW, Tonneau Cover, Bow #4
17	0000 01 01 11	•			,				RAIL ASSY, tonneau w/frame
	55276 839AA	1			41, 61				
	002.0 000	1			42, 62				
18					,				CLAMP, Tonneau
	55276 868AB	1			41, 61				· · · · · · · · · · · · · · · · · · ·
		1			42, 62				
19					, -				RETAINER, Tonneau Cover Hook
	5086 899AA	1			41, 61				·
		1			42, 62				
20	5166 573AA	1			42, 62				BOW, Tonneau Cover

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Remote Start - Installation Kit** Figure 001-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8863	1							INSTALL KIT, REMOTE START
2	5140 471AA	1							ANTENNA
3	5140 470AA	1							ANTENNA
4	5140 472AA	1							TRANSMITTER
5	5140 473AA	1							SWITCH
6	5140 474AA	1							LABEL ::
7	5140 773AA	1							BATTERY, Transmitter
8									HARNESS, HARNESS-ENGINE,
									Serviced in Electrical, (NOT
0	9220 9950	4							SERVICED) (Not Serviced) MODULE KIT, REMOTE START
9	8220 8859	1							MODULE KIT, REMOTE START
	M 1500 (DR)								TD. 110111021211
RIES : SLT	LINE 1, 6 = 1500		BODY = Quad Cab (1	40.5 WB)		IGINE 5.7L HEMI M	agnum V8SM	ЛРI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE)
ST	1, 0 = 1000	42 =	= Quad Cab (10	60.5 WB)	EKG =	= 3.7L Magnu	m V6 MPI		DG8 = 4 Spd. Auto.(48RE)
		61 =	= Reg. Cab (12 = Reg. Cab (14	0.5 WB)	EVA =	: 4.7L Magnu : 4.7L Magnu	m V8		DEC, DEJ = 6 Spd. Manual
		U/ =	- 1150. 200 1 14						

### Daytona Figure 001-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1	5096 348AA	1			41, 61				AIR DAM
2	5159 029AA	1							BEZEL, Hood
3	5174 323AA	1			41, 61				GRILLE, Insert
4									CLADDING KIT, Lowerside
	5159 214AA	1			61				Right
	5159 215AA	1			61				Left
5									RUNNING BOARD, Board
	5159 226AA	1			41, 42				Right
	5159 227AA	1			41, 42				Left
6	8220 9438	1							DECOR KIT, Fuel Door
7									ACCENT KIT, Box
	5174 310AA	1			41, 61				Right
	5159 223AA	1			41, 61				Left
8									DECAL
	5174 312AA	1			41, 61				Right
	5174 313AA	1			41, 61				Left
9	8220 7367	1			41, 61				LINER KIT, Wheel
10	5159 221AA	1			41, 61				VALANCE, Rear
11	8220 8794	1							GUARD KIT, Light
12	5174 322AA	1			41, 61				SPOILER KIT, rear wing
13	8220 8753	1	1, 6						EXHAUST KIT, Cat-Back
-14									DECAL
	5174 314AA-	1			41, 61				Daytona Door Applique, Right
	5174 315AA-	1			41, 61				Daytona Door Applique, Left
-15	5174 260AA-	1			41, 61				APPLIQUE, Instrument Panel

DODGE RAM 1500 (DR)-SERIES LINE


SERIES H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Rumble Bee** Figure 001-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLADDING KIT, Lowerside
	5159 214AA	1			61				Right
	5159 215AA	1			61				Left
2	5096 348AA	1			41, 61				AIR DAM
3	5159 221AA	1			41, 61				VALANCE, Rear
4									ACCENT KIT, Box
	5159 222AA	1			41, 61				Set of Two, Right
	5159 223AA	1			41, 61				Left
5	8220 7131	1							EXHAUST TIP, Tailpipe
6	8220 7715	1							DECOR KIT, Fuel Door
7	8220 8794	1							GUARD KIT, Light
8	8220 8576	1							SCOOP KIT, HOOD, Primed
-9	5166 486AA-	1							HARDWARE KIT, ATTACHMEI
									Hood Scoop
10	5159 224AA	1							GASKET, Hood
11	5159 225AA	1							GRILLE, Hood
12									DECAL KIT, Body
	5159 228AA	1							Black Box Stripe, Right
	5159 229AA	1							Black Box Stripe, Left
	5159 218AA	1							BEE, Right
	5159 219AA	1							BEE, Left
	5159 216AA	1							Yellow Box Stripe, Right
	5159 217AA	1							Yellow Box Stripe, Left
-13	5159 220AA-	1							APPLIQUE KIT, Door, Set of 2
									"BEE" Interior Medallion

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Hemi Sport Figure 001-420

PART



1						RUNNING BOARD, Board
	5159 226AA	1		41, 42		Right
	5159 227AA	1		41, 42		Left
2	5096 348AA	1		41, 61		AIR DAM
3	5159 221AA	1		41, 61		VALANCE, Rear, Primed
4						ACCENT KIT, Box
	5159 222AA	1		41, 61		Right
	5159 223AA	1		41, 61		Left
5	8220 7131	1				EXHAUST TIP, Tailpipe
6	8220 7715	1				DECOR KIT, Fuel Door
7	8220 8794	1				GUARD KIT, Light
8	8220 8576	1				SCOOP KIT, HOOD
-9	5166 486AA-	1				HARDWARE KIT, ATTACHMENT Hood Scoop
10	5159 224AA	1				GASKET, Hood
11	5159 225AA	1				GRILLE, Hood
-12	8220 8890	1				DECAL KIT, QTR, HEMI SPORT

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•					•	
IOTE:									
_	= Paint as requ			:4-II-4:-	_				
	includes all hai	aware	requirea for	installatio	n				ACCENIT KIT Dunning Board
1	8220 8599	1			41, 61				ACCENT KIT, Running Board [DX8] Sport
	8220 8601	1			41, 61				[ZBJ] Sport
	8220 8602	1			41, 61				[PR4] Sport
	8220 8603	1			41, 61				[GW7] Sport
	8220 8604	1			41, 61				[WSB] [SWB] Sport
	8220 8605	1			41, 61				Primed Sport [P.A.R.]
	8220 9050	1			41, 61				Mineral Gray/ Sport
2	5096 348AA	1			41, 61				AIR DAM
.005.20	M 4500 (DD)								
<b>DGE RA</b> IRIES	M 1500 (DR) LINE		BODY		EN	IGINE			TRANSMISSION
RIES = SLT		41 =	= Quad Cab (1		EZA=5	5.7L HEMI M		 МРІ	DGQ, DG4 = Multi-Speed Auto(45RFE)
RIES	LINE	41 = 42 =	BODY = Quad Cab (1 = Quad Cab (1 = Reg. Cab (12	60.5 WB)	EZA={ EKG =		ım V6 MPI	MPI	

### Grille Kit / Chrome Applique Figure 001-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
1	8220 7849	1							GRILLE KIT, Chrome Applique
2	00 . 0 . 0	<u> </u>							GRILLE, Panel
	5073 296AA	1							Right
	5073 297AA	1							Left
3	5073 327AA	1							RETAINER

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Liner Kit / Wheel House Figure 001-522



	PART								
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7367	1	1, 6						LINER KIT, Wheel
2	6507 030AA	1	1, 6						SCREW
3	6032 031	1	1, 6						NUT, Spring, .19-16
4									SHIELD, Splash, Right
	55276 322AB								
_		1	1, 6						Without Duals
5	55070 000 A D								SHIELD, Splash, Left
	55276 323AB		4.0						Mith and Duals
		1	1, 6						Without Duals

DODGE RAM 1 SERIES H = SLT L = ST 1500 (DR)-LINE 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Skid Plate Package - Front Figure 001-530


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8055	1	6		41, 42,				PLATE PACKAGE, Skid - Front
	52022 048AC 6507 342AA		6 6		61, 62				SKID PLATE, Front SCREW, M8x1.25x30, M8 HEX HD

2

DODGE RAM 1500 (DR)-SERIES LINE

SERIES LINE H = SLT 1, 6 = 1500 L = ST BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Skid Plate Transfer Case** Figure 001-534




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7963	1	6		41, 42,				PLATE PACKAGE, Skid - Transfer
					61, 62				Case
2	52022 046AD	1	6						CROSSMEMBER, Skid Plate
3	52022 047AB	1	6						SKID PLATE, Transfer Case
4	6507 342AA	8	6						SCREW, M8x1.25x30, M8 HEX HE

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220				1	2200
1	8220 8102	1							LIGHT PACKAGE, Fog
2	5096 300AA	1							SWITCH, Fog Lamp
3	55077 474AB	1							LAMP AND BRACKET, Fog Lam Right
4	55077 475AB	1							LAMP AND BRACKET, Fog Lam
5	55077 238AD	1							Left BEZEL, Fog Lamp
6	55077 239AD								BEZEL, Fog Lamp
7		•							WIRING, Fog Lamp, Serviced in
									package, (NOT SERVICED) (N Serviced)
-8	L000 9006	1							BULB, Headlamp
-9	5600 6709	1							RELAY, Mini

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Hands-Free Kit/ Cell Phone-Blue Tooth Figure 001-620



1-020				<del></del>					
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	20007 05040								LIANDO EDEE MT. Callular Dhana
2	82207 853AC 5114 359AC	1							HANDS FREE KIT, Cellular Phone MODULE, U Connect
3	5102 026AA	1							SPEAKER, Front
4	5102 020AA 5102 025AA	1							MICROPHONE, Audio
5	5102 023AA 5102 027AA	1							CONTROLLER, Audio
	0102 027701	<u> </u>							OCIVINOLLEIN, Addio
DGE RAN	/I 1500 (DR)								
RIES = SLT	LINE 1, 6 = 1500	44	BODY	(140 E M/D)		NGINE	adulim 1/00	MDI	TRANSMISSION
= SLT = ST	1, σ = 1500	42 =	= Quad Cab = Quad Cab	(160.5 WB)	EKG =	5.7L HEMI Magnu = 3.7L Magnu	ım V6 MPI	VIPI	DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE)
		61 =	= Reg. Cab ( = Reg. Cab (	(120.5 WB)	EVA =	= 4.7L Magnu = 4.7L Magnu	ım V8		DEC, DEJ = 6 Spd. Manual
		02 =	- INEY. Cab (	(140.5 WD)	EWC	= 4.7L Magnu = 8.3L V10 S	iii vo ee v iFI		

#### Alarms - EVS II, Without Keyless Entry Figure 001-910



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	8220 3763	1							MODULE KIT, Alarm without Keyless
	2	8220 3198	1							SIREN, Alarm
	3	4636 141	1							BATTERY, Transmitter
	4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
	5	5012 164AA	1							MODULE, Security Alarm
	-6	4886 259AA-	1							INDICATOR, Valet Status
	-7	4886 258AA-	1							SWITCH, Programing Bypass
	-8	4886 260AB-	1							SENSOR, Shock, With Terminals
_										

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Alarm Package - Security with Sentry Key Figure 001-914



	PART	1 '							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8985	1							ALARM PACKAGE, Security With
<u> </u>	0220 0300								Sentry Key
2	56045 275AC	: 1							MODULE, Immobilizer
3	5018 690AA	, i 1							KEY, Blank
3 4	2010 03044	1							SENSOR KIT, Shock, (NOT
									SERVICED) (Not Serviced)
									SERVICED) (NOL SELVICED)
·									


DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Factory keyless Entry Figure 001-916



17	TEM	PART NUMBER	l oty	E	SEDIES	BODY	FNOINE	TRANS	TDIM !	DESCRIPTION
	EN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	IKANS	TRIM	DESCRIPTION
										·· · · -
		8220 7153	1							MODULE PACKAGE, Keyless Entry
		56045 755AB								RECEIVER, Keyless Entry
	3	4686 481AC	2							TRANSMITTER, Keyless Entry
			<del></del> -	<u> </u>		<u> </u>		<del></del>		
מסחנ	~= BAN	- 4500 (DD)								
SERIE	IES	1 1500 (DR) LINE		BODY		EI	NGINE			TRANSMISSION
H = SI L = SI	SLT	1, 6 = 1500	41 =	= Quad Cab = Quad Cab	(140.5 WB)	EZA=5	5.7L HEMI Magnu = 3.7L Magnu	agnum V8SM	MPI	DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE)
L – U	1		61 =	= Reg. Cab (	(120.5 WB)	EVA =	<ul> <li>4.7L Magnu</li> </ul>	ım V8		DEC, DEJ = 6 Spd. Manual
			62 =	= Reg. Cab (	(140.5 WB)	EVD =	= 4.7L Magnu = 8.3L V10 S	um V8 FFV		
							7 0.02 1.0 2			

# Group – 002 Front Suspension & Drive



002-100	002–200	002–300	002–400
Front Suspension	Front Axle Drive Shafts	Front Axle Housing	Front Axle Assembly
002-600	002-800		
Front Axle Differential	Front Axle Skid Plate		

#### **GROUP 2 - Front Suspension & Drive**

Illustration Title	Group-Fig. No.
Front Suspension	
Upper and Lower Control Arms, Springs and Shocks, DR 1	Fig. 002-110
Upper and Lower Control Arms, Torsion Bars, and Shocks, DR 6	Fig. 002-120
Front Sway Bar,DR 1,6	Fig. 002-130
Front Axle Drive Shafts	
Axle Shafts,Front, DR 6	Fig. 002-210
Front Axle Housing	
Axle Housing,Front,Corporate 8.25 [DJM],DR 6	Fig. 002-310
Front Axle Assembly	
Axle Assembly,Front,Corporate 8.25 [DJM],DR 6	Fig. 002-410
Front Axle Differential	
Differential,Front,Coporate 8.25 [DJM],DR 6	Fig. 002-610
Front Axle Skid Plate	
Skid Plate,Front Axle,DR 6	Fig. 002-810

#### Upper and Lower Control Arms, Springs and Shocks, DR 1 Figure 002-110

		2 2 3 4 5 6	
	23 7 7 22 21 21 21 21 22 21 21 21 21 22 21 21	7 8 9 10 11 12 13 14 15	
20		18	

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•										

	Note:	Sales	Codes
--	-------	-------	-------

Note; Both right hand and left hand knuckles must be of the same material

[EK0]=Engines - All 3.7L 6 Cylinder Gas

[EV0]=Engines - All 4.7L Gas

[[ET0]=Engines - All 5.9L Turbo Diesels

[EWC]=Engine - 8.3L V10 SFI [EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

[TTQ]= Tires - P275/55R20 Black Side Wall Performance

[ZAA] T	hrough [ZYE] = S	pring	sales code	s will be found on Vehicle Identification Number [VIN] Sales Code Listing.
1	52106 577AE	2		ARM, Upper Control, Front,
				Complete, Right or Left
2	6503 029	2		NUT, Hex, M12x1.25, Shock,
				Mounting
3	5203 8257	2		RETAINER, Shock Absorber, Upper
4	52106 742AA	2		GROMMET, Shock Absorber, Uppe
5	52106 717AA	2	1	ISOLATOR, Spring, Upper
6	6506 557AA	2		NUT AND WASHER, UCA to Ball
				Joint, Mounting
7				SPRING, Front Coil
	5290 605AA	1	1	[ZAA,ZNA]
	5290 732AA	1	1	[ZAH,ZNH]
	52106 600AA	1	1	[ZKA,ZYA]
	52106 601AA	1	1	[ZKB,ZYB]
	52106 602AA	1	1	[ZKC,ZYC]
	52106 603AA	1	1	[ZKD,ZYD]
	52106 604AA	1	1	[ZKE,ZYE]
	52106 605AA	1	1	[ZHA,ZWA]
	52106 606AA	1	1	[ZHB,ZWB]
	52106 607AA	1	1	[ZHC,ZWC]
	52106 608AA	1	1	[ZHD,ZWD]
	55366 360AA	1	1	[ZDA,ZSA]
	55366 361AA	1	1	[ZDB,ZSB]
	55366 362AA	1	1	[ZDC,ZSC]
	55366 363AA	1	1	[ZDD,ZSD]
	55366 364AA	1	1	[ZDE,ZSE]
	55366 365AA	1	1	[ZDF,ZSF]
	55366 366AA	1	1	[ZDG,ZSG]
	55366 367AA	1	1	[ZDH,ZSH]
8				KNUCKLE, Front
	52106 550AB	1	1	[SBA], Right

DODGE RAM	1500 (	(DR)
OFDIFO		`- `


SERIES H = SLT LINE 1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Upper and Lower Control Arms, Springs and Shocks, DR 1 Figure 002-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 551AB	1	1						[SBA], Left
	5290 460AA	1	1		41				[SBP], Right
	5290 461AA	1	1		41				[SBP], Left
	55366 644AC	1	1		61				[SBP], Right
	55366 645AC	1	1		61				[SBP], Left
9									ARM, Lower Control, Front
	52106 558AE	1	1						[EK0,EV0,EZ0] Complete, Right
	52106 559AE	1	1						[EK0,EV0,EZ0] Complete, Left
	5290 560AB	1	1						[EWC] Complete, Right
	5290 561AB	1	1						[EWC] Complete, Left
10	5072 958AA	1	1						BALL JOINT PACKAGE, Lower
									Control Arm
11	6506 085AA	2	1						STUD, Shock Lower, Mounting
12	6506 587AA	1	1						NUT, Hex Flange Lock, LCA Ball
									Joint, Mounting
13	52113 029AA	1	1						BUSHING, Control Arm, Front, Lowe
14									BUSHING, Control Arm
	52113 056AB	1	1						[EWC], Rear
	52106 568AA	1	1						[EK0,EV0,EZ0], Rear
15	6102 252AA	4							NUT, Hex Flange Lock, LCA to
									Frame, Mounting
16									GROMMET, Shock Absorber
	52106 747AA	2	1		41, 61,				Lower
					62				
		2	1		42				Lower
17									RETAINER, Shock Absorber
	5203 8258	2	1		41, 61,				Lower
					62				
		2	1		42				Lower
18									SHOCK ABSORBER PACKAGE,
									Suspension, Front
	5072 921AD	2	1		41, 61,				[SFB,EK0]
					62				
	5103 515AB	2	1		62				[SFB,EV0,EZ0]
	5139 135AB	2	1		61				[SFB,EV0,EZ0]
	5139 134AB	2	1		41				[SFB,EV0,EZ0]
	5093 252AC	2	1		42				[SFB,EV0,EZ0]
	5103 514AC	2	1		41				[SFB,TTJ,EV0,EZ0]
	5139 015AB	2	1		61				[SFB,TTJ,EV0,EZ0]
	5114 489AA	2	1		61				[SFC,EWC]
	5139 017AA	2	11		41				[SFC,EWC]

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Upper and Lower Control Arms, Springs and Shocks, DR 1 Figure 002-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	6100 517	4	1						NUT, Hex Lock, M8x1.25, Shock
									Mounting, Lower
20									BUMPER, Jounce
	52106 575AC	2	1						Without [TTJ]
	55366 759AA	2	1						With [TTJ]
21	6507 530AA	4	1						SCREW, Hex Flange Head, LCA to
									Frame, Mounting
22	6506 640AA	4							BOLT AND RETAINER, Hex Head,
									UCA to Frame, Mounting
23	6502 698	4							NUT, Hex Flange Lock, UCA to
									Frame, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Upper and Lower Control Arms, Torsion Bars, and Shocks, DR 6 Figure 002-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
Note:Sale	s Codes:								
	f Road Gourp								
	es - P275/60R2	20 BSV	V All Seaso	n					
					be found o	n Vehicle	Identification	on Num	nber [VIN] Sales Code Listing.
	52106 577AE	2	Dai Gaige	00000 11	DO TOUTION	,,, v 0,,,,o,o	- Taoritinoati	011 11411	ARM, Upper Control, Front,
									Complete, Right or Left
2	6506 557AA	2							NUT AND WASHER, UCA Ball Joint
									to Knuckle, Mounting
3									KNUCKLE, Front
	52106 552AC	1	6						Right
	52106 553AC	1	6						Left
4	5072 958AA	1	6						BALL JOINT PACKAGE, Lower
									Control Arm, Right or Left
5	6506 587AA	2							NUT, Hex Flange Lock, LCA Ball
									Joint to Knuckle, Mounting
6									ARM, Lower Control, Front
	52106 560AF	1	6						Complete, Right
	52106 561AF	1	6						Complete, Left
7	6507 272AA	2	6						SCREW, Pilot Point, Torsion Bar
									Crossmember to Frame, Mounting
8	6502 697	2	6						NUT, Hex Flange Lock, M12x1.75,
									Torsion Bar Crossmember to
									Frame, Mounting
9	52106 701AB	2	6						ANCHOR, Torsion Bar
10	52106 703AB	2	6						SWIVEL, Torsion Bar
11	6507 255AA	2	6						SCREW, Hex Head, Torsion Bar
									Adjusting
12	52113 130AA	1	6						CROSSMEMBER, Front Suspension,
									With Bushings
	52113 134AA	2	6						BUSHING, Crossmember
14									BAR, Torsion
	52106 670AA	1	6						[ZRA], Right
	52106 671AA		6						[ZCA], Left
	52106 672AA		6						[ZRB], Right
	52106 673AA		6						[ZCB], Left
	52106 684AA		6						[ZRC], Right
	52106 685AA		6						[ZCC], Left
	52106 686AA		6						[ZRD], Right
	52106 687AA		6						[ZCD], Left
	52106 688AA		6						[ZRE], Right
	52106 689AA	1	6						[ZCE], Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Upper and Lower Control Arms, Torsion Bars, and Shocks, DR 6 Figure 002-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			<u> </u>						
	52106 690AA	1	6						[ZRF], Right
	52106 691AA		6						[ZCF], Left
	52106 694AA		6						[ZRG], Right
	52106 695AA	1	6						[ZCG], Left
	52106 696AA		6						[ZRH], Right
	52106 697AA		6						[ZCH], Left
	52110 112AA	1	6						[ZRJ], Right
	52110 113AA	1	6						[ZCJ], Left
	52110 118AA	1	6						[ZRK], Right
	52110 119AA	1	6						[ZCK], Left
	52110 110AA	1	6						[ZRL], Right
	52110 111AA	1	6						[ZCL], Left
15	52106 576AA	2	6						BUMPER, Jounce, Right or Left
16	6507 529AA	2	6						SCREW, Hex Flange Head, LCA
									Rear, Mounting
17									SLEEVE, bushing
	52021 391AA		6		41				
		2	6		42				
		2	6		61				
4.0		2	6		62				
18	50110 00011				0.1				BUSHING, Lower Control Arm
	52110 063AA		6		61				
		2 2	6		62 41				
		2	6 6		42				
19	6507 206AA	2	6		42				SCREW, Hex Flange Head, LCA
13	0301 200AA	2	O						Front, Mounting
20	6102 252AA	4							NUT, Hex Flange Lock, LCA Front
	0.02 202	·							and Rear, Mounting
21	6506 640AA	4							BOLT AND RETAINER, Hex Head
22	6502 698	4							NUT, Hex Flange Lock, UCA to
									Frame, Mounting
23	6506 392AA	2	6						BOLT, Shock, Mounting
24									SHOCK ABSORBER PACKAGE,
									Suspension, Front
	5073 265AC	1	6		42				[SFB]
	5101 783AA	2	6		62				[SFB,AWL]
	5073 263AC	2	6		41				[SFB] Without [AWL]
		2	6		61, 62				[SFB] Without [AWL]
	5101 782AA	2	6		61				[SFB,AWL] Without [TTJ]
	5101 784AA	2	6		41				[SFB,AWL] Without [TTJ]

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year

#### Upper and Lower Control Arms, Torsion Bars, and Shocks, DR 6 Figure 002-120




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
25	5203 8258	2	6						RETAINER, Shock Absorber, Lower
26	52106 747AA	2	6						GROMMET, Shock Absorber, Lower
27	52106 742AA	2							GROMMET, Shock Absorber, Upper
28	5203 8257	2							RETAINER, Shock Absorber, Upper
29	6503 029	2							NUT, Hex, M12x1.25, Shock,
									Mounting


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Front Sway Bar, DR 1,6 Figure 002-130





		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	6506 746AA	2							NUT, Hex Lock, M10x1.5
_	2	5203 8115	2							RETAINER, Sway Bar, Upper
	3	5203 7916	4							GROMMET, Link
	4	5203 8116	2							RETAINER, Sway Bar, Lower
	5									LINK PACKAGE, Sway Bar
		5072 934AD	2							Right or Left
		5072 935AC	2	6		41, 61,				Right or Left
						62				
	6									BAR, Front Sway
		52113 082AB	1	1		61				[SHA]
		52106 585AB	1	1		41, 42,				[SHA]
						62				
_		52106 586AB	1	6		41, 61,				[SHA]
						62				
		52110 096AA	1	6		42				[SHA]
		5290 439AA	1							[SHH]
_	7									BUSHING, Sway Bar
		52106 590AB		1		61				[SHA]
		52110 060AB	2	1		41, 42,				[SHA]
						62				
_			2	6		41, 61,				[SHA]
						62				
		52106 590AB		6		42				[SHA]
		5290 440AA	2							[SHH]
_	8	52110 141AB								RETAINER, Sway Bar
	9	6506 093AA	4							SCREW AND WASHER, Hex Head,
										M10x1.50x35, Sway Bar Retainer
										to Frame, Mounting
_	10	6503 652	2							NUT, Hex Flange Lock, M12x1.75


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Axle Shafts, Front, DR 6 **Figure**

TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	411							
1	5072 390AB	2	6						BOOT KIT, Half Shaft, Inner, Right
		_	_						Left
2	5072 389AB	2	6						SHAFT, Axle Half, Right or Left
3	5072 391AB	2	6						BOOT KIT, Half Shaft, Outer, Right
									or Left
4	6506 454AA	2	6						NUT, Hex, Right or Left



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Axle Housing,Front,Corporate 8.25 [DJM],DR 6 Figure 002-310

1 2 3 4 6 2 5 3 7
8 8 9 16
11 R T V 13

1774	PART	O.T.Y		05050	DODY	ENGINE		<b>TD114</b>	DECORIDE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: The	e circlip on the	outboa	rd ends of	items 1 an	d 7 are us	ed in produ	uction only	and ar	e not required for replacement
1	52069 886AE	1	6						SHAFT, Axle, Right,Intermediate
2	52069 710AB	2	6						SNAP RING, Axle Shaft, Inner or
									Outer
3	52069 706AB	2	6						SEAL, Axle Drive Shaft
4	52111 167AA	1	6						BUSHING, Axle Shaft
5	5206 9707	1	6						BEARING, Axle Shaft
6	52069 888AB	2	6						O RING, Shaft Disconnect
7	52069 887AE	1	6						SHAFT, Axle, Left,Intermediate
8	5072 495AA	1	6						HOUSING, Axle
9	J535 2955	1	6						VENT, Axle
10	52111 416AA	1	6						CLIP, Front Axle Vent Hose,
									Mounting
11	52114 622AA	1	6						HOSE, Axle Vent
12	6505 216AA	12	6						BOLT, Differential Cover
13	52070 428AA	1	6						PLUG, Differential Cover
14	5206 9713	1	6						COVER, Differential, With Vent
15	5010 884AA	1	6						SEALANT, RTV, Cover
16	6100 954	4	6						BOLT, Differential
				<u></u>	<u></u>		<u></u>		


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Axle Assembly,Front,Corporate 8.25 [DJM],DR 6 Figure 002-410

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote:Sale	s Codes;								
DJM]=Axl	le - Front, 205	ММ Не	avy Duty						
DMD]=Ax	le Ratio - 3.55	5							
DMH]=Ax	le Ratio - 3.92	<u> </u>							
1									AXLE, Service Front
	52070 385AB		6						[DMD]
	52070 384AB	1	6						[DMH]




DODGE RAM 1500 (DR)-SERIES LINE

SERIES LINE H = SLT 1, 6 = 1500 L = ST BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


## Differential,Front,Coporate 8.25 [DJM],DR 6 Figure 002-610



odes; Front, 205Ml Ratio - 3.55 Ratio - 3.92 6 572AA 70 389AA 70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1 1 1 1 1 1 1 1 1	6 6 6 6 6 6				NUT, Hex, .875-14, Pinion Flange FLANGE, Driveshaft Yoke SEAL, Drive Pinion BEARING PACKAGE, Drive Pinion Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush SHIM PACKAGE, Pinion
Front, 205Ml Ratio - 3.55 Ratio - 3.92 6 572AA 70 389AA 70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1 1	6 6 6 6 6 6				FLANGE, Driveshaft Yoke SEAL, Drive Pinion BEARING PACKAGE, Drive Pinio Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
Ratio - 3.55 Ratio - 3.92 6 572AA 70 389AA 70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1 1	6 6 6 6 6 6				FLANGE, Driveshaft Yoke SEAL, Drive Pinion BEARING PACKAGE, Drive Pinio Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
Ratio - 3.92 6 572AA 70 389AA 70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1	6 6 6 6 6 6				FLANGE, Driveshaft Yoke SEAL, Drive Pinion BEARING PACKAGE, Drive Pinio Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
6 572AA 70 389AA 70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1	6 6 6 6 6 6				FLANGE, Driveshaft Yoke SEAL, Drive Pinion BEARING PACKAGE, Drive Pinio Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
70 389AA 70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1	6 6 6 6 6 6				FLANGE, Driveshaft Yoke SEAL, Drive Pinion BEARING PACKAGE, Drive Pinio Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
70 457AA 2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1 1 1	6 6 6 6 6				SEAL, Drive Pinion BEARING PACKAGE, Drive Pinio Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
2 494AA 7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1 1	6 6 6 6				BEARING PACKAGE, Drive Pinic Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
7 678 5 874AA 5 875AA 5 876AA 2 493AA	1 1 1 1	6 6 6 6				Bearing and Cup, Front SPACER, Drive Pinion Bearing, Crush
5 874AA 5 875AA 5 876AA 2 493AA	1 1 1	6 6 6				SPACER, Drive Pinion Bearing, Crush
5 874AA 5 875AA 5 876AA 2 493AA	1 1 1	6 6 6				Crush
5 875AA 5 876AA 2 493AA	1	6 6				
5 875AA 5 876AA 2 493AA	1	6 6				SHIM PACKAGE, Pinion
5 875AA 5 876AA 2 493AA	1	6 6				
5 876AA 2 493AA	1	6				0.64MM to 0.91MM
2 493AA						0.94MM to 1.27MM
	1	^				1.30MM to 1.57MM
2 496AA		6				BEARING PACKAGE, Drive Pinio
2 496AA						Bearing and Cup, Rear
	1	6				BEARING PACKAGE, Differential
						Contains 2 Bearing and 2 Cups
						SHIM PACKAGE, Differential
5 884AA	1	6				2.82MM to 3.05MM
5 885AA	1	6	_	_	_	3.07MM to 3.35MM
5 886AA	1	6				3.38MM to 3.66MM
5 887AA	1	6				3.68MM to 3.96MM
5 888AA	1	6				3.99MM to 4.27MM
5 889AA	1	6				4.29MM to 4.57MM
5 890AA	1	6				4.60MM to 4.88MM
3 158	1	6				SCREW PACKAGE, Axle Drive
						Gear, Contains 10 Screws
70 437AA	1	6				CASE ASSEMBLY, Differential,
						Contains Item 12
2 492AA	1	6				GEAR PACKAGE, Differential
						GEAR KIT, Ring And Pinion
5 895AB	1	6				[DMH]
5 873AA	1	6				[DMD]
5 864AA	1	6				WASHER PACKAGE, Side Gear
						Thrust, Contains 1 each .031,.0
						041,.046,Washers
2 912	2	6				WASHER, Pinion Gear, Thrust
70 338AA	1	6				PIN, Differential Shaft
6 9657	1	6				SHAFT, Differential Pinion
	5 885AA 5 886AA 5 887AA 5 888AA 5 889AA 5 890AA 3 158 70 437AA 2 492AA 5 895AB 5 873AA 5 864AA	5 885AA 1 5 886AA 1 5 887AA 1 5 888AA 1 5 889AA 1 5 890AA 1 1 70 437AA 1 70 4	5 885AA 1 6 5 886AA 1 6 5 887AA 1 6 5 889AA 1 6 5 890AA 1 6 6 6 70 437AA 1 6 6 6 895AB 1 6 6 6 873AA 1 6 6 6 6 873AA 1 6 6 6 6 873AA 1 6 6 6 873AA 1 6 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5 885AA	5 885AA	5 885AA

### Skid Plate, Front Axle, DR 6 Figure 002-810

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	52022 048AC	1	6						SKID PLATE, Front
_	2	6507 342AA	2	6						SCREW, M8x1.25x30




DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500


H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 003 Rear Axle





### **GROUP 3 - Rear Axle**

Illustration Title	Group-Fig. No
Rear Axle	
Axle Assembly,Rear,Corporate 9.25 [DRB],DR 1,6	Fig. 003-110
Axle Assembly,Rear,Dana 60/248MM [DRD] DR 1	Fig. 003-120
Differential and Housing	
Axle Housing, Rear, With Differential Parts, Corporate 9.25 [DRB], DR 1,6	Fig. 003-210
Axle Housing,Rear,With Differential Parts,Dana 60/248MM [DRD] DR 1	Fig. 003-220
Rear Axle Vent	
Vent, Axle	Fig. 003-310

### Axle Assembly, Rear, Corporate 9.25 [DRB], DR 1,6 Figure 003-110

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY


**ENGINE** 

5142 315AA       1       1       [DMC]         5072 500AD       1       1       [DMD]         5072 509AD       1       1       [DMD,DSA]         5103 102AD       1       1       [DMH]		
DRB]=Axle - Rear,Corporate 9.25 Light Duty  DSA]=Axle - Anti-Spin Differential  1	4xie Ratio - 3.92	
DSA]=Axle - Anti-Spin Differential  1		
1 AXLE, Service Res 5142 315AA 1 1 [DMC] 5072 500AD 1 1 [DMD] 5072 509AD 1 1 [DMD,DSA] 5103 102AD 1 1 [DMH]		
5142 315AA       1       1       [DMC]         5072 500AD       1       1       [DMD]         5072 509AD       1       1       [DMD,DSA]         5103 102AD       1       1       [DMH]	xle - Anti-Spin Differential	
5072 500AD       1       1       [DMD]         5072 509AD       1       1       [DMD,DSA]         5103 102AD       1       1       [DMH]		AXLE, Service Rear
5072 509AD 1 1 [DMD,DSA] 5103 102AD 1 1 [DMH]	5142 315AA 1 1	[DMC]
5103 102AD 1 1 [DMH]	5072 500AD 1 1	[DMD]
• •	5072 509AD 1 1	[DMD,DSA]
5072 510AD 1 1 1 IDMH DSAI	5103 102AD 1 1	[DMH]
[51111,5611]	5072 510AD 1 1	[DMH,DSA]
5072 512AE 1 6 [DMD]	5072 512AE 1 6	[DMD]
5072 517AE 1 6 [DMD,DSA]	5072 517AE 1 6	[DMD,DSA]
5103 107AD 1 6 [DMH]	5103 107AD 1 6	[DMH]
5072 518AE 1 6 [DMH,DSA]	5072 518AE 1 6	[DMH,DSA]

TRIM

DESCRIPTION

TRANS




DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Axle Assembly,Rear,Dana 60/248MM [DRD] DR 1 Figure 003-120


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
Note:Sale	s Codes:								
[DMU]= A	xle Ratio - 4.5	6							
[DSA]= Ax	xle - Anti-Spin	Differe	ntial						
1									AXLE, Service Rear
	5143 421AA	1	1		61				[DMU,DSA]
	5143 438AA	1	1		41				[DMU,DSA]





DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI











	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4137 669	2	1						
		2	6						
51									WASHER, Pinion Gear
	3507 641	2	1						Without [DSA], Thrust
		2	6						Without [DSA], Thrust
52									PINION, Differential, Serviced in
									Differential GEAR PACKAGE,
									(NOT SERVICED) (Not Serviced
53									GEAR PACKAGE, Differential
	4798 912AB	1	1						Without [DSA]
		1	6						Without [DSA]
54									GEAR, Differential, Serviced in
									Differential GEAR PACKAGE,
									(NOT SERVICED) (Not Serviced
55									WASHER PACKAGE, Side Gear
									Thrust
	4131 294	1	1						Without [DSA]
		1	6			_			Without [DSA]
56									CASE, Differential
	52111 420AA	1	1						With [DSA] With Internal Parts
		1	6						With [DSA] With Internal Parts

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Axle Housing, Rear, With Differential Parts, Dana 60/248MM [DRD] DR 1 Figure 003-220


14 15 16 17 26 18 19 20 21 17 17 20 21	22 23	24 (24)	_ 100	
		L		H = SL L = ST

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1		<u> </u>	_			<u> </u>		
	es Codes;								
DMU]=A	xle Ratio - 4.56	6							
DRD]=Al	xle - Rear,Dan	a M60 l	Heavy Dut	y/248MM					
1									NUT, Pinion Yoke
	1795 173	1	1		61				
		1	1		41				
2									WASHER, Pinion Yoke
	1795 175	1	1		61				
		1	1		41				
3									YOKE, Axle
	5137 577AA	1	1		61				
	5161 644AA	1	1		41				
4									SLINGER, Drive Pinion
	4746 867	1	1		61				
_		1	1		41				
5									O RING, Pinion Flange
	5016 792AA	1	1		61				Fits Over Hub of Axle Yoke
•		1	1		41				Fits Over Hub of Axle Yoke
6			à		0.4				SEAL, Drive Pinion
	5072 265AA	1	1		61				
7		1	1		41				DEADING Drive Dinion
7	4746 604	1	1		61				BEARING, Drive Pinion
	4746 604	1 1	1 1		61 41				Bearing and Cup, Front Bearing and Cup, Front
8		'	ı		41				SHIM KIT, Pinion Shaft
	5137 570AA	1	1		61				Front and Rear
	3137 370AA	1	1		41				Front and Rear
9	4137 696AB	1	'		71				BOLT, Axle Vent
10	4107 000NB	•							HOUSING, Rear Axle
	5137 568AA	1	1		61				
	5143 437AA	1	1		41				
11	0.10.10.7		·						BOLT, Differential
÷ •	5003 648AA	4	1		61				,
		4	1		41				
12		•	•		•				BOLT, Ring Gear
_	4506 066	12	1		61				Mounting
		12	1		41				Mounting
13									SHIM KIT, Differential
	5137 571AA	1	1		61				
		1	1		41				
14									BEARING, Differential


DGE RAM 1500 (DR)— RIES LINE SLT 1, 6 = 150 ST BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Axle Housing, Rear, With Differential Parts, Dana 60/248MM [DRD] DR 1 Figure 003-220



### Axle Housing, Rear, With Differential Parts, Dana 60/248MM [DRD] DR 1 Figure 003-220




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5017 709AA	8	1		61				Brake Adapter, Mounting
		8	1		41				Brake Adapter, Mounting
29									BEARING, Axle Shaft
	5137 586AA	2	1		61				
		2	1		41				
30									SEAL, Axle Drive Shaft
	5137 587AA	2	1		61				
		2	1		41				
31									LOCK, Drive Shaft
	5137 585AA	2	1		61				
		2	1		41				
32									SHAFT, Axle
	5137 588AA	2	1		61				
		2	1		41				
33									STUD, Wheel
	5137 589AA	10	1		61				
		10	1		41				
-34	4773 913	1	1		61				SPACER, Drive Pinion Bearing

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



ITEM	PART	OTY	LINE	SEDIFS	BODY	ENCINE	TDANG	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	IESE SOEE	4							VENT Avia Upper
2	J535 2955 52114 428AA	1 1							VENT, Axle, Upper CLIP, Vent Tube
3	HFV00 516AE								HOSE, Fuel And Vapor, 25 Foot Ro
4	0153 455	1							5/16" CLAMP, Hose, .620
5	4137 696AB	1							BOLT, Axle Vent, Lower

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 004 Parking Brake






### **GROUP 4 - Parking Brake**

Illustration Title	Group-Fig. No
Parking Brake Lever and Cables	
Parking Brake Lever and Front Cable	Fig. 004-110
Parking Brake Cables,Rear	Fig. 004-120
Parking Brake Assembly,Rear,Disc,DR 1,6	Fig. 004-130

## Parking Brake Lever and Front Cable Figure 004-110

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	52010 176AB	1							LEVER, Park Brake
	2	4221 463	1							SWITCH, Parking Brake
	3	52010 388AB	1							ROD, Parking Brake Release
	4	6501 483	3							NUT, Hex Flange, M8x1.25, Park
										Brake Lever, Mounting
	5	5102 088AA	1							PAD, Parking Brake Pedal
	6	52010 133AC	1							CABLE, Parking Brake, Front
										-
$\begin{array}{c c} & & & & & & & & & & & & & & & & & & &$										
1										




DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Parking Brake Cables,Rear Figure 004-120



	ales Codes; Brakes - 4 Wheel	Disc	Rear Anti-	Lock			
-	Brakes - Antilock			LOCK			
-	rakes - Anti-Lock			Performance	۵		
5. (0)–2 1	6502 282	1	1, 6	oriormanoc	,		SCREW, Hex Head, M8x1.25x30,
		-	-, -				Parking Brake Cable Guide,
							Mounting
2	52013 022AA	1					GUIDE, Parking Brake Cable
3							CABLE, Parking Brake
	5290 888AB	1			61		[BR5], Left
	52010 069AA	1			41		[BR5], Left
		1			41, 61		[BRR,BRT], Left
	52010 175AA	1			42, 62		Left
4							CABLE, Parking Brake
	5290 896AB	1			61		[BR5], Right
	52010 066AA	1			41		[BR5], Right
		1			41, 61		[BRR,BRT], Right
	52010 068AA	1			42, 62		Right
5	6505 242AA	1					SCREW, Cable to Shock Bracket,
							Mounting
-6	52013 518AA-	1					CLIP, Parking Brake Wraparound
-7	0152 472	1					NUT, Hex Flange Lock, .312-18,
							Brake Cable Clip to Sensor Bolt,
							Mounting
8	52113 642AB	1					TENSIONER, Parking Brake Cable
9	52010 067AA	1			41, 42	 	 CABLE, Parking Brake Extension
10	52010 133AC	1					CABLE, Parking Brake, Front

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Parking Brake Assembly, Rear, Disc, DR 1,6 Figure 004-130

1
9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	es Codes;								
_	xle - Rear,Corp		-	-					
	llxle - Rear,Dan	a M60	Heavy Dut	:y/248MM					
1	5400 00444	0	4		04				ADAPTER, Parking Brake
	5106 004AA	2	1		61				[DRD] Complete Assembly, Right or Left
		2	1		41				[DRD] Complete Assembly, Right
		_	•		• • •				or Left
	52009 967AE	2	1						[DRB] Complete Assembly, Right
									or Left
		2	6						[DRB] Complete Assembly, Right
									or Left
2	5000 705 4 4								SPRING, Park Brake Shoe Return
	5093 705AA	2 2	1 6						
3		2	O						SHOE AND LINING KIT, Parking
Ü									Brake
	5080 568AB	1	1						
		1	6						
4									PIN, Brake Shoe Hold Down
	5080 570AB	2	1						
_		2	6						
5	5114 192AA	2	1						CLIP, Brake Shoe Hold Down
	5114 192AA	2	6						
6									ADJUSTER, Parking Brake
	5018 551AB	1	1						Complete Assembly, Right or Lef
		1	6						Complete Assembly, Right or Left
7									SPRING, Park Brake Shoe Return
	5018 554AA	1	1						
_		1	6						NUT II OTE C
8	6036 159AA	8	1						NUT, Hex, .375-24
	0030 139AA	8	1 6						Parking Brake Adapter, Mounting Parking Brake Adapter, Mounting
9		3	0						PLUG, Brake Adjusting Hole
J	4238 721	2	1						, - · · · · · · · · · · · · · · · · ·
		2	6						
10									LEVER, Park Brake
	5080 569AC	2	1						Right or Left
		2	6						Right or Left
11									BOOT, Parking Brake Lever

DODGE RAI	DODGE RAM 1500 (DR)—											
SERIES	LINE	BODY	ENGINE	TRANSMISSION								
H = SLT	1. 6 = 1500	41 = Quad Cab (140.5 WB)	EZA=5.7L HEMI Magnum V8SMPI	DGQ, DG4 = Multi-Speed Auto(45RFE)								
L = ST	., 0 .000	42 = Quad Cab (160.5 WB)	EKG = 3.7L Magnum V6 MPI	DG8 = 4 Spd. Auto.(48RE)								
		61 = Reg. Cab (120.5 WB)	EVA = 4.7L Magnum V8	DEC, DEJ = 6 Spd. Manual								
		62 = Reg. Cab (140.5 WB)	EVD = 4.7L Magnum V8 FFV	,								
		,	FWC = 8.3L V10 SFL									

### Parking Brake Assembly, Rear, Disc, DR 1,6 Figure 004-130

7—2

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		E049 EEE ^ ^	0	4						Dight or Loft
_		5018 555AA	2	6						Right or Left Right or Left
_										
_										
_										

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 005 Service Brakes




005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
ALS STATE OF THE PARTY OF THE P			
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
a de			

### **GROUP 5 - Service Brakes**

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes,Front,DR 1 SRT-10 With [BR5]	Fig. 005-110
Brakes,Front,DR 1,6 With [BRR,BRT]	Fig. 005-120
Rear Brakes	
Brakes,Rear,Disc,DR 1 SRT-10 With [BR5]	Fig. 005-210
Brakes,Rear,Disc,DR 1,6 With [BRR,BRT]	Fig. 005-220
Power Brake Booster	
Booster,Power Brake	Fig. 005-310
Brake Master Cylinder	
Master Cylinder,Brake	Fig. 005-410
Brake Lines and Hoses	
HCU,Lines And Hoses,Brake,Front With R.W.A.L. [BRR]	Fig. 005-510
HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5]	Fig. 005-520
Lines and Hoses,Brake,Rear,with Rear Disc Brakes	Fig. 005-530
Brake Pedals	
Pedal.Brake,Standard	Fig. 005-610
Pedal,Brake,Power Adjustable	Fig. 005-620

### Brakes, Front, DR 1 SRT-10 With [BR5] Figure 005-110

PART



	ales Codes; Frakes - Anti-Loc	k 4-Wh	neel Disc			
1	6505 830AA	4	1			BOLT, Knuckle to Caliper, Mounting
2						CALIPER, Disc Brake
	5143 398AA	1				Right
	5143 407AA	1				Left
3	5143 401AA	2				BLEEDER SCREW, Brake
4	4238 717	2				CAP, Bleeder
5	5143 399AA	4				PISTON, Brake
6	5143 400AA	1				BOOT AND SEAL, Disc Brake,
						Includes 2 Boots,2 Seals
7	5166 550AA	1				SLEEVE, Brake Caliper
8	5143 406AA	1				BOLT, Front Pad Retainer
9	5143 403AA	2				SPRING, Brake Pad Retraction
10	5143 402AA	1				PAD KIT, Front Disc Brake
11	5143 405AA	1				TUBE, Brake Caliper, Right or Left
12	6507 649AA	6				BOLT, Hub, Hub and Bearing to
						Knuckle, Mounting
13	52070 323AB	2				HUB AND BEARING, Brake, Right
						Left
14	6035 323	5				STUD, Wheel
15	55366 036AB	2	1	41, 61		ROTOR, Brake, Right or Left
16						NUT, Push, .50-13, (NOT
						SERVICED) (Not Serviced)
17	5083 204AA	1				SENSOR KIT, Anti-Lock Brakes,
						Includes Wiring,screw,I-Sheet,
						Right or Left
18	52010 449AB	2				BRACKET, Brake Sensor Wire

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Brakes,Front,DR 1,6 With [BRR,BRT] Figure 005-120




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
Nata: Ca	laa Cadaa								
	les Codes;	-4: II:	. 4 \A/b a a L F	):					
	rakes - Rear Ai			JISC					
	rakes - Anti-Loo								
	ngine - "MAGN		/L V6						
	ngines - All 4.7l			451145					
	ngine - Hemi "N		M" 5.7L SN	MPI V8					
1	6506 599AA	4							BOLT
2	5080 557AC	1							ADAPTER, Disc Brake Caliper, Right
									or Left
3	5014 431AA	1							BLEEDER SCREW, Brake
4	4238 717	1							CAP, Bleeder
5									CALIPER, Disc Brake
	5134 582AB	1							Right
	5134 583AB	1							Left
6	4423 639	2							PIN, Caliper
7	5003 896AA	2							BUSHING, Disc Brake Caliper
8	5018 238AA	2							SLEEVE, Disc Brake Caliper
9	5018 403AA	1							CLIP, Brake Anti-Rattle, Leading
10	5139 733AA	1							PAD KIT, Front Disc Brake,
									Complete
11	5018 404AA	1							CLIP, Brake Anti-Rattle, Trailing
12	5066 700AA	2							BOOT AND SEAL, Disc Brake
13	5018 235AA	2							PISTON, Brake
14	6507 649AA	6	1, 6						BOLT, Hub, Adapter to Knuckle,
			,						Mounting
15									SHIELD, Brake
	52010 138AC	1							Right
	52010 139AC								Left
16									HUB AND BEARING, Brake
	52070 321AB	2							[BRR,EKG,EV0]
	0_0.0 0	1							[BRR,EZA], Right
	52070 323AB								[BRR,EZA], Left
	02010 02011	2							[BRT]
17	6035 323	5							STUD, Wheel
18	52010 080AC								ROTOR, Brake
19	32010 00040	_							NUT, Push, .50-13, (NOT
13									SERVICED) (Not Serviced)
20	6506 454AA	2	6						NUT, Hex
21	5083 204AA		O						SENSOR KIT, Anti-Lock Brakes,
21	5063 204AA	1							
20	50040 440AD	0							Right or Left
22	52010 449AB	2							BRACKET, Brake Sensor Wire, Right
									or Left
ODGE RAI	M 1500 (DR)								
ERIES	LINE		BODY	(4.40 = 14.5)		IGINE		401	TRANSMISSION
l = SLT . = ST	1, 6 = 1500		= Quad Cab ( = Quad Cab (			5.7L HEMI M 3.7L Magnu		VIPI	DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE)
٠.		61 =	= Reg. Cab (1	120.5 WB) <sup>´</sup>	EVA =	4.7L Magnu	m V8		DEC, DEJ = 6 Spd. Manual
		62 =	= Reg. Cab (1	140.5 WB)		: 4.7L Magnu = 8.3L V10 S			
					∟VVU:	- 0.JL V IU S	71 I		

### Brakes, Front, DR 1,6 With [BRR, BRT] Figure 005-120



### Brakes, Rear, Disc, DR 1 SRT-10 With [BR5] Figure 005-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOWIBER	QII	LINL	SERIES	ВОВТ	LINGINE	IKANS	LIXIIVI	DESCRIPTION
1									BOLT
	5137 581AA	2	1		41				Caliper Adapter, Mounting
		2	1		61				Caliper Adapter, Mounting
2	5139 918AA	1	1		41, 61				ADAPTER, Disc Brake Caliper, Right
									or Left
3									CALIPER, Disc Brake
	5139 914AA	1	1		41, 61				Right
	5139 915AA	1	1		41, 61				Left
4	5014 431AA	1	1		41, 61				BLEEDER SCREW, Brake
5	4238 717	1	1		41, 61				CAP, Bleeder
6	4423 639	2	1		41, 61				PIN, Caliper
7	5139 916AA	2	1		41, 61				PISTON, Brake
8	5018 238AA	2	1		41, 61				SLEEVE, Disc Brake Caliper
9	5003 896AA	2	1		41, 61				BUSHING, Disc Brake Caliper
10	5019 749AA	2	1		41, 61				BOOT AND SEAL, Disc Brake
11	5018 578AA	1	1		41, 61				CLIP, Brake Anti-Rattle, Trailing
12									ROTOR, Brake
	5290 345AA	2	1		41				
		2	1		61				
13	5139 917AA	2	1		41, 61				PAD KIT, Rear Disc Brake
14	5018 579AA	1	1		41, 61				CLIP, Brake Anti-Rattle, Trailing

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


### Brakes, Rear, Disc, DR 1,6 With [BRR, BRT] Figure 005-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	!							
ote: Sa	les Codes;								
	rakes - Rear An	ti-Lock	4 Wheel I	Disc					
BRT]=Bi	akes - Anti-Loc	k 4 Wh	eel Disc						
1									PIN, Caliper
	5080 567AA	2	1						
		2	6						
2									ADAPTER, Disc Brake Caliper
	5080 566AA	1	1						Right or Left
		1	6						Right or Left
3									BOLT
	6505 445AA	4	1						Caliper Adapter, Mounting
		4	6						Caliper Adapter, Mounting
4									CAP, Bleeder
	4238 717	1	1						
		1	6						
5									BLEEDER SCREW, Brake
	5014 431AA	1	1						
		1	6						·
6		_	_						CALIPER, Disc Brake
	5080 560AA	1	1						Right
	5080 562AA	1	1						Left
	5080 560AA	1	6						Right
_	5080 562AA	1	6						Left
7	5000 0004	•							BUSHING, Disc Brake Caliper
	5003 896AA	2	1						
0		2	6						CLEEVE Disa Busin Collin
8	E040 000 A A	0	4						SLEEVE, Disc Brake Caliper
	5018 238AA	2	1						
0		2	6						PISTON KIT, DISC BRAKE
9	5066 699AA	1	1						FISTON KIT, DISC BRAKE
	JUUU USSAA	1 1	6						
10		ı	U						ROTOR, Brake
10	52009 968AB	2	1						NOTON, DIANG
	32009 900AD	2	6						
11		۷	U						CLIP, Brake Anti-Rattle
1.1	5080 564AA	1	1						Leading
	3000 304AA	<u>'</u> 	6						Leading
12		'	J						PAD KIT, Rear Disc Brake
14	5080 563AC	1	1						. AD INT, INCAL DISC BLAKE
	3000 303AC	1	6						
13		<u> </u>	<u> </u>						CLIP, Brake Anti-Rattle
13									JEII , DIANE AIRI-NARIE

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Brakes, Rear, Disc, DR 1,6 With [BRR, BRT] Figure 005-220



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
-		1									
_		5080 565AA	<u>1</u>	1						Trailing	
			1	6						Trailing	
_											
_											
_											
_											
-											
_											
_											
_											
_											

DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Booster, Power Brake** Figure 005-310

(4) (m) (m) (m) (m) (m) (m) (m) (m) (m) (m	
7	

•	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sal	es Codes;								
	akes - 4 Whee	el Disc,F	Rear Anti-l	_ock					
	akes - Anit-Loc								
[BR5]=Bra	akes - Anti-Loc	ck 4-Wh	neel Disc,P	erformance	Э				
1									HOSE, Brake Booster
	5290 815AA	1							[BR5]
	52010 173AB	1							[EK0,EV0]
	52010 402AC	1							[EZ0]
-2	5073 039AA-	1							STRAP, Tie
-3	55398 042AA	1							CLIP, Hose, Hose to Resonator,
									Mounting
4	5072 522AA	1							VALVE, Vacuum Check
-5	5103 338AA-	1							CAP, Vacuum Port
6	5072 523AA	6							NUT, Master Cylinder/Booster,
									Mounting
7									BOOSTER, Power Brake
	5080 887AA	1							[BRR,BRT]
	5102 068AA	1	1						[BR5]
		_							

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Master Cylinder, Brake Figure 005-410

_2
_3
4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sal	es Codes;								
	akes - 4 Whee	el Disc,F	Rear Anti-L	.ock					
	akes - Anit-Lo								
	akes - Anti-Loc	ck 4-Wh	neel Disc,P	erformance	)				
1	5400 000 A A								MASTER CYLINDER, Brake
	5102 032AA 5080 888AB	1							[BRR] [BRT]
	3000 000AD	1 1	1						[BR5]
2	5072 525AA	1	•						CAP, Master Cylinder Reservoir
3	00.2 020.5 (	•							RESERVOIR, Brake Master Cylinder,
									(NOT SERVICED) (Not Serviced)
4	5080 890AA	1							SCREW, Master Cylinder to
									Reservoir, Mounting
5	5072 523AA	6							NUT, Master Cylinder/Booster,
									Mounting
ODCE DAM	1.4500 (DB)								
SERIES	I 1500 (DR) LINE		BODY			IGINE			TRANSMISSION
H = SLT L = ST	1, 6 = 1500		= Quad Cab = Quad Cab			5.7L HEMI Magnu 3.7L Magnu		//PI	DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE)
01		61 =	= Reg. Cab (	120.5 WB)	EVA =	4.7L Magnu	m V8		DEC, DEJ = 6 Spd. Manual
		62 =	= Reg. Cab (	140.5 WB)	EVD =	: 4.7L Magnu = 8.3L V10 S	m V8 FFV		•
					EVVC =	- 0.JL V IU S	1.1		

### **HCU,Lines And Hoses,Brake,Front With R.W.A.L. [BRR] Figure 005-510**



### HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5] Figure 005-520

ITEM

PART

NUMBER

QTY

LINE

SERIES


BODY

**ENGINE** 

**TRANS** 


TRIM

**DESCRIPTION** 



DEC, DEJ = 6 Spd. Manual

### HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5] Figure 005-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	6502 114	8							WASHER, Brake Hose, Mounting
16	6505 801AA	4							BOLT, Banjo, Brake Hose, Mounting
17									TUBE, Brake
	52122 130AB	1	1						Junction Block to Brake Hose,
									Right
	52122 131AA	1	6						Junction Block to Brake Hose,
									Right
18									CLIP, Brake Line
	6506 465AA	5	1						As Required, Mounting
		6	6						As Required, Mounting
19	6505 178AA	1							SCREW, Hex Head, As Required,
									Mounting
20									HOSE, Brake
	5290 564AA	1							[BR5] With Items 15,16, Right
	52010 180AD	1							[BRT] With Items 15,16, Right

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Lines and Hoses, Brake, Rear, with Rear Disc Brakes Figure 005-530

[BR5]=Brakes - Anti-Lock 4-Wheel Disc,Per

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Note:Sales	s Codes;								



[DRB]=/	Axle - Rear,Corpo	rate	9.25 LD		
	Engines - All 3.7L				
	ingines - All 4.7L	•			
	ingine - All 5.7L 8		nder Gas		
1	2208 893	1			LOCK, Brake Hose, Mounting
2					TUBE, Brake
	52110 247AC	1		41	To Front Junction Block, Chassis
	52110 251AC	1		42	To Front Junction Block, Chassis
	52110 241AC	1		61	To Front Junction Block, Chassis
	52110 244AC	1		62	To Front Junction Block, Chassis
-3					CLIP
	52102 760AE-	3		41	Hold Item 2 to Frame, Mounting
		3		42	Hold Item 2 to Frame, Mounting
		3		61	Hold Item 2 to Frame, Mounting
		3		62	Hold Item 2 to Frame, Mounting
4	6505 178AA	2			SCREW, Hex Head, Tube and Hose
					to Rear Axle, Mounting
5					TUBE AND HOSE, Brake
	5290 517AA	1	1	41	[BR5], Left
	5290 555AC	1	1	61	[BR5], Left
	52009 979AD	1			[DRB], Left
6	52010 060AC	1			HOSE, Brake, Rear
7	4137 696AB	1			BOLT, Axle Vent
8	0152 472	1			NUT, Hex Flange Lock, .312-18
9	6035 887	1			STUD, Axle Housing
10	56028 187AE	1			SENSOR, Wheel Speed, Rear
11					TUBE AND HOSE, Brake
	5290 516AA	1	1	41	[BR5], Right
	5290 554AC	1	1	61	[BR5], Right
	52009 978AD	1			[DRB], Right
12	6505 801AA	2			BOLT, Banjo, Brake Hose, Mounting
13	6502 114	4			WASHER, Brake Hose, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Pedal.Brake,Standard Figure 005-610

ITEM

PART

NUMBER


QTY

LINE

SERIES

BODY

**ENGINE** 



	ales Codes; Transmissions - A	Manual	
_	Transmissions - A		
1	55351 190AE	1	BRACKET, Steering Column, Clutch and Brake Pedal
2			BUSHING, Brake Pedal
	52010 309AA	8	[DBB]
		4	[DG0]
3			SHAFT, Brake Pedal Pivot
	52010 318AA	2	[DBB]
		1	[DG0]
4			SNAP RING
	6023 879	4	[DBB]
		2	[DG0]
5	4294 036	1	CLIP
6			PEDAL AND PAD, Brake
	52010 221AC	1	[DBB]
	52010 322AC	1	[DG0]
7			PAD, Pedal
	5200 2750	1	[DBB]
	4779 027	1	[DG0]
8	52009 944AB	1	PEDAL, Clutch, [DBB]
9	52010 331AB	1	PIN, Clutch Pedal, [DBB]

TRIM

DESCRIPTION

TRANS

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Pedal, Brake, Power Adjustable Figure 005-620

ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



Note: Sales Codes;								
	[DBB]=Transmissions - All Manual							
[DEC]=Transmission - 6-Speed Manual								
[DG0]=Transmissions - A	[DG0]=Transmissions - All Automatic							
[DG8]=Transmission-4-S	peed. Automatic,48RE							
[NHN]=Throttle - Electron	nically Controlled							
1		PAD, Pedal						
5200 2750	2	[DBB]						
5140 908AA	2	[DEC]						
4779 027	1	[DG0]						
5140 909AA	1	[DG8]						
2		PEDAL AND BRACKET, BRAKE						
55366 025AB	1	[DBB]						
55366 033AB	1	[DBB,NHN]						
5290 682AC	1	[DEC]						
55366 024AB	1	[DG0]						
55366 032AB	1	[DG0,NHN]						
5290 525AC	1	[DG8]						
3		PEDAL, Accelerator						
5140 907AA	1	[DEC]						
	1	[DG8]						

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 006 Clutch






### **GROUP 6 - Clutch**

Illustration Title	Group-Fig. No
Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing And Pan, Clutch	Fig. 006-210
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-310
Clutch Pedals	
Pedal, Clutch	Fig. 006-410

# Clutch Figure 006-110



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
NOTE: S	ales Codes									
DBB] = All Manual Transmissions										
DEJ] = Six Speed Manual Transmission										
_	MAGNUM 3.7L	-		Engine						
	All 4.7L Magnun	n Engir	nes							
_	8.3 L V10 SFI									
[EZA] = N	MAGNUM 5.7L	SMPI \	/8 Engine							
1									DISC, Clutch	
	52107 829AB					EKG	DEJ			
_	52107 834AB					EV0	DEJ			
2	6035 626	6				EKG,	DBB		BOLT, Hex Head, .375-16x.84	
0						EV0			OLLITOLI DA OKA OF	
3	5017 886AB	1				EKG	DEJ		CLUTCH PACKAGE	
	5072 318AA	1				EV0	DEJ			
4	6036 611AA	8				EWC	DBB		BOLT, Clutch To Flywheel	
5	4848 708AC	1				EWC	DBB		PLATE, Clutch Pressure	
	1040 700/10								TEXTE, Glateri i ressare	

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Housing And Pan, Clutch **Figure 006-210**

PART



# Housing And Pan, Clutch Figure 006-210




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
		5143 929AA	1	6			EK0,	DEJ		
_							EV0			
			1	1			EK0,	DEJ		
							EV0			
		6036 308AA	10				EWC	DEC		
	14									SCREW
		6035 470	12				EWC	DEC		
			4				EWC	DBB		
	15	0153 371	4				EWC	DBB		BOLT, Hex Head, .375-16x2.25
_	16	0154 927AA	4				EWC	DBB		SCREW
	17	6036 621AA	2				EWC	DBB		SCREW, Hex Head, .437-14x2.75
	18	9417 838	2				EWC	DBB		WASHER, Flat
	19	5037 330AD	1				EWC	DBB		COVER, Transmission Dust
_	20	6035 666	2				EWC	DBB		SCREW, Hex Flange Head, .25- 20x1.00

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Controls, Hydraulic Clutch** Figure 006-310



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
NOTE: Sa	ales Codes												
[DBB] = A	II Manual Trar	smissi	ons										
DG0] = A	DG0] = All Automatic Transmissions												
[EKG] = N	[EKG] = MAGNUM 3.7L V6 Cylinder Gas Engine												
[EK0] = A	[EK0] = All 3.7L 6 Cylinder Engines												
[ET0] = A	[ET0] = All 5.9L Turbo Diesel Engines												
[EV0] = A	[EV0] = All 4.7L Gas Engines												
[EW0] = A	[EW0] = ALL 8.0L Gas Engines												
[EZ0] = A	II 5.7L SMPI V	8 Engir	ne										
[XAP] = P	ower Adjustab	le Peda	als										
1									HYDRAULIC CONTROL UNIT				
	5037 431AA	1				EWC	DBB						
	52110 495AC	1				EK0,	DBB						
						EV0							
	52110 496AB	1				EZ0	DBB						
2									NUT, Hex, M10-1.5				
	6506 618AA	2					DBB		Clutch Master Cylinder				
		2					DG0		Cylinder Opening Plug				
3	6104 716AA	2				EK0,	DBB		NUT				
						EV0							
4	52107 875AA	1					DG0		PLUG				
5	4338 855	1				EK0,	DBB		SPRING, Clutch Release				
						EV0							
6	5210 7555	1				EKG,	DBB		FORK, Clutch Release				
						EV0							
7	5300 8342	1				EKG,	DBB		BEARING, Clutch Release				
		_				EV0							
8	6505 668AA	2				EK0,	DBB		STUD, Double Ended, M8 x 1.25 x				
	50040 00445					EV0			46.50				
9	52010 331AB	1				EWO.	DBB		PIN, Clutch Pedal				
10	5037 518AA	1				EWC	DBB		CYLINDER, Clutch Slave				
11	6101 462	2				EWC	DBB		SCREW AND WASHER, Hex Head, M8x1.25x30				

 DODGE RAM 1500 (DR)


 SERIES
 LINE

 H = SLT
 1, 6 = 1500

 L = ST
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



IT-1-	PART	071	,	ernico.	BODY	FNOR	TDANO	TD::-	DEGODISTICAL
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:0	daa Cadaa								
	ales Codes II Manual Trans	emieein	ne						
1	52009 944AB		110				DBB		PEDAL, Clutch
2	52003 344AB 5200 2750	1					DBB		PAD, Pedal
3	55351 190AE						DBB		BRACKET, Steering Column, Clu
<u> </u>	55551 190AE	<u> </u>							and Brake Pedal
4	0000 070	4					DDD		
4	6023 879	4					DBB		SNAP RING
5	52010 309AA						DBB		BUSHING, Brake Pedal
6	52010 318AA						DBB		SHAFT, Brake Pedal Pivot
7	52010 331AB	1					DBB		PIN, Clutch Pedal
	# 4500 (DB)								
ODGE RAI ERIES	/I 1500 (DR) LINE		BODY		FN	GINE			TRANSMISSION
= SLT	1, 6 = 1500	41 =	= Quad Cab	(140.5 WB)	EZA=5	5.7L HEMI M	agnum V8SI	ИΡΙ	DGQ, DG4 = Multi-Speed Auto(45RFE)
= ST		42 =	= Quad Cab	(160.5 WB)	EKG =	3.7L Magnu	ım V6 MPI		DG8 = 4 Spd. Auto.(48RE)
		წ1 =	= Reg. Cab = Reg. Cab	(120.5 WB) (140.5 WR)	EVD =	4.7L Magnu 4.7L Magnu	III V8 m \/8 FE\/		DEC, DEJ = 6 Spd. Manual
		02 =	- neg. cab	(170.5 WD)	_ V D =	= 8.3L V10 S	III VO FFV		


# Group – 007 Cooling




007–100	007–200	007–300	007–400
Radiator and Related Parts	Water Pump and Related Parts	Tank, Coolant Engine	Pulleys and Related Parts
<b>007–500</b>	007–600	007-700	
Drive Belts	Lines, Transmission Oil Cooler	Grilles	

# **GROUP 7 - Cooling**

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator And Related Parts, Gas Engines	Fig. 007-125
Radiator Closure Frame Support	Fig. 007-150
Water Pump and Related Parts	
Water Pump 3.7 and 4.7L Engine	Fig. 007-205
Water Pump 5.7L Engine	Fig. 007-207
Water Pump 8.3L Engine	Fig. 007-210
Tank, Coolant Engine	
Coolant Tank	Fig. 007-320
Pulleys and Related Parts	
Drive Pulleys 3.7 And 4.7L Engine	Fig. 007-405
Drive Pulleys 5.7L Engine	Fig. 007-407
Drive Pulleys 8.3L Engine	Fig. 007-410
Drive Belts	
Drive Belts 3.7 and 4.7L Engine	Fig. 007-510
Drive Belts 5.7L Engine	Fig. 007-512
Drive Belts 8.3L Engine	Fig. 007-525
Lines, Transmission Oil Cooler	
Oil Cooler And Lines 3.7 and 4.7L Engine	Fig. 007-615
Oil Cooler and Lines 5.7L,8.3L Engines	Fig. 007-617
Grilles	
Grille And Related Parts	Fig. 007-720



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
							!					
Note: Sale	es Code NMC	– Heav	v Duty Co	olina								
	es Code NMS											
	Note: Sales Code EK0 = 3.7L Engine											
	Note: Sales Code EV0 = 4.7L Engine											
	Note: Sales Code EM0 = 5.9L Engine											
	es Code DG0			ion								
Note: Sale	s Code DBB	= Manu	ıal Transmi	ission								
Note: Sale	es Code DGT	= 4 Sp	eed Auto T	ransmissio	n							
Note: Sale	s Code DG4	= Muti-	Speed Auto	o Transmis	sion							
1									RADIATOR, Engine Cooling			
	55056 479AA	1				EK0,	DBB					
						EV0						
		1				EK0,	DG0					
						EV0						
	55056 481AA	1				EZ0	DBB					
		1				EZ0	DG0					
	5290 803AB	1				EWC						
2									DRAINCOCK, Radiator			
	4644 269	1				EK0,	DBB					
						EV0						
		1				EK0,	DG0					
						EV0	DDD					
		1				EZ0	DBB					
	50000 400AD	1				EZ0	DG0					
3	52028 466AB	1				EWC			ISOLATOR, Radiator, Upper			
	52028 945AA	1				EK0,	DBB		130LATON, Nadiator, Opper			
	32020 3 <del>1</del> 3AA	Į.				EV0	DDD					
		1				EKO,	DG0					
		<u>'</u>				EV0						
		1				EZ0	DBB					
		1				EZ0	DG0					
	5202 7828	2				EWC						
4									ISOLATOR, Radiator, Lower			
	52028 942AA	2				EK0,	DBB					
						EV0						
		2				EK0,	DG0					
						EV0						
		2				EZ0	DBB					
		2				EZ0	DG0					
	52029 086AA	2				EWC						
5									ISOLATOR, Radiator			
DODGE RAM	1500 (DR)											
SERIES H = SLT	LINE 1, 6 = 1500		BODY = Quad Cab	(140 5 \MP\		GINE	agnum V8SM	/IDI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE)			
L = ST	1, 0 = 1300	42 =	= Quad Cab	(160.5 WB)	EKG =	: 3.7L Magnu	ım V6 MPI	11 1	DG8 = 4 Spd. Auto.(48RE)			
			= Reg. Cab ( = Reg. Cab (			4.7L Magnu 4.7L Magnu			DEC, DEJ = 6 Spd. Manual			
		02 =	- Neg. Cab (	170.0 ((0)		= 8.3L V10 S						



	PART	1		,					
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4401 950	1				EK0,	DBB		
						EV0			
		1				EK0,	DG0		
						EV0			
		1				EZ0	DBB		
		1				EZ0	DG0		
6		_							HOSE, Radiator
	52028 870AD					EZ0			Upper
	5290 804AB	1				EWC			Upper
	52028 825AD					EK0			Upper
_	52028 826AD	1				EV0			Upper
7	-3330 004AF					<b>-</b> 1/0			HOSE, Radiator
	52028 824AF					EK0			Lower
	52028 827AE					EV0			Lower
	55056 982AA					EZ0			Lower
0	5290 805AB	1				EWC EK0,			Lower CLAMP, Hose to Radiator, Upper
8	52029 090AA	. 1				EV0,			CLAMP, HOSE to Radiator, Opper
						EZO			
9	5200 6750	1				EW0			CLAMP, Radiator, Lower
-10	55111 033AA-					EW0			CLAMP, Hose, 60X15, Radiator Inl
11		<u> </u>							SHROUD, Fan
• •	52028 851AE	1				EV0,			O. 11(2) 22, 1 d. 1
	0_0_0	•				EZ0			
	5290 401AD	1				EWC			
-12	5072 472AA-	1				EK0			EXTENSION, Fan Shroud
13									BOLT AND CONED WASHER, He
									Head, M8x1.25x25
	6503 543	2				EW0			
		2				EWC	DG0		
-14									NUT, U Multi Thread, M6 x 1.00
	6505 492AA-	2				EK0			Shroud To Air Cleaner
		2				EV0,			
						EZ0			
-15									SCREW AND WASHER, Hex Head
		_							M8-1.25x22.00
	6505 442AA-	2				EK0,			Fan Shroud to Radiator
						EV0,			
						EZ0			

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				EK0,			Fan Shroud to Radiator Attach
						EV0,			Tall Silloud to Nadiator Attach
						EZ0			
16						LZU			FAN, Cooling
10	52027 846AB	1				EK0,			17(14, Cooming
	02027 0 10712	•				EV0			
		1				EZ0			
-17		•							BOLT, Hex Head, 5/16x18x3/4
	0180 077	4				EK0,			Fan to Fan Assembly
		-				EV0,			
						EW0			
		4				EZ0			Fan to Fan Assembly
-18									SCREW AND WASHER, Hex Head
									.312-18x.75
	6022 225	4				EK0,			Fan to Fan Assembly
						EV0,			•
						EW0			
		4				EZ0			Fan to Fan Assembly
19									DRIVE, Fan
	52029 977AD	1				EK0	DG0		
		1				EZ0	DG0		[-NMC,NMS]
	52029 876AC	1				EZ0	DG0		[NMC,NMS]
	52028 789AF	1				EV0	DG0		
		1				EK0	DBB		
20	6508 012AA	2							BOLT, Radiator to Front Structure
									Upper
21									SCREW AND WASHER, Hex Head
									(NOT SERVICED) (Not Serviced)
-22	5037 344AA-	1				EWC			THERMOSTAT, 185 Degrees
-23	52028 898AE-	· 1				EZ0			THERMOSTAT, 195 Degrees
-24									HOUSING, Thermostat
	5037 089AA-	1				EWC			
	53020 887AB-	· 1				EK0,			
						EV0			
	53021 536AC-	· 1				EZ0			
-25	5290 438AC-	1				EWC			FAN MODULE, Radiator Cooling
-26	5037 173AA-	1				EWC			GASKET, Thermostat
-27	5245 236	1				EWC			SEAL, Thermostsat By Pass
28									BRACKET, Radiator
	5290 374AB	1				EWC			Right
	5290 375AB	1				EWC			Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI







	PART								
ITEN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-29	5290 437AA-	1	1			EWC			BAFFLE, Radiator
-30	5290 421AB-	1				EWC			SEAL, Radiator, Upper
-31									CAP, Coolant Reserve Tank
	5086 226AA-	1				EZ0	DG0		
		1				EZ0	DBB		
		1				EK0,	DBB		
						EV0			
		1				EK0,	DG0		
						EV0			
		1				EWC			



DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Radiator Closure Frame Support Figure 007-150

3


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 694AI	1							Right
	55275 695AG	1							Left
2	55275 686AH	1							CROSSMEMBER, Radiator, Upper
3	55276 096AC	1							CROSSMEMBER, Radiator, Lower
4									SCREW, M8x1.25x20, (NOT
									SERVICED) (Not Serviced)
5									INSERT, (NOT REQUIRED)
6									PANEL, CLOSEOUT
	55275 524AA	1							Right
	55275 525AA	1							Left
7									SCREW, (NOT SERVICED) (Not
									Serviced)

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Water Pump 3.7 and 4.7L Engine Figure 007-205




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	les Code EK0 :	= 3.7L I	Engine						
	les Code EV0 :								
1	53021 187AA		Ü			EK0,			PUMP, Water
						EV0			
2	5302 0865	1				EK0,			GASKET, Water Pump
						EV0			
3	6035 854	2				EK0			FITTING, Y-Style
4									SCREW, (NOT SERVICED) (Not
									Serviced)
5	52079 476AC	1				EK0,			THERMOSTAT
						EV0			
6	53020 887AB	1				EK0,			HOUSING, Thermostat
						EV0			
-7	6505 502AA-	2				EK0,			SCREW, Mounting, Thermostat
						EV0			Housing
8									GASKET, Thermostat, (NOT
									SERVICED) (Not Serviced)
9									SEAL, Crankshaft Oil, Front
	53021 313AA					EK0			
		1				EV0			
10									PIPE FITTING, Chain Case Cover,
									.375-18x2, (NOT SERVICED) (No
									Serviced)
11									SCREW, M6x1x25, (NOT
									SERVICED) (Not Serviced)
12									PLUG, (NOT SERVICED) (Not
40									Serviced)
13									PLUG, (NOT SERVICED) (Not
									Serviced)

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Water Pump 5.7L Engine Figure 007-207




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							•		
1	53021 380AK	1				EZ0			PUMP, Water
2	53021 384AC					EZ0			GASKET, Water Pump
3	6506 268AA	2				EZ0			SCREW AND WASHER, Hex
4	6506 269AA	3				EZ0			SCREW AND WASHER, Hex
5	6506 270AA	5				EZ0			SCREW AND WASHER, Hex
6	6506 684AA	1				EZ0			STUD
7	53021 536AC	1				EZ0			HOUSING, Thermostat

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Water Pump 8.3L Engine Figure 007-210




	PART		l		l '				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
	8.3L V10 SFI	_				=1110			
1	5037 164AC	1				EWC			PUMP, Water, With Pulley
2									HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)
3	5037 171AB	1				EWC			GASKET, Water Pump
4	6034 530	6				EWC			SCREW, Hex Head, .312-18x.75
5	6035 558	1				EWC			SCREW, Hex Flange Head, .375-16x1.50

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# **Coolant Tank** Figure 007-320



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
1	1 55056 502AA 1 EZ0 BOTTLE, Coolant Recovery									
2									SCREW, M4.8x1.59x11, (NOT	
									SERVICED) (Not Serviced)	
3	6105 098AA	2				EKO,			SCREW AND WASHER, Hex Head,	
						EV0,			M6x1x25	
						EZ0				
4	5207 9331	1				EZ0			CAP, Coolant Reserve Tank	
5	55077 261AA	1				EZ0			CAP, Washer Reservoir	
6	5103 452AA	1				EZ0			PUMP, Washer, Windshield	
7	55077 484AA	1				EZ0			SENSOR, Washer Fluid Level	
8	5013 755AA	1				EZ0			GROMMET, Washer Reservoir	
9	5011 809AA	1				EZ0			GROMMET, Windshield Washer	
									Pump	

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# **Drive Pulleys 3.7 And 4.7L Engine** Figure 007-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TENSIONER, Alternator Belt
<u>'</u>	53030 958AD	1				EK0			TENOIONEN, Alternator Belt
	53030 958AC					EV0			
2	6504 930AA	1				EK0,			SCREW AND WASHER, Hex Head
_	0001 0007 111	·				EV0			M10x1.5x70
3									PULLEY, Alternator
	5140 403AA	1				EK0			,
	53032 378AA					EZ0			

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Drive Pulleys 5.7L Engine** Figure 007-407

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 688AA	1				EZ0			SCREW AND WASHER, Hex
2	6506 723AA	1				EZ0			STUD, Double Ended
3	53032 645AA	2				EZ0			PULLEY, Idler
4	53032 645AA	2				EZ0			PULLEY, Idler
-5	6507 442AA-	2				EZ0			SCREW AND WASHER, Hex
6	6101 695	3				EZ0			NUT, Hex Flange Lock
7	53032 130AA	1				EZ0			TENSIONER, Belt


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# **Drive Pulleys 8.3L Engine** Figure 007-410

**PART** 



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sal	es Code EM0	= 5.9L	Engine						
1									PULLEY, Water Pump, Serviced with
									Pump, (NOT SERVICED) (Not
									Serviced)
2									SCREW, (NOT SERVICED) (Not
									Serviced)
3									BRACKET, Alternator And
									Compressor, (NOT REQUIRED)
4	6102 045AA	3				EWC			SCREW AND WASHER, Hex Head
5	4792 581AB	1				EWC			PULLEY, Idler
6	3300 2201	1				EWC			BUSHING, Idler Pulley
7									BOLT, (NOT SERVICED) (Not
									Serviced)
8									BOLT, (NOT SERVICED) (Not
									Serviced)
9	6505 954AA	6	1			EWC			SCREW, Hex Head Pilot Point,
									M8x1.25x65.00
-10	5086 500AA-	1				EWC			TENSIONER PACKAGE, Belt


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Drive Belts 3.7 and 4.7L Engine** Figure 007-510



Note: Sales Code EK0 = 3.7L Engine Note: Sales Code EV0 = 4.7L Engine 1 53032 037AL 1 EK0, 2 53032 037AL 1 EK0,		PART								
Note: Sales Code EV0 = 4.7L Engine  1	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EV0 = 4.7L Engine  1										
1       53032 037AL       1       EK0,       BELT, Accessory Drive         EV0       EV0       BELT, Accessory Drive, With A										
EV0 2 53032 037AL 1 EK0, BELT, Accessory Drive, With A				=ngine			EK0			PELT Accessory Drive
2 53032 037AL 1 EK0, BELT, Accessory Drive, With A	ı	53032 031AL	ı							BELT, Accessory Drive
	2	53032 037AL	. 1							BELT, Accessory Drive, With Air

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Drive Belts 5.7L Engine Figure 007-512

		DART								_
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		!			-				<u> </u>	
	Note: Sale	es Code EZ0	= 5.7L E	Engine						
	1	53032 132AK	1			_	EZ0			BELT, Accessory Drive
ALTERNATOR— A/C COMPRESSOR OR HCO IDLER PULLEY										
IDLER PULLEY-										
TENSIONER ASSY O O O O O O O O O O O O O O O O O O										
IDLER PULLEY—										
CRANKSHAFT PULLEY—PWR STEERING PUMP										_
1 Olvii										
	DODGE BAN	/ 1500 (DP)								
	DODGE RAM SERIES H = SLT L = ST	LINE 1, 6 = 1500	41 = 42 = 61 = 62 =	BODY = Quad Cab = Quad Cab = Reg. Cab ( = Reg. Cab (	(140.5 WB) (160.5 WB) 120.5 WB) 140.5 WB)	EN EZA=5 EKG = EVA = EVD = EWC =	GINE 5.7L HEMI Ma : 3.7L Magnu 4.7L Magnui 4.7L Magnui = 8.3L V10 Si	agnum V8SM m V6 MPI m V8 m V8 FFV FI	лРI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual


# Drive Belts 8.3L Engine Figure 007-525





1754	PART	OTV		OFFICE	DODY	FNOINE	TDANG	TDIM	DECODIDETION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	es Code EW0	= 8.0L	Gas Engin	ie					
1 2	5037 206AD	1				EWC			BELT, Accessory Drive BELT, Accessory Drive, 53010255
3	5037 206AD	1				EWC			(NOT REQUIRED) BELT, Accessory Drive
	• 4500 (TT)								
ODGE RAI ERIES = SLT = ST	<b>1 1500 (DR)</b> LINE 1, 6 = 1500	41 = 42 = 61 =	BODY = Quad Cab = Quad Cab = Reg. Cab ( = Reg. Cab (	(160.5 WB) (120.5 WB)	EZA={ EKG = EVA =	NGINE 5.7L HEMI M = 3.7L Magnu = 4.7L Magnu = 4.7L Magnu	m V6 MPI m V8	MPI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual

## Oil Cooler And Lines 3.7 and 4.7L Engine Figure 007-615

PART







ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
Note: Sale	es Code EK0 =	= 3.7L E	Engine										
Note: Sale	Note: Sales Code EV0 = 4.7L Engine												
Note: Sale	Note: Sales Code DG0 = Auto Transmission												
Note: Sale	Note: Sales Code DBB = Manual Transmission												
Note: Sale	es Code DGT	= 4 Spe	eed Auto T	ransmissic	n								
Note: Sale	es Code DG4	= Muti-	Speed Aut	o Transmis	ssion								
1	52028 866AE	1				EK0,	DG0		TUBE AND HOSE, Oil Cooler				
						EV0							
2	52028 867AD	1				EK0,	DG0		TUBE AND HOSE, Oil Cooler				
						EV0							
3	6035 358	2				EK0,	DG0		CLIP, Oil Cooler Tube				
						EV0,							
						EZ0							
4	52028 967AC	1				EK0,	DG0		COOLER, Transmission Oil				
						EV0							
5									COOLER, Power Steering				
	52029 306AD	1				EK0,	DBB						
						EV0							
		1				EK0,	DG0						
						EV0							

 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Oil Cooler and Lines 5.7L,8.3L Engines Figure 007-617







DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLTL = ST

BODY 41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Grille And Related Parts** Figure 007-720

PART

7	8
5	2

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Code MFD=								
	les Code MFW			•					
	les Code MFD=								
	les Code MFD=		-						
	les Code MFU	= Grille	Chrome/E	Bright					
1									GRILLE, Radiator
	5073 276AB	1							[MFD,MFW,MF1] Grille Frame
	55077 185AF	1							[MFD], SLT
	55077 811AA	1							[MF1]
	5GR97 CDMA	E 1							[MFN], DM
	5GR97 DX8A	E 1							[MFN], X8
	5GR97 GW7A	E 1							[MFN], W7
	5GR97 PR4A	E 1							[MFN], R4
	5GR97 WSBA	E 1							[MFN], SB
	5GR97 ZBJAE	≣ 1							[MFN], BJ
	5JF05 1SPAB	1							[MFV]
2	55077 186AE	1							BRACKET, Radiator Grille, With
									bushing
3	6504 288	6							SCREW AND WASHER, Hex Head
4	6102 101AA	6							NUT AND WASHER, Hex, m5x0.8
5	6507 167AA	6							SCREW
6									GRILLE, Panel
	5073 296AB	1							[MFN], Right
	5073 297AB	1							[MFN], Left
	5127 734AA	1							[MFD], Right
	5127 735AA	1							[MFD], Left
	5073 296AA	1							[MF1], Right
	5073 297AA	1							[MF1], Left
7		-							SHIELD KIT, Air - Front
<u> </u>	82207 281AB	1							Chrome
	82207 277AB	1							Atlantic Blue [ZBJ]
	82207 287AB	1							Patriot Blue [WBT]
	8220 7278	1							Black [DX8]
	82207 279AB	1							Bright Silver [WSB]
	82207 280AB	1							Bright White [GW7]
8	5073 290AB	1							MEDALLION, Hood, Rams Head
9	6508 197AA	4							RETAINER

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# **Group – 008**

# Electrical





# **Group – 008**

# **Electrical**

008–1000 Battery Tray, Cables and Block Heaters	008–1100 Lamps – Front, Rear and Courtesy	008–1200 Wiring–Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
		A CONTRACTOR	
008–1400 Wiring–Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair	008–1700 Air Bag Systems
	Sign		
008–1900 Spark Plugs–Cables–Coils			

GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.
Starters	
Starter Gas Engine [3.7L and 4.7L]	Fig. 008-105
Starter Gas Engine [5.7L]	Fig. 008-110
Starters (8.0L Engine)	Fig. 008-115
Alternators	
Alternator (3.7L Engine)	Fig. 008-205
Alternator (4.7L & 5.7L Engine)	Fig. 008-210
Alternator [8.3L Engine]	Fig. 008-215
Modules	
Modules	Fig. 008-405
Relays	
Power Distribution Center, Fuses, Relays	Fig. 008-505
Sensors	J
Sensors, Engine	Fig. 008-605
Sensors, Oxygen	Fig. 008-610
Sensors, Drivetrain	Fig. 008-615
Sensors, Body	Fig. 008-620
Single Board Engine Controllers	
Powertrain Control Modules	Fig. 008-705
Switches	g. 000 . 00
Switches, Instrument Panel	Fig. 008-805
Switches Body	Fig. 008-803
Switches, Drivetrain	Fig. 008-815
	. ig. 000 010
Horns	Fig. 000 005
	Fig. 008-905
Battery Tray, Cables and Block Heaters	
Battery Tray and Wiring	Fig. 008-1005
Block Heaters	Fig. 008-1010
Lamps - Front, Rear and Courtesy	
Lamps Front	Fig. 008-1105
Lamps Rear	Fig. 008-1110
Lamps Courtesy	Fig. 008-1115
Bulbs	Fig. 008-1120
Wiring-Engine & Related Parts	
Wiring, Engine	Fig. 008-1205

# Wiring-Headlamp to Dash Headlamp to Dash Wiring-Instrument Panel Wiring Instrument Panel Wiring-Body & Accessories Wiring Body Front Wiring Body Rear Wiring Seats Fig. 008-1505 Fig. 008-1515 Wiring Repair Wiring Repair Fig. 008-1605

Air Bag Modules and Sensors ..... Fig. 008-1705

Spark Plugs, Cables, and CoilFig. 008-1905Spark Plugs and Wiring [5.7L]Fig. 008-1910

Air Bag Systems

**Spark Plugs-Cables-Coils** 

**GROUP 8 - Electrical** 

Fig. 008-1710

# Starter Gas Engine [3.7L and 4.7L] Figure 008-105

5 3 4

	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
Notes:												
[EK0] = 3	EK0] = 3.7L V6 Engine											
[EV0] = 4	[EV0] = 4.7L Engine											
	5.9L Engine											
	All 5 Speed Ma			าร								
[DG0] = 1	All Automatic T	ransmis	ssions									
1									STARTER			
	56027 702AD	1				EK0,	DBB					
						EV0						
	56029 113AA	1				EK0,	DG0					
						EV0						
2	6506 151AA	1				EK0,	DBB		STUD, Double Ended			
	0500 00044					EV0			NUT 11 51 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
3	6506 929AA	1				EK0,			NUT, Hex Flange Lock, M8x1.25			
						EVO,						
4						EW0			WACHED ID 427 OD 707 THE			
4									WASHER, ID=.437 OD=.787 THK= 133, (NOT SERVICED) (Not			
									Serviced)			
5	6036 455AA	2				EKO,	DG0		SCREW AND WASHER, Hex Hea			
3	0030 433AA	2				EV0	DG0		SOILW AND WASHER, HEX HEAR			


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Starter Gas Engine [5.7L] Figure 008-110

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
	1	4801 253AA	1				EZ0	DG0		STARTER
_	2	6101 985	2				EZ0	DG0		SCREW AND WASHER, M10x1.
										50x45.00
	3	56051 988AB	1				EZ0			WIRING, Battery Positive, To starter
_										



 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Starters (8.0L Engine) Figure 008-115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	HOMBER					Literia	110.110	113	DEGGIII IIGII
1	5037 199AB					EWC			STARTER
2	0154 935AA	2				EWC			SCREW, SCREW, Starter moun




SERIES H = SLT L = ST LINE 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8
EVD = 8.3L V10 SFI

# Alternator (3.7L Engine) Figure 008-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EK0]=3.7	7L Engine								
[EV0]=4.7	7L Engine								
1									ALTERNATOR
	56041 120AC	1				EK0,			Up to 07/04/05
						EV0			
	4801 251AA	1				EK0	DG0		After 07/04/05
2	6505 482AA	1				EK0,			SCREW AND WASHER, Hex Head,
						EV0			M8x1.25x50
3	6504 344	1				EK0,			SCREW AND WASHER, Hex Head
						EV0			
4	6505 488AA	1				EK0,			SCREW AND WASHER, Hex
						EV0			
5	53032 037AL	1				EK0,			BELT, Accessory Drive
						EV0			
6	53030 958AD	1				EK0			TENSIONER, Alternator Belt
-7	6505 182AA-	1				EK0,			STUD
						EV0			
-8	53013 581AA-	- 1				EK0			CAP, Alternator Pulley




DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


# Alternator (4.7L & 5.7L Engine) Figure 008-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:	- ·								
	7L Engine								
	.9L Engine								
	7L Engine								
	.0L Engine								
	7L Engine	MOLE							
	7L 'Magnum' S	MPIEn	igine						AL TERMATOR
1	50000 000 A A	4				F70			ALTERNATOR
	56028 699AA					EZ0			[BAZ]
	56041 120AC	1				EK0,			[BAZ]
						EV0			0005/4/ 44/0 14/01/50 14 14
2	0400 04544	•				<b></b>			SCREW AND WASHER, Hex Head
	6102 045AA	3				EZ0			
		3				EK0,			
	0500 00744					EV0			000514/ 44/0 44/04/50 44/
3	6506 337AA	1				EZ0			SCREW AND WASHER, Hex Head
									Alternator Attaching
4									BOLT, Hex Head, .375-16x.25, (NC
_		_							SERVICED) (Not Serviced)
5	53032 387AA	1				EZ0			BRACKET, Alternator And
									Compressor
6	6101 695	3				EZ0			NUT, Hex Flange Lock
7	6507 071AA	1				EZ0			SCREW AND WASHER, Hex
8	53032 387AA	1				EZ0			BRACKET, Alternator And
									Compressor
9									BOLT, Hex Head, .375-16x.25, (NC
4.0	50000 04544	_				<b></b>			SERVICED) (Not Serviced)
10	53032 645AA	2				EZ0			PULLEY, Idler
11									BUSHING, Idler Pulley, (NOT
4.0									SERVICED) (Not Serviced)
12	0400 04544	•				<b></b>			SCREW AND WASHER, Hex Head
	6102 045AA	3				EZ0			
		3				EK0,			
40	0004.646					EV0			DOLT 11 11 1 077 10 77
13	6034 246	4				EKO,			BOLT, Hex Head, .375-16x.75
						EV0,			
4.4						EZ0			DELT Assessment D.:
14	E2022 420416	4				F <b>7</b> 0			BELT, Accessory Drive
	53032 132AK					EZ0			
	53032 037AL	1				EK0,			
						EV0			

DODGE RAN	/ 1500 (DR)			
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA=5.7L HEMI Magnum V8SMPI	DGQ, DG4 = Multi-Speed Auto(45RFE)
L = ST		42 = Quad Cab (160.5 WB)	EKG = 3.7L Magnum V6 MPI	DG8 = 4 Spd. Auto.(48RE)
		61 = Reg. Cab (120.5 WB)	EVA = 4.7L Magnum V8	DEC, DEJ = 6 Spd. Manual
		62 = Reg. Cab (140.5 WB)	EVD = 4.7L Magnum V8 FFV	

# Alternator (4.7L & 5.7L Engine) Figure 008-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	53030 958AC	1				EV0			TENSIONER, Alternator Belt
16									NUT, .375-16, (NOT SERVICED)
									(Not Serviced)
-17	6506 724AA-	1				EZ0			STUD, Double Ended, Alternator
									Inner Attaching
-18									NUT, Hex Flange Lock, M8x1.25
	6506 929AA-	1				EK0,			
						EV0,			
						EW0			
		1				EZ0			
-19	6505 182AA-	1				EK0,			STUD
						EV0			
-20	53013 581AA	- 1				EZ0			CAP, Alternator Pulley

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Alternator [8.3L Engine] Figure 008-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
EWB= 8.0	L V10 SFI								
1	5037 198AA	1				EWC			ALTERNATOR, Electrical
2	4792 581AB	1				EWC			PULLEY, Idler
3	5037 036AH	1				EWC			COVER, Timing Case
4	5086 500AA	1				EWC			TENSIONER PACKAGE, Belt
5	5037 206AD	1				EWC			BELT, Accessory Drive
-6	6035 558	1				EWC			SCREW, Hex Flange Head, .375-
									16x1.50, Idler pulley
-7	3300 2201	1				EWC			BUSHING, Idler Pulley
-8									WIRING, Alternator, Serviced in
									headlamp to dash harness, (NOT
									SERVICED) (Not Serviced)
-9	6506 929AA-	1				EWC			NUT, Hex Flange Lock, M8x1.25, B+
									Cable mounting
-10	6505 128AA-	1	1			EWC			BOLT


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Modules** Figure 008-405

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_									
Notes:	Multi Canad Tra	namias	ion						
1	Multi Speed Tra	msmiss	SION						MODULE, Transmission Control,
'									Serviced with Powertrain Control
									Module, (NOT SERVICED) (Not
0									Serviced)
2	50040 70740				44 40				MODULE, Overhead Console
	56049 707AC	1			41, 42				[CV2]
		1			61, 62				[CV2]
	56049 706AE	1			61, 62				[CUS]
		1			41, 42				[CUS]
3									MODULE, Front Control
	56051 036AD	1				EWC			
		1				EK0,			
						EV0,			
						EZ0			
4									MODULE, Anti-lock Brakes
	5114 536AB	1				EK0,			[BRT]
						EV0			
	5114 537AB	1				EZ0			[BRT]
	5127 593AB	1				EZ0			[BRR]
	5142 862AB	1				EK0,			[BRR]
						EV0			
	5142 869AA	1				EWC			[BR5]
5	56045 275AC	1							MODULE, Immobilizer
6									MODULE, Heated Seat Control
	56010 113AA	1			61, 62				
		1			41, 42				
7	56028 589AD	1	6		•				MODULE, Transfer Case Control
8									MODULE, Occupant Restraint
	56043 701AG	1							[CGS]
	56043 703AG	1							•
9	56045 755AB	1							RECEIVER, Keyless Entry
10									MODULE, Telematics
	5064 022AG	1							Up to 01/10/05
	5064 022AP	1							After 01/10/05
11		•							BRACKET, Audio Equipment,
• • •									Serviced with telematic module,
									(NOT SERVICED) (Not Serviced

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Power Distribution Center, Fuses, Relays Figure 008-505



	7 8 9
6	15)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EK0] = 3	3.7L Engine								
[EV0] = 4	.7L Engine								
	.9L Turbo Dies								
[ETC] = 5	5.9L Cummins	24V Die	esel						
[ETH] = 5	5.9L HO Cumm	ins Tur	bo Diesel						
	.0L Engine								
	5.7L Engine								
	5.7L 'Magnum'								
	All Manual Tran								
	5 Speed Heavy			ansmissions	5				
	All Automatic T	ransmis	ssions						
1	50044 50445								SENSOR, Camshaft
	56041 584AE					EZ0			
		1				EK0,			
	E24E 004	4				EV0			
2	5245 084	1				EWC			SENSOR, Crankshaft Position
2	56028 666AA	1				EV0			SENSOR, Clarkshall Fosition
	56044 180AB					EK0			
	5033 307AA	1				EWC			
	56028 815AA					EZ0			
-3	00020 010/11	•							SCREW
_	6501 957	1				EZ0			Cam sensor
		1				EZ0			Crank Sensor
-4	6507 293AA-	1				EK0,			SCREW AND WASHER, Hex Head
						EV0			M8x1.25x20
5									SENSOR, Knock
	56028 563AA	2				EZ0			
	56041 679AC	1				EK0			
	56028 563AA					EWC			
	56041 677AB	1				EV0			
6	56041 849AA	1				EK0			BRACKET, Knock Sensor
7									SENSOR KIT, Throttle Position
	5017 479AA	1				EV0			
	5019 411AC	1				EK0			
8	4686 360AC	1				EWC			SENSOR, Throttle Position
9	50000 0044	,				<b></b> -			SENSOR, Air Temperature
	56028 364AA					EZ0			
		1				EK0			
40		1				EV0			CENCOD Mar
10									SENSOR, Map

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Sensors, Engine Figure 008-605



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56041 018AC	1				EV0			
	4686 684AA	1				EWC			
	56028 562AB	1				EZ0			
	56041 018AC	1				EK0			
-11	6505 501AA-	1				EV0			SCREW, M4x16, Map Sensor
									Attaching
-12									SCREW, Pan Head, (NOT
									SERVICED) (Not Serviced)
13									SENSOR, Coolant Temperature
	5269 870AB	1				EZ0			
		1				EWC			
	5602 7873	1				EK0,			
						EV0			
	5269 870AB	1				EWC			Oil temp sensor
14	4606 487AB	1				EWC			SENSOR, Charge Air Temp
15	56028 807AB	1				EWC			SENDING UNIT, Oil Pressure

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Į.								
1									SENSOR, Oxygen
	56028 995AA	1				EWC			Before catalyst, Right
	56028 998AB	1				EVA			Before catalyst, Right
		1				EVD			Before catalyst, Right
	56028 994AB	1				EK0			Before catalyst, Right
		1				EZ0			Before catalyst, Right
2									SENSOR, Oxygen
	56028 994AA	1				EWC			Before catalyst, Left
	56028 998AB	1				EVA			Before catalyst, Left
		1				EVD			Before catalyst, Left
	56028 994AB	1				EK0			Before catalyst, Left
		1				EZ0			Before catalyst, Left
3									SENSOR, Oxygen
	56028 996AA	1				EWC			After catalyst, Right
	56028 998AB	1				EVA			After catalyst, Right
		1				EVD			After catalyst, Right
	56029 049AA	1				EK0			After catalyst, Right
		1				EZ0			After catalyst, Right
4									SENSOR, Oxygen
	56028 997AA	1				EWC			After catalyst, Left
	56028 998AB	1				EVA			After catalyst, Left
		1				EVD			After catalyst, Left
	56029 049AA	1				EK0			After catalyst, Left
		1				EZ0			After catalyst, Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Sensors, Drivetrain Figure 008-615



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DG4] = M	ulti-Speed Aut	tomatic	Transmiss	sion					
	Speed Autom								
	ll Manual Tran								
1									TRANSDUCER, Pressure Senso
	4799 758	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
:	5073 617AA	1	1			EWC			
:	56028 196AD	1	1			EWC	DG8		
2	4800 879	1	1			EWC	DG8		SENSOR, Transmission Output
									Speed
3									SENSOR, Wheel Speed
:	56028 187AE	1					DG0		
		1					DBB		



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DBB] =	All Manual Tran	nsmissi	ons						
[DG0] =	All Automatic T	ransmis	ssions						
1	5604 1053	1							SENSOR, Battery Temperature
2									SENSOR, Washer Fluid Level
	55077 351AA	1				EW0			
	55077 484AA	1				EK0,			
						EV0			
		1				EZ0			
3	5604 2395	1							SENSOR, Ambient Temperature,
									Bracket Included
4	5083 204AA	1							SENSOR KIT, Anti-Lock Brakes
5									SENSOR, Wheel Speed
	56028 187AE	1					DG0		
		1					DBB		
6	56043 167AA	2							SENSOR, Side Airbag Impact
-7	6100 048	2							NUT, Hex, M6x1.00, Side Airbag
									Impact Sensor Attaching
									-

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Powertrain Control Modules** Figure 008-705


5

	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
Notes:												
[EV0] = 4	.7L Engine											
[EVA] = 4	.7L Magnum E	Engine (	Next Gene	eration)								
[EM0] = 5	5.9L Engine											
[EML] = 5	5.9L Magnum S	SMPI E	ngine									
[EW0] = 8	3.0L Engine											
[EZA] = 5	.7L Engine											
[DG0] = A	All Automatic T	ransmis	ssions									
[DG4] = Multi-speed Speed Automatic Transmission												
[DG8] = 4	Speed Autom	natic Tra	ansmission	)								
[DGP] = 4	1 Automatic Tr	ansmiss	sion									
[DBB] = A	All Manual Trai	nsmissio	ons									
[NA1] = E	xport Emission	n										
[NAS] = L	J.S. 50 State E	mission	1									
[NFU] = 3	34 Gallon Fuel	Tank										
[NFV] = 3	5 Gallon Poly	Gas Ta	ınk									
[NFW] = 2	26 Gallon Poly	Gas Ta	ank									
[NZC] = C	Current Genera	ation Co	ntroller									
[NZD] = N	Next Generatio	n Contr	oller									
1									MODULE, Powertrain Control,			
									Generic			
	56028 879AB	1				EKG	DBB					
	56028 881AB	1				EKG	DG0					
	56028 892AC	: 1				EV0	DG0					
	56028 930AB	1				EZ0	DG0					
	56029 079AC	1				EV0	DBB					
	5029 597AB	1				EWC	DG8					
2									MODULE, Powertrain Control			
	5029 598AD	1				EWC	DEC		[NAS] Up to 09/27/04			
	5029 599AC	1				EWC	DG8		[NAS]			
	56028 987AB	1				EVA	DEJ					
	5029 598AE	1				EWC	DEC		[NAS] After 09/27/04			
3									SCREW, Tapping, M4x8, SCREW			
									Mounting M4.8x1.59x45.00, (NO			
									SERVICED) (Not Serviced)			
4									NUT, NUT (M6x1.00) Not Serviced			
									***, (NOT SERVICED) (Not			
									Serviced)			
	56028 286AB	1							BRACKET, Module			
5	30020 200AD								- : :: : : : : : : : : : : : : : : : :			

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Powertrain Control Modules** Figure 008-705



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTIO	)N
. = IVI	HOMBER	<u>                                     </u>	-1146	J JEINES	2001	LITORIE	I MAN	1 . 171141	] DEGORIFIE	
6	6101 945	4				EK0,			SCREW	
	3101010					EV0,				
						EZ0				
7	6101 945	4				EKO,			SCREW	
						EV0,				
						EZ0				

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Switches, Instrument Panel** Figure 008-805




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 101	NOMBER	Q(II	LINE	OLIVIES	ВОВТ	LINOINE	IIIAIIO	TIXIM	DESCINI TION
Notes:									
	All Manual Tran								
[DG0] =	All Automatic Ti	ransmis	ssions						
1									SWITCH, Headlamp
	56045 536AC	1							
	56045 537AC								With Fog Lamps
2	56045 515AA	1							SWITCH, Multifunction
3									SWITCH, Ignition
	5029 463AA	1				EWC			Instrument panel push button
									switch
	56045 112AC	1					DG4,		
							DGQ		
	56049 697AA	1					DG8		
		1					DEC		
4									SWITCH KIT, Overdrive Lockout,
									Serviced with gearshift lever, (NO
									SERVICED) (Not Serviced)
5									SWITCH, Transfer Case Mode
	56049 684AA	1							[DHU]
_	56045 614AA	1							[DH5]
6	4565 022	1							SWITCH AND LAMP, Glove Box
7	56045 702AB	1							SWITCH, Adjustable Pedals
8	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
9	4221 463	1							SWITCH, Parking Brake
10									SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left
11									SWITCH, Speed Control
	56049 378AA	1							Right
	56049 379AA	1							Left
12									SWITCH, Heated Seat
	56045 625AB	1							Left
	56045 626AB	1							Right
13	56045 496AA	1							SWITCH, Passenger Airbag Disarm
14									BEZEL, Accessory Switch
	56049 685AB	1							[CMA,DHU]
	56049 686AA	1							[DHU]
	56045 624AB	1							[CMA,DH5]
	56045 639AA								[CMA]
	56051 052AA	1							[DH5]
15									BEZEL, Instrument Panel Switch

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Switches, Instrument Panel** Figure 008-805



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
	5HD08 WL5A	A 1							[L5] Passenger Air Bag Cut Off	
Switch										
	5HD08 XDVA	A 1							[DV] Passenger Air Bag Cut Off	
									Switch	
	5HD09 WL5A	A 1							[L5] Passenger Air Bag Cut Off	
									Switch Canada	
	5HD09 XDVA	A 1							[DV] Passenger Air Bag Cut Off	
									Switch Canada	
-16	5175 417AA-	1				ET0	DBB		SWITCH, Clutch Starter Interlock	

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Switches Body** Figure 008-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56007 695AC	1			41, 42				SWITCH, Power Window
2	56049 776AA	1			41, 42				SWITCH, Seat
3	56007 695AC	1			41, 42				SWITCH, Power Window, Single
									gang
4									SWITCH, Door Lock
	ZA05 XZAAA	1							[GXL]
	5GS19 DX9AE	1							
5	56007 695AC	1			41, 42				SWITCH, Power Window, [JPB,JPD
6									BEZEL, Door Trim Panel
	UY11 1L5AA	1			41, 42				[L5]
	UY11 XDVAA	1			41, 42				[DV]
	UY14 1L5AA	1			41, 42				[L5][JPB,JPD]
	UY14 XDVAA	1			41, 42				[DV][JPB,JPD]
7	55136 557AA	1							SWITCH, Security Alarm
8									SWITCH, Window and Door Lock
	56049 804AA	1			61, 62				
	56049 805AA	1			41, 42				
	YV75 SZ6AA	1			41, 42				[GXL]
	5029 753AA	1			61, 62				[GXL]
9									SWITCH, Seat
	56049 777AA	1			61, 62				
		1			41, 42				
10									BEZEL, Power Window/Door Lock
									Switch
	5HZ70 WL5AE				61, 62				[L5], Left
	5HZ70 XDVAE				61, 62				[DV], Left
	5HZ71 WL5AD				41, 42				[L5], Left
	5HZ71 XDVAD				41, 42				[DV], Left
	ZA50 XDVAA	1			61, 62				[DV][GXL], Left
	ZK49 XDVAA	1			41, 42				[DV][GXL], Left
11									BEZEL, Power Window/Door Lock
									Switch
	5HZ72 WL5AB								[L5], Right
	5HZ72 XDVAB	1							[DV], Right
12									SWITCH, Power Window
	56007 695AC	1			41, 42				Single gang
	5029 464AA	1			41, 42				Single gang [JBM]
13	71.00 (7)(1)				44				BEZEL, Power Seat Switch
	ZL30 1DVAA	1			41, 42				[DV], Right
	ZL30 1L5AA	1			41, 42				[L5], Right
	ZL31 1DVAA	1			41, 42				[DV], Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Switches Body** Figure 008-810



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			61, 62				[DV], Left
_		ZL31 1L5AA	1			41, 42				[L5], Left
			1			61, 62				[L5], Left
	14	5KL14 1L2AA	. 1			41, 42				SWITCH, Sunroof


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Switches, Drivetrain** Figure 008-815



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EK0] = 3	3.7L V6 Engine								
[EV0] = 4	4.7L Engine								
[EM0] =	5.9L Engine								
[DGT] =4	Speed Automa	atic Tra	nsmission						
[DDC] =	5 Speed Manua	al Trans	smission						
[DHE] =	Manual Shift or	the Fl	y						
[DH1] =	Manual Shift on	the Fly	/						
1									SWITCH, Oil Pressure
	4868 672AA	1				EK0,			
						EV0			
		1				EZA			
2	56028 807AB	1				EWC			SENDING UNIT, Oil Pressure
3	56045 489AC	1	1			EWC	DG8		SWITCH, Neutral, Safety, Back Up
4	56049 014AA	1	1			EWC	DG8		BRACKET, Neutral safety switch
5									SWITCH, Back Up Lamp
	5143 964AA	1	6			EK0,	DEJ		
						EV0			
	4626 593	1	1			EWC	DEC		
6									SWITCH, Power Steering Pressure (NOT REQUIRED)

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Horns Figure 008-905




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•							
	56043 181AD	) 1							HORN AND BRACKET, Dual
2									SCREW AND WASHER, Oval Hea
									M6x1x25, M8x1.25x23, (NOT
3									SERVICED) (Not Serviced) WIRING, Serviced in Headlamp to
									Dash Harness, (NOT SERVICED
									(Not Serviced)
									(101 00.11612)
	<u>,                                      </u>								
DODGE RAM	1 1500 (DR)		PODY			JOINE			TDANGMISSION
SERIES H = SLT	LINE 1, 6 = 1500	41	BODY	(140.5 WB)	EN EZA-	NGINE 5.7L HEMI M	lagnum V8S	:MPI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFf


H = SLT L = ST 1, 6 = 1500

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI


# Battery Tray and Wiring Figure 008-1005






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EK0] = 3	3.9L V6 Engine]								
[EM0] =	5.9L V8 Engine	]							
[EV0] = 4	4.7L V6 Engine]								
1									WIRING, Battery Positive
	56000 967AE	1				EK0,			
						EV0			
	56051 132AC	1				EWC			
2	56051 988AB	1				EZ0			WIRING, Battery Negative
2	5029 567AC	1				EWC			WIKING, Battery Negative
	56051 989AA	1				EZ0			
	4801 339AA	1				EK0			After 11/29/04
	56000 969AD	1				EV0			After 11/29/04
		1				EK0,			
						EV0			
3									SCREW, Tapping, M8x1.25x25,
									(NOT SERVICED) (Not Serviced)
4	56028 472AA	1							SHIELD, Battery
5	5604 1053	1							SENSOR, Battery Temperature
6									TRAY, Battery
	55275 831AA	1				=			
7	55276 205AA	1				EWC			DATTEDY Characa
7	56028 450AB	1				EK0,			BATTERY, Storage
	30026 430AB	- 1				EV0,			[BCE]
						EZ0			
	56028 452AC	1				EK0,			[BCQ]
						EV0,			
						EW0,			
						EZ0			
	56029 449AC	1				EK0,			
						EV0,			
						EZ0			
	56029 451AC	1				EKO,			
						EV0,			
						EW0, EZ0			
8						EZU			SCREW AND WASHER, Hex Head
J									M8x1.25x25, (NOT SERVICED)
									(Not Serviced)
9	55276 348AA	1							BRACKET, Battery Hold Down
ODGE RA	M 1500 (DR) LINE		BODY		FN	GINE			TRANSMISSION
l = SLT	1, 6 = 1500	41 :	= Quad Cab		EZA=5	5.7L HEMI M		MPI	DGQ, DG4 = Multi-Speed Auto(45RFE)
= ST		42 : 61 :	= Quad Cab = Reg. Cab (	(160.5 WB) (120.5 WB)	EVA =	: 3.7L Magnu 4.7L Magnu	m V8		DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
		62 =	= Reg. Cab (	(140.5 WB)	EVD =	4.7L Magnu = 8.3L V10 S	m V8 FFV		•

## Battery Tray and Wiring Figure 008-1005





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWBER	QII	LINE	SERIES	БОЛТ	ENGINE	IKANS	I KIWI	DESCRIPTION
10									SCREW AND WASHER, Hex Head,
									M6x1.00x45.00, (NOT SERVICED) (Not Serviced)
-11	6101 794	1				EK0,			SCREW, Hex Head, M10x1.5x115,
						EV0,			Battery to Engine Ground
						EZ0			
-12									NUT, Hex, M6x1
	6101 808	1				EK0,			
						EV0			
		1				EWC			


DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Block Heaters** Figure 008-1010

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CORD, Engine Block Heater
	56045 794AA	1				EK0,			
						EV0			
	56051 713AA	1				EZ0			
	5602 7117	1							4.7L
2	56044 359AA	1				EZ0			HEATER, Engine Block
3	56041 304AB	1				EK0,			HEATER, Engine
						EV0			
4	6016 152	1				EK0,			CLIP
						EV0			
-5	6501 373	1				EZ0			SCREW AND WASHER, Hex Head
									M6x1x20, Heater to block





 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Lamps Front** Figure 008-1105

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	stration 1120 for	Bulbs]							1000
1									LAMP, Headlamp Park And Turn
	55077 120AG	1							Right
_	55077 121AG	1							Left
-2	5303 228	1							SOCKET, Park And Turn Signal
-3	5126 316AA-	1							RETAINER, Headlamp Bulb
4									PANEL, Headlamp Mounting,
									Serviced in Lamp Assy, (NOT
									SERVICED) (Not Serviced)
5									SCREW, Hex Head Serrated Fla
									M6.3x1.81x25, (NOT SERVICE
									(Not Serviced)
6									NUT, U Multi Thread, M6.3x1.81
									(NOT SERVICED) (Not Service
7									WELT, Headlamp To Grille
	5072 638AC	1							Right
	5072 639AC	1							Left
-8	5072 642AA-	1							CLIP, Lamp
9									LAMP AND BRACKET, Fog Lam
	55077 474AB	1							Right
	55077 475AB	1							Left
10									BEZEL, Fog Lamp
	55077 238AD	1							Right
	55077 239AD	1							Left
11	56045 501AC	1							WIRING, Fog Lamp Jumper
-12	52029 083AB-	2				EWC	DG0		CLIP, Tube
-13	5029 554AB-	4							SPACER
-14	5602 1441	1							LAMP, Underhood
15									PLUG, Fog Lamp Hole
	55077 234AD	1							Right
	55077 235AD	1							Left

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Lamps Rear** Figure 008-1110

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
See Illu	stration 1120 for	Bulbs]							
1									LAMP, Tail Stop Backup
	55077 347AF	1							Left
	55077 348AF	1							Right
2	55077 343AC	1							SOCKET, Tail, Stop, and Turn Lan
3	6504 072	4							CLIP
4									SCREW, Tapping, .19-16x.625,
									(NOT SERVICED) (Not Serviced)
5									LAMP, License Plate
	55077 291AF	1							Left
	55077 292AF	1							Right
-6	55156 027AB-	1							SOCKET, High Mounted Stop Lam
-7	55077 370AB-	2							CLIP, Lamp
8	5072 594AD	1							HOUSING, CHMSL
-9	5072 577AA-	1							WIRING, High Mounted Stop Lamp
10									SCREW, Tapping, 0.190-16-1.25,
									(NOT SERVICED) (Not Serviced
11									NUT, Spring, M4.8x1.59, (NOT
									SERVICED) (Not Serviced)


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Lamps Courtesy** Figure 008-1115

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
[See Illus	tration 1120 for	· Bulbs]							
1		-							LAMP, Dome
	5JG55 TL2AB	1			61, 62				
		1			41, 42				
	5JG58 TL2AB	1			61, 62				[LCL]
		1			41, 42				[LCL]
	5JG58 BD1AE	3 1			41, 42				[D1]
		1			61, 62				[D1]
2									LENS, Dome Lamp
	5093 413AA	1			61, 62				
	5093 414AA	1			61, 62				[LCL]
	5093 413AA	1			41, 42				
	5093 414AA	1			41, 42				[LCL]
-3	55361 226AA-	1							LAMP, Ash Receiver
4	5602 1441	1							LAMP, Underhood
-5	4897 446AA-	1							LENS, Lamp Module, Under hood
									lamp
-6									WIRING, Underhood Lamp
	56051 176AB-	1							Up to 06/06/05
	56051 176AC-	· 1							After 06/06/05
-7									LENS, Reading Lamp
	5073 070AA-	1			61, 62				Overhead Console, Right
		1			41, 42				Overhead Console, Right
	5073 071AA-	1			61, 62				Overhead Console, Left
		1			41, 42				Overhead Console, Left

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **SPECIFICATIONS**

### LAMPS/LIGHTING - EXTERIOR

BULB APPLICATION TA	BLE
LAMP	BULB
BACKUP (PICK-UP)	3067K (1)
BACKUP (CAB & CHASSIS)	1156
BRAKE (PICK-UP)	3057K (2)
BRIAKE (CAB & CHASSIS)	1157
CAB CLEARANCE	168 (6)
CENTER HIGH MOUNTED STOP	912 (3)
FRONT FOG	9006LL (5)
FRONT PARK	3157NA 1
FRONT SIDE MARKER	3157NA (1)
FRONT TURN SIGNAL	3157NA (1)
HEADLAMP	9007QL (5)
LICENSE (PICK-UP)	168 (6)
LICENSE (CAB & CHASSIS)	1157
REAR FENDER MARKER (DUAL REAR WHEEL PICK-UP)	168 (6)
REAR PARK (PICK-UP)	3057K (2)
REAR PARK (CAB & CHASSIS)	1157
HEAR SIDE MARKER (PICK-UP)	3057K (2)
REAR TAIL (PICK-UP BOX)	3057K (2)
REAR TAIL (CAB & CHASSIS)	1157
REAR TURN SIGNAL (PICK-UP)	3057К (2)
REAR TURN SIGNAL (CAB & CHASSIS)	1157
TAILGATE MARKER (DUAL REAR WHEEL PICK-UP)	168 (6)
UNDERHOOD	561 (7)

#### LAMPS/LIGHTING - INTERIOR

BULB APPLICATION TO	ABLE
LAMP	BULB
FRONT DOME/READING WITH OVERHEAD CONSOLE AND WITHOUT SUNROOF	212-2
FRONT DOME/READING WITH OVERHEAD CONSOLE AND WITH SUNROOF	192
GLOVE BOX LAMP	194 (4)
VANITY LAMP	37 (8)

#### PANEL LAMPS


BULB APPLIC	ATION TABLE
LAMP	BULB
COMPASS MINI-TRIP CONTROL	MOPAR 04437661
A/C-HEAT CONTROL	MOPAR 05135537AA

	PART	OT)		055150					DECODIDE
ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L000 3057	1							BULB, 3057
2	L000 03157A	1							BULB, 3157A
3	L000 0912	1							BULB, 912
4	L000 0194	1							BULB, 194
5									BULB, Headlamp
	L0009 007QL	1							
	L000 9006	1							Fog lamp
6	L000 0168	1							BULB, 168
7	L000 0561	1							BULB, 561
8									BULB, 37
	L000 0037	2			41, 42				
		2			61, 62				
9									BULB, 212-2
	L002 1202	2			61, 62				
		2			41, 42				
10	L000 0192	2			41, 42				BULB, 192
-11									BULB, 578
	L000 0578	1			61, 62				Dome Lamp
		1			41, 42				

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



PART

	/

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes									
[EK0] = 3.	7L Engine								
[EV0] = 4.	7L Engine								
[EZ0] = 5.	7L Engine								
[EM0] = 5	.9L Engine								
[EW0] = 8	.0L Engine								
[ET0] = Al	I 5.9L Turbo [	Diesel E	ngines						
[DH1] = M	lanual Shift-or	n-the Fly	/						
DH3] = E	lectronic Shift-	-on-the	Fly						
DH5] = E	lectronic Shift	-on-the	Fly						
DHE] = N	lanual Shift-or	n-the Fl	y						
[BRT] = 4	Wheel Anti-Lo	ock Bra	kes (ABS)						
[BRR] = 4	Wheel Disc,	Rear Ar	nti-Lock Bra	akes					
AHC] = T	railer Tow Pre	p Grou	р						
[CUS] = C	overhead Cons	sole wit	h Trip/Com	npass					
LNJ] = Fo	og Lamps								
1									WIRING, Headlamp to Dash
	5029 757AC	1				EWC			[BR5]
	56051 230AD	1				EZ0			[BRR]
	56051 231AD	1				EZ0			[BRR,DH5,DHU]
	56051 237AD	1				EZ0			[BRT]
	56051 239AD	1				EZ0			[BRT,DH5,DHU]
	56051 240AD	1	1			EK0,			[BRR]
						EV0			
	56051 241AD	1	6			EV0			[BRR]
-		1	1			EV0			[BRR,JPB]
	56051 242AD	1				EV0			[BRR,DH5,DHU]
	56051 243AD	1				EV0			[BRT,DH5,DHU]
	56051 244AD	1				EK0,			[BRT]
						EV0			
	56051 245AD	1				EK0,			[BRR,AHC]
						EV0			
-2	5127 667AA-	1				EK0,			WIRING, Jumper, Fan motor
						EV0,			[Convert from Bosch to Valeo]
						EZ0			-

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Wiring Instrument Panel Figure 008-1405

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Notes:									
		ide Airbag								
		leated Seat								
		Keyless Entry	Remote							
	[GXX] = S	entry Key The	eft Detei	rrent Syste	em					
	[JPB] = Po	ower Locks								
	[JRD] = Pc	ower Driver S	eat							
		lectronic Con		ottle						
		Speed Control								
(3)		nfinity (7 Spea								
		udio Control S								
		Spoke Whee								
		eather Wrap S								
		djustable Pow								
		lectronic Shift lectronic Shift								
	[DH3] = E	lectronic Shirt	-on-trie	гіу						WIRING, Instrument Panel
(1)		5029 763AC	1							[RDQ,RSP]
		5029 805AC	1							[RDQ]
		56051 209AB	1							[4]
		56051 210AB								[JPB,GXX]
		56051 211AB								[RSP]
		56051 212AB	1							[XAP]
		56051 213AB	1							[RCK]
		56051 214AB								[RCK,RSP]
		56051 215AB								[CMA,RCK]
		56051 216AB								[CMA,RCK,RSP]
		56051 247AB								[RCK,RSB]
		56051 248AB								[CMA,RCK,RSB]
		56051 605AB								[CMA]
	2	56051 606AB	1							[CMA,RSP] WIRING, Steering Wheel
		56049 423AF	1							[SCF,NHM]
		30049 423AI	1							[SCV,NHM]
			1							[SCF]
		56049 424AF	1							[SCC]
(4)			1							[RDZ,SCV,NHM]
	3	56045 653AA	1							BRACKET, Connector, Instrument
										Panel Connector Bracket
		56051 075AB		6						WIRING, Transfer Case Jumper
	-5	56043 298AC	- 1			41, 42				WIRING, Receiver, [RSB]
	DODGE RAM	1500 (DR)								<u>-</u>
	SERIES H = SLT	LINE ´ 1, 6 = 1500	41 –	BODY = Quad Cab	(140.5 WB)		GINE .7L HEMI Ma	anum V8SM	ЛΡΙ	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE)
lacksquare	L = ST	., 5 .000	42 =	Quad Cab	(160.5 WB)	EKG =	3.7L Magnur	n V6 MPI		DG8 = 4 Spd. Auto.(48RE)
			61 = 62 =	Reg. Cab ( Reg. Cab (	(120.5 WB) (140.5 WB)	EVD =	4.7L Magnur 4.7L Magnur	n V8 FFV		DEC, DEJ = 6 Spd. Manual
				- 5 (	,	EWC =	8.3L V10 SF	1		

PART





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEWI	NOMBER	QII	LINE	JERIES	Гворт	ENGINE	IKANS	IKIM	DESCRIPTION
1									WIRING, Chassis
<u>'</u>	56051 400AA	1			61				·
									[AHC]
	56051 401AA				61				
	56051 402AA				41, 62				[XFH]
	56051 403AA				41, 62				
	56051 409AA	1			42				[AHC]
	56051 410AA	1			42				
-2	56045 795AA-	- 1							WIRING, Trailer Tow, Includes 'E
									Brake Pigtail
3	56038 366AB	1							CONNECTOR, 7 Way, Trailer To
4	55077 360AB								TAPPING PLATE, 7-Way Trailer
-		-							Connector Mounting Plate
-5	6034 912	4							SCREW, Pan Head, .19-16x.75,
<del>_</del>	000+ 012								Way Trailer Tow Connector
									Mounting Plate Attaching

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Wiring Seats Figure 008-1515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5127 787AA	1			41, 42				WIRING, Seat, [JTH], Left Seat
2									WIRING, Power Seat
	5127 779AA	1			41, 42				[JTH,CMA], Left
		1			41, 42				[JTD,CMA], Left
	5127 781AA	1			41, 42				[JTD], Left
		1			41, 42				[JTH], Left
	5127 779AA	1			61, 62				[JTH,CMA], Left
	5127 781AA	1			61, 62				[JTH], Left
3									WIRING, Seat
	5127 786AA	1			41, 42				Right Seat
		1			61, 62				Right Seat
4									WIRING, Power Seat
	5127 778AA	1			41, 42				[JTD,CMA], Right Seat
	5127 780AA	1			41, 42				[JTD], Right Seat
5									WIRING, Jumper
	5127 776AA	1			41, 42				Power sear, Right
	5127 777AA	1			41, 42				Power sear, Left
		1			61, 62				Power sear, Left
6									WIRING, Seat
	5127 785AA	1			41, 42				For seat belt, Left
		1			61, 62				For seat belt, Left
7									WIRING, Jumper
	5127 759AA	1			41, 42				
	5127 760AA	1			41, 42				[CMA]
		1			61, 62				[CMA]
8									WIRING, Jumper
	5127 759AA	1			41, 42				Armrest
	5127 760AA	1			41, 42				[CMA], Armrest
		1			61, 62				[CMA], Armrest

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Wiring Repair Figure 008-1605

	ITEM	PART NUMBER	QTY	LINE	SEDIES	BODY	ENCINE	TDANC	TRIM DESCRIPTION
	ITEM	NUMBER	QIY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
		5073 039AA-	1				EK0,	DBB	STRAP, Tie, For Electrical Connector
							EV0		Repair Information visit the World Wide Web at http://dto.vftis.com/
	2	4274 250	4						mopar/disclaimer.asp
	<del>-2</del> -3	4274 258	1						TAPE, Radio Connector, Foam WIRING KIT, 3 Way, Female
		5019 916AB- 5161 929AA-							Lighter Speaker
			•						
For Electrical Connector Repair Information visit									
the World Wide Web at									
http://dto.vftis.com/mopar/disclaimer.asp									
· · · · · · · · · · · · · · · · · · ·									
									_
	DODGE RA	M 1500 (DR) LINE		BODY		EN	IGINE		TRANSMISSION
	H = SLT L = ST	1, 6 = 1500	41 42	= Quad Cab = Quad Cab	(160.5 WB)	EZA=5 EKG =	5.7L HEMI M 3.7L Magnu 4.7L Magnu	agnum V8SMF ım V6 MPI	PI DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
			62	= Reg. Cab ( = Reg. Cab (	1∠0.5 WB) 140.5 WB)	EVD =	: 4.7L Magnu : 4.7L Magnu = 8.3L V10 S	m V8 FFV	DEC, DEJ = 6 Spa. Manual
		as required							Sontombor 10, 2005

## **Air Bag Modules and Sensors** Figure 008-1705

ITEM N	IUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								111111	DESCRIPTION
1 560	43 167AA	2							SENSOR, Side Airbag Impact
2									MODULE, Occupant Restraint
560	43 701AG	1							[CGS]
560	43 703AG	1							




DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Air Bags, Clock Spring, Switch Figure 008-1710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									AIR BAG, Side Curtain
	55350 932AF	1			61, 62				Right
	55350 933AF	1			61, 62				Left
	55350 934AF	1			41, 42				Right
	55350 935AF	1			41, 42				Left
2	56045 496AA	1							SWITCH, Passenger Airbag Disarm
3									AIR BAG, Passenger
	5JD13 WL5AC	2 1		H, L					[L5]
	YM10 VYHAB	1	1	S					[AGK]
	YM10 XZAAB	1	1	S					[JBM]
	5JD13 XDVAC	2 1		H, L					[DV]
4									AIR BAG, Driver
	XE29 WL8AC	1							[L5]
	XE29 XDVAC	1							[DV]
5									COVER, Air Bag Module
	YT70 WL8AA	1							[L5]
	YT70 XDVAA	1							[DV]
6	56049 795AA	1							CLOCKSPRING

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Spark Plugs, Cables, and Coil Figure 008-1905

6	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
	7L V6 Engine								
_	7L Engine								
-	7L Engine								
-	.0L Engine								
	3.0L Engine								
_	5166 556AA	1				EWC			CABLE PACKAGE, Ignition
2									SPARK PLUG
	SPRC1 2MCC	24 8				EV0			
	SPZF R6F110	3 6				EK0			
	SP0RC 12EC	C 10				EWC			
3									CABLE, Ignition
	5029 644AA	1				EWC			Number 1
	5029 645AA	1				EWC			Number 3
	5029 647AA	1				EWC			Number 7
	5029 650AA	1				EWC			Number 2
	5029 651AA	1				EWC			Number 4
	5029 652AA	1				EWC			Number 6
	5029 653AA	1				EWC			Number 8
	5029 654AA	1				EWC			Number 10
	5029 646AB	1				EWC			Number 5
	5029 648AB	1				EWC			Number 9
4									COIL, Ignition
	56028 138AE	8				EV0			
		6				EK0			
	56029 098AA	1				EWC			6-SP
	56032 521AB	1				EWC			4-SP
-5	6034 526	8				EWC			SCREW AND WASHER
6	56028 644AB	1				EK0,			CAPACITOR, Ignition
						EV0			
-7									O RING
	5072 382AA-	6				EK0			Ignition Coil
		8				EV0			Ignition Coil
8	5037 104AB	10				EWC			SHIELD, Heat, Spark Plug
-9	6036 519AA-	14				EWC			STUD, Double Ended, Spark plug wire clips to head

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Spark Plugs and Wiring [5.7L] Figure 008-1910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-					-	-		
1	56028 578AE	1				EZ0			CABLE PACKAGE, Ignition
2	SPRE1 4MCC	24 16				EZ0			SPARK PLUG
3	56028 377AB	1				EZ0			CABLE, Ignition, Coil 6 to plug 1
4	56028 378AB	1				EZ0			CABLE, Ignition, Coil 3 to plug 2
5	56028 379AB	1				EZ0			CABLE, Ignition, Coil 2 to plug 3
6	56028 380AB	1				EZ0			CABLE, Ignition, Coil 7 to plug 4
7	56028 382AB	1				EZ0			CABLE, Ignition, Coil 8 to plug 5
8	56028 384AB	1				EZ0			CABLE, Ignition, Coil 1 to plug 6
9	56028 386AB	1				EZ0			CABLE, Ignition, Coil 4 to plug 7
10	56028 388AB	1				EZ0			CABLE, Ignition, Coil 5 to plug 8
11	56028 394AD	8				EZ0			COIL, Ignition
-12	6507 026AA-	16				EZ0			SCREW AND WASHER, Hex, Coil
									mounting
13	56028 656AA	1				EZ0			TRAY, Ignition Cable



DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500


H = SLT L = ST


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 08A


## **Instrument Panel and Radios and Consoles**





#### **GROUP 8A - Instrument Panel and Radios and Consoles**


Illustration Litle	Group-Fig. No
Instrument Panel	
Instrument Panel	Fig. 08A-110
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-210
Radio, Antenna, and Speakers	
Radio	Fig. 08A-310
Speakers	Fig. 08A-320
Antenna	Fig. 08A-330
Consoles	
Overhead Console	Fig. 08A-410
Floor Console	Fig. 08A-420
Floor Console SRT 10	Fig. 08A-425




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
DBB]= /	All Manual Trans	missio	ns						
DG0]= A	All AutomaticTrar	nsmiss	ions						
1									COVER, Instrument Panel
	5GT31 WL8AA	. 1							[L5] Clips Serviced in Assembly
									Only
	5GT31 XDVAA	. 1							[DV] Clips Serviced in Assemb
									Only
2									PANEL, Instrument, Deadner Pa
									HEVAC Bracket, Defroster Duc
									Glovebox, Airbag & I/Panel Lov
									Not Included)
	ZF26 1DVAE	1		S					[DV]
	ZF26 1DVAF	1		H, L					[DV]
	ZF26 1L5AF	1		H, L					[L5]
-3	5080 596AA-	1		S					PANEL, Instrument
4	55056 146AA	1							REINFORCEMENT, Instrument
									Panel, Located Below Steering
									Column
-5	55350 873AG-	1				EK0,			INSULATION, Dash Panel
						EV0,			
						EW0,			
						EZ0			
-6									BRACKET, Instrument Panel
	5080 588AA-	1		S					
		1		H, L					
	5080 597AA-	1		S					Holds Parking Brake Release
									Handle
		1		H, L					Holds Parking Brake Release
									Handle
7									HANDLE, Parking Brake
	WL85 1DVAA	1		S					[DV]
	WL85 1L5AA	1		H, L					[L5]
-8									PAD, Deadener
	5080 589AB-	1		S					[JBM]
		1		H, L					[ST]
-9									DUCT, Defroster
	5080 590AA-	1		S					[JBM]
		1		H, L					[ST]
10									PANEL, Instrument Upper
	WL86 1DVAA	1		S					[DV] (Demister Grille Included)

DODGE RAM 1500 (DR)										
SERIES	LINE	BODY								
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)								
L = ST		42 = Quad Cab (160.5 WB)								
		61 = Reg. Cab (120.5 WB)								
		62 = Reg. Cab (140.5 WB)								

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



**DESCRIPTION** 




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
5GV52 1DVAB 1				H, L					[DV]
	5GV52 1L5AB 1			H, L					[L5]
	5GV53 1DVAC 1			H, L	[DV] [JBM]				
	5GV53 1L5A0			H, L					[L5] [JBM]
	YM11 VYHAA		1	S					[00]
	5GV53 1DVA		<u> </u>	H, L					[ACD] [PS2]
	5KJ46 1DVA			H, L					[AM6]
	5KJ46 1VEA			H, L					[ACD] [PVE]
-26				,					CLIP, Hood
	6504 067	10	1	S					Center bezel mounting
		10		H, L					Center bezel mounting
27									OUTLET, Air
	WP36 1DVAA	A 1		H, L					[DV], Right
		1		H, L					[DV] [JBM], Right
	WP36 1L5AA	. 1		H, L					[L5], Right
		1		H, L					[L5] [JBM]
	WP37 1DVAA	A 1		H, L					[DV], Left
		1		H, L					[DV] [JBM], Left
	WP37 1L5AA	. 1		H, L					[L5], Left
		1		H, L					[L5] [JBM], Left
28									BEZEL, Instrument Panel, Left
	5GY91 WL5A	A 1							[L5] Outlet & Clips
	5GY91 XDVA	A 1							[DV] Outlet & Clips
29									OUTLET, Air
	WP33 WL5A	4 1							[L5]
	WP33 XDVA	A 1							[DV]
30									BEZEL, Instrument Cluster
	5GZ93 WL8A								[L5] Clips Included
	5GZ93 XDVA	.C 1							[DV] Clips Included
31									END CAP, Instrument Panel
	5GY82 WL8A								[L5], Right
	5GY82 XDVA								[DV], Right
	5GY83 WL8A								[L5], Left
	5GY83 XDVA	B 1							[DV], Left
32									COVER, Instrument Panel, Steering
		_							Column Opening
	5GT24 WL5A								[L5] Clips Included
	5GT24 XDVA								[DV] Clips Included
-33	6504 301	2							CLIP, Moulding
34									BEZEL, Instrument Panel, Left
	5HK92 WL5A	B 1							[L5] with Adjustable Pedals (Clips
									Included)

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5HK92 XDVAB 1 [DV] with Adjustable Pedals (								
	51 UKOO MU 5 M	<b>D</b> 4							Included)
	5HK93 WL5A	В 1							[L5] without Adjustable Pedals
	5HK93 XDVA	D 1							(Clips Included) [DV] without Adjustable Pedals
	SI IN93 XDVA	<u></u> Б Т							(Clips Included)
35	55055 978AA	1							ADAPTER, A/C And Heater Unit
	55056 045AA	-							ADAPTER, Defroster Duct
37									PLATE, Switch Opening
	5HC58 WL5A	A 1							[L5] Without Passenger Airbag
									Switch
	5HC58 XDVA	A 1							[DV] Without Passenger Airbag
									Switch
	6101 945	4							SCREW
	6036 073AA	2							SCREW
40	50045 50040								SWITCH, Headlamp
	56045 536AC	1							With Cargo Lamp & without
	56045 537AC	1							Foglamp With Cargo Lamp & Foglamp
	56021 922AA					EK0,			PULLER, Fuse
- <del>-</del>	30021 322AA	'				EVO,			1 OLLLIN, 1 use
						EZ0			
-42	56045 496AA	- 1							SWITCH, Passenger Airbag Disarm
-43									BEZEL, Instrument Panel Switch
	5HD08 WL5A	A- 1							[L5] Passenger Airbag
									Deactivattion (English)
	5HD08 XDVA	A- 1							[DV] Passenger Airbag
									Deactivattion (English)
	5HD09 WL5A	A- 1							[L5] Passenger Airbag
	FLIDOO VDVA	۸ ،							Deactivattion (French)
	5HD09 XDVA	A- 1							[DV] Passenger Airbag Deactivattion (French)
-44	4685 164	1							COVER, Glove Box Lamp Hole
45	4000 104	'							GLOVE BOX, Instrument Panel
	WL80 1DVAA	1		S					[DV] [JBM]
		1		H, L					[DV]
	WL80 1L5AA	1		H, L					[L5]
-46	4565 022	1							SWITCH AND LAMP, Glove Box
-47									BUMPER, Glove Box Door
	5019 386AB-	1		S					
	5019 386AA-	2		H, L					

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



#### **Instrument Panel Figure 08A-110**



	PARI								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56049 686AA	1							[DHU]
	56051 052AA	1							[DH5]
-61									MAT, Storage Tray
	56051 053AA	- 1							[DHU]
	56045 623AA	- 1							[CMA]
	56051 053AA	- 1							[DH5]
-62	56021 909AA	- 2							GROMMET, Body Wiring

DODGE RAM 1500 (DR)-SERIES LINE

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Instrument Cluster Figure 08A-210**

7	
	3
2	5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER, Complete Cluster
									Assembly w/Lens, Circuit Board,
									Odometer Knob, Bulbs & Gauges
	5029 819AD	1				EWC			[JA2,JCC]
	5029 820AD	1							[JA2,JDP]
		1			61, 62				[JA2] [JDM]
	56051 101AF	1							[JAY+JCB+JPB]
	56051 102AF	1							[JAY+JDC]
	56051 103AF	1							[JAY+JCB-JPB] Up to 8/13/04
	56051 103AG	i 1							[JAY+JCB-JPB] After 8/13/04
•						EZ0			MARK AND LENG L
2									MASK AND LENS, Instrument
	4000 054 40					E)4/O			Cluster
	4829 851AC								[JA2] [JCC]
									[JA2] [JDP]
		'							[JAY] [JCB] [JPB]
3						LZU			GAUGE, Speedometer, Serviced with
0									Cluster Assembly, (NOT
									SERVICED) (Not Serviced)
4									GAUGE, Tachometer, Serviced with
•									Cluster Assembly, (NOT
									SERVICED) (Not Serviced)
5									GAUGE, Temperature And Oil,
									Serviced with Cluster Assembly,
									(NOT SERVICED) (Not Serviced)
6									GAUGE, Fuel And Volt, Serviced
									with Cluster Assembly, (NOT
									SERVICED) (Not Serviced)
7									BOARD, Circuit, Serviced with
									Cluster Assembly, (NOT
									SERVICED) (Not Serviced)
	1 2 3 4 5	1 5029 819AD 5029 820AD 5029 820AD 56051 101AF 56051 103AF 56051 103AF 56051 103AF 56051 103AG 56051 1	ITEM       NUMBER       QTY         1          5029 819AD 1 5029 820AD 1          56051 101AF 1 1          56051 102AF 1          56051 103AF 1          2          4829 851AC 1 1 1 1 1 1          3          4          5          6	ITEM       NUMBER       QTY       LINE         1       5029 819AD       1       1         5029 820AD       1       1       1         56051 101AF       1       1       1         56051 103AF       1       1       1         2       4829 851AC       1       1       1         3       1       1       1       1       1         4       5       6       6       6       6       6       6       6       6       6       1 </td <td>ITEM         NUMBER         QTY         LINE         SERIES           1         5029 819AD         1         5029 820AD         1           56051 101AF         1         56051 102AF         1         56051 103AF         1           56051 103AG         1         56051 103AG         1         56051 103AF         1         56051 103AF&lt;</td> <td>  NUMBER</td> <td>  NUMBER   QTY   LINE   SERIES   BODY   ENGINE    </td> <td>  Number   N</td> <td>  NUMBER</td>	ITEM         NUMBER         QTY         LINE         SERIES           1         5029 819AD         1         5029 820AD         1           56051 101AF         1         56051 102AF         1         56051 103AF         1           56051 103AG         1         56051 103AG         1         56051 103AF         1         56051 103AF<	NUMBER	NUMBER   QTY   LINE   SERIES   BODY   ENGINE	Number   N	NUMBER

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Instrument Cluster Figure 08A-210**

5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-8	4839 738AA-	11				EK0,			BULB AND SOCKET, [JAY] [JCB]
						EV0,			[JPB]
						EZ0			
-9									KNOB, Odometer Reset, Serviced
									with Cluster Assembly, (NOT
									SERVICED) (Not Serviced)
-10	6101 945	4							SCREW, M4.2X1.70X15.00, Cluster
									Mounting
-11									GAUGE, Located on 'A' Pillar
	5029 717AA-	1							[JA2] [JCC]
	5029 720AA-	1							[JA2] [JDM]
		1							[JA2] [JDP]

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Radio Figure 08A-310

PART

1 RAZ	2 RBY	3 RBB
O CE VANDREE : D  RBQ	5 RBK	6 RB4
7 0	8	9
10	(1)	12
<b>3</b>	<b>(14)</b>	15
19		

Jotes Ita	em #3 Order Re	nlacem	ent 75091	606AD Ita	m # 6 \/\/2r	ranty Dial	Function 1	1 - orde	er 82208481
	AM/FM Cassette			OOOAD, Ite	iii # O vvai	Tarity Diai	i diletion i	i - orac	02200401
_	AM/FM Cassette								
_	AM/FM Cassette		-	er Ctr					
-	AM/FM/Compac		_						
	AM/FM/CD (6 D		TTILL CHAI	.go. o					
_	AM/FM, CD GP		nation						
1	5091 605AD	1	gation						RADIO, AM/FM with CD and
•	0001 0001 D	'							Cassette, [RAZ]
2	5091 609AD	1							RADIO, AM/FM/Cassette With CD
2	3031 003AD	'							[RBY]
3									RADIO, AM/FM/Cassette With CD
3									See Note
	5091 505AB	1							[RBB]
	5091 505AB	1							[RBP]
4	5091 507AB	1							RADIO, AM/FM with CD and
7	3091 307AB	1							Equalizer, [RBQ]
5									RADIO, AM/FM with CD and
3									Equalizer
	E001 E06AD	1							[RBK] Huntsville up to 07/14/04
	5091 506AD	1							• •
	5161 262AA	1							[RBK] Mitsubishi
0	5091 556AH	1							[RBK] Huntsville after 07/14/04
6	56043 286AE	1							RADIO, AM/FM CD W/NAV/DVD
7									CD-CTRL, See Note, [RB4]
7	5004 000ALL				44 40				RECEIVER, Satellite
	5064 020AH	1			41, 42				Up to 10/12/04
	5064 020AJ	1							After 10/12/04
8									STRAP, Ground
	56043 078AC	1				EK0,			Engine to heat shield
						EV0,			
						EZ0			
	4311 888AB	1				<b></b> -			Cab to box
	56029 062AC	2				EZ0			Cylinder head cover
9	5091 504AB	1							ANTENNA, Satellite
10	56028 644AB	1				EK0,			CAPACITOR, Ignition
						EV0			
11									BRACKET, Satellite Receiver
	56043 279AB	1			41, 42				Up to 10/12/04
	56043 279AC	1			41, 42				After 10/12/04
12	5029 605AB	1	1		41				AMPLIFIER, Radio, Analog 2
									Channel

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500

#### Radio **Figure 08A-310**



5A-310									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6505 815AA	1							SCREW, Ground Strap to Box
									Attaching
14	6101 443	4							NUT AND WASHER, Hex, M5x.80
15	56043 295AE	1							AMPLIFIER, Radio, [RCK]
-16									TAPE, Radio Connector, Foam
	4274 258	1							[RAA]
		2							
-17	5102 014AA-	1							WIRING, Rcvr to Radio
-18	5091 501AE-	1							COMPACT DISC, Navigation, [RB4]
19	56043 298AC	1			41, 42				WIRING, Receiver, [RSB]
									_

DODGE RAM 1500 (DR)-SERIES LINE

H = SLTL = ST

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB)


42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Speakers Figure 08A-320

PART






ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
	Four Speaker S	-	\						
_	Infinity with 150		' <del>-</del> '						
-	Eight with subw	ooier{ii	niinityj						SDEAKED 2.5"
1	5081 671AA								SPEAKER, 3.5"
		2							[RCK], Instrument Panel
2	56043 083AF	2							[RCY], Instrument Panel
2	E004 670 A A	4							SPEAKER, Front, 2.25
	5081 672AA	1							[RCK], Instrument Panel
	56043 084AC	1							[RCY], Instrument Panel
3	0404 045	•							SCREW
	6101 945	6							Speaker Mounting, Instrument Panel
		4							Radio to Instrument Panel
									Mounting
		4							Radio to Instrument Panel
		6							Speaker to Instrument Panel
4									SPEAKER, Front Door
	56040 953AB	2							[RCK]
	56043 385AB	2							[RCD], Base
	5081 669AA	2							[RCK] Speaker only
5	56043 082AE	2							SPEAKER, Door, Front
6	5082 450AB	2							SPEAKER, 6"X9", [RCD], Base
7									CLIP, Speaker
	6036 565AA	8							Speaker to Front Door, Speaker T
									Frt Door Panel
		6							Speaker to Rear Door
		6							Rear Speaker Mounting
8									SCREW, .190-16x1.00
	0153 754	8							Speaker To Frt Door Panel
		6							Speaker to Rear Door
		2	1		61, 62				Bracket to Subwoofer
9					*				SPEAKER, 5.25"
	56043 085AC	2							[RCD] Four Speaker System, Rea
	56043 086AC	2							Infinity Rear, Rear
-10									GRILLE, Speaker
	5127 610AA-	1	1		61, 62				
		1	1		41, 42				Under Rear Seat
11		•	•		,				CONNECTOR, Purchase with
									Subwoofer, (NOT SERVICED) (No
									Serviced)


DODGE RA	M 1500 (DR)	
SERIES	LINE	BODY
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)
L = ST		42 = Quad Cab (160.5 WB)
		61 = Reg. Cab (120.5 WB)
		62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Speakers** Figure 08A-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5029 729AB	1	1		41, 42				SPEAKER, Sub Woofer, Under Rea
									Seat
13	5029 606AB	1	1		61, 62				SPEAKER, Sub Woofer, Rear
14	5029 640AB	1	1		61, 62				BRACKET, Speaker



 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Antenna Figure 08A-330**

5
3
3

1 468 2 3 560 508	043 089AD 80 594AA 60 332	1 1 1 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	MAST, Antenna CAP, Antenna Body, Serviced W/ Antenna Cable, (NOT SERVICED) (Not Serviced)
2 3 560 508	043 089AD 80 594AA 60 332	1							CAP, Antenna Body, Serviced W/ Antenna Cable, (NOT SERVICED)
2 3 560 508	043 089AD 80 594AA 60 332	1							CAP, Antenna Body, Serviced W/ Antenna Cable, (NOT SERVICED)
3 560 508	80 594AA 60 332								Antenna Cable, (NOT SERVICED)
560 508	80 594AA 60 332								
560 508	80 594AA 60 332								(Not Serviced)
560 508	80 594AA 60 332								`
508	80 594AA 60 332								CABLE, Antenna
	60 332	1							Antenna with Body [RDD]
4 286				S					
		1							PLUG, Anti-Rattle
5 560	00 6990	1							PLUG, Antenna Hole
6 560	043 088AB	1							ADAPTER, Antenna
-7									HANDS FREE KIT, Cellular Phone
822	20 7773	1							Nokia 3000 & 8000 Series Model
									(Except 8260 Model)
822	207 853AC-	1							Pieker Acustic Model
-8 560	043 256AB-	1							BRACKET, Audio Equipment, Hands
									free phone
-9 510	02 013AB-	1							CABLE, Antenna, Satelite Radio
10 822	206 488AB-	1							RECEIVER, Satelite
11 560	043 276AB-	1							ANTENNA, Global Positioning, [RB4]
12 560	00 7570	1							NUT, M6x1, Antenna Cable
13 610	01 945	2							SCREW, Navigation, Antenna
									Mounting

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Overhead Console Figure 08A-410









	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•		•	•		
Notes:									
	All Manual Trar	nsmissi	ons						
	All AutomaticTr								
1									CONSOLE, Floor
	ZG78 1DVAA	1					DEC		[DV]
	5GT26 1DVA	C 1					DEJ		[DV]
	5GT26 1L5AC	1					DEJ		[L5]
2									BEZEL, Transfer Case
	5GT28 WL5A	A 1	6				DG0		[L5]
	5GT28 XDVA		6				DG0		[DV]
3	5GT27 DX9AI	3 1	1				DEJ		BIN, Floor Console
4									MAT, Console Cup Holder
	5029 726AA	2					DEC		SRT 10
_	5HA80 DX9A	4 1					DEJ		Right
5							550		MAT, Console Cup Holder
	5029 726AA	2					DEC		SRT 10
	5HA81 DX9A				44 40		DEJ		Left CLIP LIQUED BER Book Soot Block
6	5HD65 DX9A	U 1			41, 42				CUP HOLDER, Rear Seat, Black
7	5029 727AA	1					DEC		MAT, Floor Console SRT 10
	5HF60 DX9A						DD0		SKI IU
	3111 00 DX3A7	1					DEJ		
8		'					DLO		SCREW, 190-16X.70, (NOT
Ü									SERVICED) (Not Serviced)
-9									RING
	5093 230AA-	1					DEC		[DEC], Gear Shifter
	5143 930AA-	1	1			EK0,	DEJ		[DEJ], Gear Shifter
						EV0			
-10									BOOT, Gear Shift Lever
	YN73 1DVAA	- 1					DEC		[DEC]
	YN73 1Y3AA-						DEC		[DEC][AGK]
	55366 042AA	- 1					DEJ		[DEJ]

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Floor Console SRT 10 **Figure 08A-425**

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	ZG78 1DVAA	1					DEC		CONSOLE, Floor
2	YN73 1DVAA	1					DEC		BOOT, Gear Shift Lever
3	6036 430AA	6					DEC		SCREW
4	5029 097AE	1					DEC		BASE, Cigar Lighter
5	5093 230AA	1					DEC		RING
6	5029 726AA	2					DEC		MAT, Console Cup Holder
7	5029 727AA	1					DEC		MAT, Floor Console
8									SCREW, Hex Flange Head Tapping,
									.190-16x.750, (NOT SERVICED)
									(Not Serviced)




DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500


H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 009 Engine and Transmission Mounting





#### **GROUP 9 - Engine and Transmission Mounting**

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounting ALL	Fig. 009-110
Transmission Mounting	Fig. 009-120

#### **Engine Mounting ALL** Figure 009-110

16 15 6 3 11 12 12	7       8       5       9
4	10

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							!		
1									INSULATOR, Engine Mount
	52020 601AD	1	1			EK0			Left
	5037 424AA	1	ı			EWC			Right
	5037 424AA 5037 425AA	1				EWC			Left
	52020 604AD		6			EVO,			Right
	32020 004AD	'	- 0			EZ0			Right
	52020 605AC	1	6			EV0,			Left
	32020 003AC	'	O			EZ0			Len
	52110 089AC	1	1			EZ0			Left
2	32110 003AC	'	<u>'</u>			LZ0			INSULATOR, Engine Mount
2	52021 600AE	1	1			EK0			Right Front
	52110 086AC		1			EZ0			Right Front
	52020 602AD		1			EV0			Right Front
	52020 603AC		1			EV0			Left
3	55366 020AA		1			EV0			SNUBBER, engine support
4	6503 699	8	1			EKO,			SCREW AND WASHER, Hex Head,
·		Ü	•			EV0,			M10x1.5x28
-						EZ0			WIOKIIOALO
5									SCREW AND WASHER, Hex Head
· ·	6507 608AA	2	1						
	6506 560AA	3	6			EV0,			
						EZ0			
6	6100 056	4	6						NUT AND WASHER, Hex, M12x1.75
7									BRACKET, Engine Mount
	5037 422AB	1				EWC			Right
"	5037 423AB	1				EWC			Left
	52020 564AC	1	6			EV0			Right
	52110 053AC	1	6			EV0	DG4,		Left
							DGQ		
	52110 082AC	1	6			EZ0			Right
	52110 084AC	1	6			EZ0	DG4,		Left
							DGQ		
8	52110 055AF	1	6			EV0	DEJ		BRACKET, Left
9	6500 158	8	6			EV0,			SCREW AND WASHER, Hex Head,
						EZ0			M10x1.5x25
10	6506 860AA	2	6			EV0	DEJ		SCREW AND WASHER, Hex Head,
									M10x1.5x50
11	6101 060	2	6			EV0,	DG4,		SCREW AND WASHER, Hex Head,
						EZ0	DGQ		M10x1.5x30
12	6101 557	4	6						BOLT AND WASHER, Hex Head,
									M12x1.75x80

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Engine Mounting ALL** Figure 009-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6503 712	2	6						SCREW
14	6502 725	2	6						BOLT, Hex Flange, M12x1.75x90
15	6502 835	4	6						NUT, Lock
16	6101 448	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5



DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Transmission Mounting Figure 009-120

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[DGQ] =	Five Speed Aut	tomatic	Transmiss	sion					
[DG8] = I	Four Speed Aut	omatic	Transmiss	sion					
1									BRACKET AND INSULATOR,
									Transmission Support
	52021 470AC	1	1			EK0,	DEJ		
						EV0			
	52110 036AC	1	6			EV0			[EV0]
		1				EZ0			
	52855 231AA	1	1			EK0,	DG4,		
						EV0	DGQ		
	52013 510AA	1	1			EWC			
	52110 036AC	1	1			EWC			[EWC]
2									BRACKET, Transmission Mount
	5037 470AA	1	1			EWC	DEC		
	5037 620AA	1				EWC	DG0		
	52020 546AB	1	6			EV0,	DG4,		
						EZ0	DGQ		
		1	6			EV0	DEJ		
	52020 853AB	1	1			EK0,	DG4,		
						EV0,	DGQ		
						EZ0			
	55366 041AA	1	1			EK0,	DEJ		
						EV0			
3	6506 019AA	2					DEC		BOLT AND WASHER, Hex Head,
									M10x1.5x30
4	6101 448	2							NUT AND WASHER, Hex Nut-Cone
_									Washer, M10 x 1.5
5	5037 470AA	1	1			EWC	DEC		BRACKET, Transmission Mount
6									SCREW AND WASHER, Hex Head,
		_							M10x1.5x28
	6503 699	8	1			EK0,			
						EV0,			
						EZ0			
		4	ā				DEJ		
		3	1				DG4,		
							DGQ		
		4	6				DG4,		
-	0504 500	_					DGQ		CODEW AND WACHED Have I
7	6501 596	2					DEC		SCREW AND WASHER, Hex Head,
									M10x1.5x45







DODGE RAI	M 1500 (DR)			
SERIES H = SLT L = ST	LINE 1, 6 = 1500	BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)	ENGINE EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 EWC = 8.3L V10 SFI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual

### **Group – 3.7L**

### **Engine 3.7L Six Cylinder**






#### **GROUP 3.7L - Engine 3.7L Six Cylinder**

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 3.7L [EKG]	Fig. 3.7L-210
Cylinder Block	
Cylinder Block 3.7L [EKG]	Fig. 3.7L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter 3.7L [EKG]	Fig. 3.7L-410
Camshafts & Valves	
Camshaft And Valves, 3.7L [EKG]	Fig. 3.7L-510
Timing Belt and Cover	
Timing Cover 3.7L [EGK]	Fig. 3.7L-610
Timing Chain And Guides, 3.7L [EKG]	Fig. 3.7L-620
Engine Oiling	
Engine Oiling, 3.7L [EKG]	Fig. 3.7L-710
Manifolds	
Manifolds 3.7L [EKG]	Fig. 3.7L-810
Crankcase Ventilation	
Crankcase Ventilation 3.7L [EKG]	Fig. 3.7L-910


### Cylinder Head 3.7L [EKG] Figure 3.7L-210

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Upper Gasket I	Packag	e Contains	s: Cylinder	Head and	Cylinder H	ead Cover	Gaske	ts, Intake and Exhaust Manifold
Gaske	ets, Throttle Bod	y Gask	et, Valve (	Guide Seal	s, Access	Hole O-Rir	ng, Oil Fill I	Housing	Gasket and Crankcase Vent Valve O
Sales Co	odes								
[EK0] = i	All 3.7L 6 Cylind	der Gas	s Engines						
-1									GASKET PACKAGE, Engine Upper,
									See Notes
	5135 792AA-	1				EK0	DG0		For Metal Cylinder Head Covers
	5170 703AA-	1				EK0	DBB		For Plastic Cylinder Head Covers
		1				EK0	DG0		For Plastic Cylinder Head Covers
2	6506 785AA	8				EK0			SCREW AND WASHER, Hex Head
3	53020 988AC	1				EK0			HEAD, Cylinder, Right
4	53020 987AC	1				EK0			HEAD, Cylinder, Left
5	4556 020	2				EK0			PLUG, Core, 1.25 Diameter, Water
									Jacket Core
6	6036 307AA	1				EK0			PLUG, Oil Gallery .25-18x.413, Rear
									of Head
7	6034 331	2				EK0			PLUG, Hex Socket, 3/8-18NPTx.475,
									[.375-18x.475], Water Jacket Vent
8	6505 528AA	16				EK0			SCREW AND WASHER, Hex Head
9	5302 1032	1				EK0,			O RING, Access Hole Plug
J	0002 1002	•				EV0			7 (1110) 1 (ag
10	5302 1031	1				EK0,			PLUG, Access Hole
10	0002 1001	•				EV0			1 200, 7,00000 11010
11									SCREW
• • •	53021 309AA	4				EK0			Use with Metal Cylinder Head
	33021 303707					LIKO			Covers, Right
		5				EK0			Use with Metal Cylinder Head
		J				LIKO			Covers, Left
	6508 296AA	4				EK0			Use with Plastic Cylinder Head
	0300 230AA					LINO			Covers, Right
		5				EK0			Use with Plastic Cylinder Head
		3				LINO			Covers, Left
12									STUD, Serviced With Valve Cover,
									(NOT SERVICED) (Not Serviced)
10									
13	5302 0996	4				EK0			COVER, Cylinder Head, Right
	5502 0996	1				ENU			Metal Cover, with Gasket and
	52024 020AA					FIG			Screws
	53021 938AA	1				EK0			Plastic Cover, with Gasket and
4.4									Screws
14	5000 0005	4				FIGO			COVER, Cylinder Head, Left
	5302 0995	1				EK0			Metal Cover, with Gasket and
									Screws
DODGE 5:	M 4500 (DD)								
SERIES	M 1500 (DR) LINE		BODY		EN	 NGINE			TRANSMISSION
H = SLT L = ST	1, 6 = 1500	41 = 42 = 61 =	= Quad Cab = Quad Cab = Reg. Cab ( = Reg. Cab (	(160.5 WB) (120.5 WB)	EZA=: EKG = EVA = EVD =	5.7L HEMI M = 3.7L Magnu = 4.7L Magnu = 4.7L Magnu = 8.3L V10 S	um V6 MPI ım V8 ım V8 FFV	MPI	DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
AD Hee	as required -=	Non III.		4 # Na	امام میں ماما				Sentember 19, 2005

### Cylinder Head 3.7L [EKG] Figure 3.7L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53021 937AA	1				EK0			Plastic Cover, with Gasket and
									Screws
15									GASKET, Valve Cover
	53021 959AA	1				EK0			Use with Plastic Cylinder Head
									Covers, Right
	53021 958AA	1				EK0			Use with Plastic Cylinder Head
									Covers, Left
16	5302 0989	2				EK0			GASKET, Cylinder Head, Right or
									Left
17	1122 532	2				EK0,			DOWEL, Block To Clutch Housing
						EV0			

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Cylinder Block 3.7L [EKG] Figure 3.7L-310

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Lower Gasket	Packag	e contains:	Front and	Rear Crar	nkshaft Sea	als, Oil Pic	k Up Tı	ube Seal; Oil Pan, Chain Case and
Water	Pump Gaskets	; Chain	Case Cov	er and Oil	Tube O-Ri	ngs			
Sales Co	des								
[EK0] = A	II 3.7L 6 Cylind	der Gas	s Engines						
-1	5135 793AA-	1				EK0	DG0		GASKET PACKAGE, Engine Lower,
									See Notes
2	5103 475AA	1				EK0			BLOCK, Short
3	1122 532	2				EK0,			DOWEL, Block To Clutch Housing
						EV0			

			EV0	
4	6034 804	8	EK0	PLUG, Core, 1.39 Diameter
5	6102 156AA	5	EK0	SCREW, Hex Flange Head, M8x1. 25x44
6				BUSHING, Balance Shaft, Serviced
				In Short Block Only, (NOT SERVICED) (Not Serviced)
7	4663 942	1	EK0	PLUG, Core, 1.50 Diameter
8	53010 533AA	5	EK0	DOWEL
9	6036 307AA	3	EK0	PLUG, Cylinder Block Coolant Drain [.25-18x.413]
10	6036 114AA	4	EK0, EV0	PLUG, Pipe, Cylinder Block Oil Hole [.50-14x.56]
11	6034 804	8	EK0	PLUG, Core, 1.39 Diameter
12	6504 410	7	EK0	SCREW, Hex Head
13	6505 394AA	6	EK0	SCREW AND WASHER
14				BEDPLATE, Serviced With Short
				Block, (NOT SERVICED) (Not Serviced)
15	6506 187AA	2	EK0	STUD

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Crankshaft, Piston and Torque Converter 3.7L [EKG] Figure 3.7L-410




	PART	, '	1	1	1		1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: F	or Crankshaft	Ind <u>ent</u>	ification, S	tamping Lo	ocation and	յ Bear <u>ing I</u> r	nformation	Refer t	to the Service Manual
Sales Cod									
DBB] = A	All Manual Tran	ısmissic	ons						
_	All Automatic Tr								
EK0] = Al	II 3.7L 6 Cylind	der Gas	s Engines						
1	5019 447AA	6				EK0			BEARING PACKAGE, Connecting
									Rod, Standard
2	6504 415	1				EK0,			SCREW AND WASHER
						EV0			
3									BEARING PACKAGE, Crankshaft, A
									Grade
	5066 733AA	4				EK0			[R] Crankshaft, Mains 1 and 4
	5066 734AA	4				EK0			[R] Crankshaft, Mains 2 and 3
	5066 735AA	4				EK0			[S] Crankshaft, Mains 1 and 4
	5066 736AA	4				EK0			[S] Crankshaft, Mains 2 and 3
	5066 737AA	4				EK0			[T] Crankshaft, Mains 1 and 4
	5066 738AA	4				EK0			[T] Crankshaft,Mains 2 and 3
	5066 739AA	4				EK0			[U] Crankshaft,Mains 1 and 4
	5066 740AA	4				EK0			[U] Crankshaft,Mains 2 and 3
4	53020 689AB	1				EK0,			DAMPER, Crankshaft
						EV0			
5	53020 959AB	1				EK0			CRANKSHAFT
	5012 356AB	1				EK0,			WASHER PACKAGE, Washer,
						EV0			Thrust
7	1949 765	4				EK0,	DG0		SCREW, Hex Head Header Point,
						EV0,			.312-24x.44, Driveplate to Conv
						EZ0			
8	4736 582AB	1	1			EK0	DG4,		TORQUE CONVERTER
							DGQ		
9	6503 465	8				EK0	DG0		BOLT, Drive Plate and Flywheel
	5210 4048	1				EK0,	DG0		PLATE, Torque Converter Drive
						EV0			•
11	53020 788AB	1				EK0,			SEAL, Crankshaft Bearing Oil
						EV0			
12	6504 398	8				EK0,	DBB		SCREW
	<del>-</del>					EV0			
13	6504 480	3				EK0			SCREW, M6x1x25
14									RING, Tone, Serviced with
-									Crankshaft, (NOT SERVICED) (No
									Serviced)

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Crankshaft, Piston and Torque Converter 3.7L [EKG] Figure 3.7L-410



#### Camshaft And Valves, 3.7L [EKG] **Figure 3.7L-510**

PART



Noto: S	ales Codes						
	All 3.7L 6 Cylinde	er Gas	Engines				
1	6505 034AA	8	gcc		EK0		SCREW, M6x1x40
2							CAP, Serviced With Head Only,
							(NOT SERVICED) (Not Serviced
3	53021 913AB	12			EK0		ROCKER ARM, Valve
4	53021 894AA	12			EK0		ADJUSTER, Valve Lash
5	4556 020	2			EK0		PLUG, Core, 1.25 Diameter
6	53020 988AC	1			EK0		HEAD, Cylinder, Right
7	53020 987AC	1			EK0		HEAD, Cylinder, Left
8	4536 513AB	24			EK0		LOCK, Valve Spring Retainer
9	4781 090AA	12			EK0		RETAINER, Valve Spring
10							SPRING, Valve
	53021 873AA	6			EK0		Exhaust
	53021 887AA	6			EK0		Intake
11							INSERT, Valve Guide, Serviced V
							Head Only, (NOT SERVICED) (
							Serviced)
12	53020 752AD	12			EK0		SEAL, Valve Guide
13							SEAT, Intake Valve, Serviced Wit
							Head Only, (NOT SERVICED) (
							Serviced)
14	53020 747AB	6			EK0		VALVE, Intake, Standard
15	53021 916AA	6			EK0		VALVE, Exhaust, Standard
16							SEAT, Exhaust Valve, Serviced W
							Head Only, (NOT SERVICED) (
							Serviced)
17	6100 902	1			EK0		DOWEL, M6x14
18							WASHER, (NOT REQUIRED)
19	53021 892AA	1			EK0		CAMSHAFT, Engine, Right
20	53021 893AA	1			EK0		CAMSHAFT, Engine, Left

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Timing Cover 3.7L [EGK] Figure 3.7L-610

11)	2 3
10	5
	2
9	6
	7

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sa	les Codes								
[EK0] =	All 3.7L 6 Cylin	der Gas	Engines						
1	53021 238AB	1				EK0			COVER, Chain Case
2	53021 239AA	2				EK0			O RING, Also serviced wih Cover,
									Timing Belt Cover, Mounting
3	53021 226AA	1				EK0			GASKET, Chain Case Cover, Also
									serviced wih Cover, Mounting
4	6034 331	3				EK0			PLUG, Hex Socket, 3/8-18NPTx.475
									Also serviced wih Cover
5									PIPE FITTING, Chain Case Cover,
									.375-18x2, Serviced with Cover,
									(NOT SERVICED) (Not Serviced)
6	6507 776AA	3				EK0			SCREW, Hex Flange Head, Timing
									Belt Cover, Mounting
7	6102 380AA	5				EK0,			SCREW, Hex Flange Head, Timing
						EV0			Belt Cover, Mounting
8	53021 313AA	1				EK0			SEAL, Crankshaft Oil, Front, Also
_		_							serviced wih Cover
9	6102 381AA	5				EK0,			SCREW, Hex Flange Head, Timing
4.0	0505 00044					EV0			Belt Cover, Mounting
10	6505 293AA	1				EK0,			STUD, Timing Belt Cover, Mounting
4.4	0005.054	0				EV0			NIDDLE
11	6035 854	2				EK0			NIPPLE

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Timing Chain And Guides, 3.7L [EKG] Figure 3.7L-620




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	ales Codes								
EK0]= A	All 3.7L, 6 Cylind	der Gas							
1	5302 0681	1				EK0			TENSIONER, Chain, Primary
2	6504 471	1				EK0,			KEY, Woodruff, Crankshaft Sprocket
						EV0			Mounting
3	5019 423AC	1				EK0			TIMING DRIVE PACKAGE, Engine
4	53021 250AA	1				EK0			TENSIONER, Chain, Secondary, Lef
5	5302 0818	1				EK0			SHAFT, Balance
6	53021 291AD	1				EK0			SPROCKET, Camshaft, Right
7	6504 429	2				EK0,			SCREW AND WASHER, Hex,
						EV0			M12x1.75x35.00, Camshaft
									Sprocket, Mounting
8	6503 257	5				EK0			BOLT, Hex Head, M8x1.25x37.50,
									Chain Guide/Tensioner, Mounting
9	6506 028AA	2				EK0			SCREW, M8x1.25x45.0, Secondary
									Tensioner Arm, Mounting
10	53021 290AA	1				EK0			SPROCKET, Camshaft, Left
11	6100 295	1				EK0			SCREW AND WASHER, Hex Head,
									M8x1.25x20, Thrust Plate,
									Mounting
12	6102 111AA	2				EK0,			SCREW AND WASHER, M8x1.
						EV0			25x45.00, Guide, Mounting
13	5302 0835	1				EK0,			SHAFT, Idler
						EV0			
14	6102 190AA	1				EK0			SCREW, M8x1.25x57.0, Guide,
									Mounting
15	53021 249AA	1				EK0			TENSIONER, Chain, Secondary,
									Right
16	53021 298AB	1				EK0			SHAFT, Balance, Driver
17	5302 0679	1				EK0			SPROCKET, Crankshaft
18	53021 170AA	1				EK0			SPROCKET, Idler
19									RETAINING RING, Idler, (NOT
									REQUIRED)
20	6504 370	1				EK0,			SCREW AND WASHER, Hex,
						EV0			M10x1.50x110.00, Idler Sprocket,
									Mounting

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Engine Oiling, 3.7L [EKG] Figure 3.7L-710




ITEM	PART NUMBER	QTY	1 1615	CEDIES	BODY	ENGINE	TDANC	TRIM	DESCRIPTION
IIEW	NUMBER	QII	LINE	SERIES	BODY	ENGINE	TRANS	IKIW	DESCRIPTION
Note: Sa	les Code								
	III 3.7L 6 Cylind	er Gas	Engine						
1	6036 114AA	4	gc			EK0,			PLUG, Pipe, Cylinder Block Oil Hole
•		-				EV0			,
2	5302 0827	1				EK0,			PUMP, Engine Oil
						EV0			
3	6100 932	1				EK0,			BOLT, Hex, Oil Pump, Mounting
						EV0			
4	53021 636AC	1				EK0			INDICATOR, Engine Oil Level
5	6102 050AA	1				EK0			SCREW, Hex Flange Head, M6.3 x
									1.81 x 15.00, Oil Level Indicator
									Tube, Mounting
6	53021 637AA	1				EK0			TUBE, Engine Oil Indicator
7	6504 810AA	1				EK0,			SCREW AND WASHER, Hex, Oil
						EV0			Level Indicator Tube, Mounting
8	53021 144AA	1				EK0			O RING, Engine Oil Indicator
9	53021 001AB	1				EK0	DG0		GASKET, Oil Pan, Mounting
10	5302 0861	1				EK0,			SEAL, Oil Pick Up Tube
						EV0			
11	53021 776AA	1				EK0			TUBE, Oil Pickup
12	6102 046AA	1				EK0,			SCREW AND WASHER, Pickup
						EV0			Tube, Mounting
13	6502 756	2				EK0			NUT, Hex Lock, M8x1.25, Pickup
									Tube, Mounting
14	53021 779AB	1				EK0			PAN, Engine Oil, With Plug
15	6504 810AA	16				EK0			SCREW AND WASHER, Hex, Oil
40	CEOE 000 A A	4				FICO			Pan to Block, Mounting
16	6505 889AA	1				EK0			STUD, Oil Pan to Block, Mounting
17	6506 100AA 4781 452AA	1				EK0			PLUG, Oil Drain
18 19		1 1				EK0			FILTER, Engine Oil
19	4868 672AA	ı				EK0, EV0			SWITCH, Oil Pressure
20	5300 7563	1				EVO EKO,			CONNECTOR, Oil Filter
20	5300 7563	1				EV0,			CONNECTOR, Oil Filler
21	53032 515AB	1				EK0			TROUGH, Drip, Oil
22	6505 504AA	3				EKO,			SCREW, Oil Fill Housing to Cylinde
22	0303 304AA	3				EV0			Block, Mounting
-23	6505 566AA-	1				EK0,			STUD, Oil Fill Housing to Cylinder
20	2000 000/ 1/1-					EV0			Block, Mounting
24	53020 889AC	1				EK0,			GASKET, Oil Fill Housing, Mounting
	20020 000/10	•				EV0			2. 12.12.1, 3.1.1.1.1.10doi.1g, 1/10d11tillig

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Engine Oiling, 3.7L [EKG] Figure 3.7L-710



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	25	53032 800AA	1				EK0,			VALVE, Crankcase Vent
_							EV0			
	-26	53031 711AA	- 1				EK0,			O RING, Crankcase Vent Valve,
							EV0			Mounting
	27	5302 0890	1				EK0,			HOUSING, Oil Fill
_							EV0			
	28	53032 126AA	1				EK0,			BAFFLE, Oil Fill, None
							EV0			
_	29	53032 389AD	1				EK0,			CAP, Oil Filler
_							EV0			

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sale	es Codes II 3.7L 6 Cylind	dor Coo	Enginos						
[ENU] = P	6507 434AA	7	Engines			EK0			STUD, Double Ended, Intake
·	0007 10 17 07	•				Litto			Manifold to Cylinder Head, Mounting
2	53032 803AA	1				EK0			MANIFOLD, Intake
3	6507 433AA	1				EK0			SCREW, Hex Flange Head, Intake Manifold to Cylinder Head, Mounting
4	53010 310AB	6				EK0			SEAL, Intake Manifold, Intake Manifold to Cylinder Head, Mounting
5									GASKET, Exhaust Manifold
	5303 1090	1				EK0			Right
	5303 1091	1				EK0			Left
6	6508 220AA	8				EK0			STUD, Exhaust Manifold, Exhaust Manifold to Cylinder Head,
_									Mounting
7									MANIFOLD, Exhaust
	53032 418AC					EK0			Right
8	53032 613AA 6507 746AA	<u>1</u> 4				EK0 EK0			Left BOLT, Exhaust Manifold, Exhaust Manifold to Cylinder Head, Mounting

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Crankcase Ventilation 3.7L [EKG] Figure 3.7L-910

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sale	es Code:								
[EKG]=E	ngine - 'MAGN	UM" 3.7	7L V6						
1	53030 850AB	2				EK0,			BREATHER, Crankcase
						EV0			
2	53032 818AE	1				EK0,			HOSE, Crankcase Vent
						EV0			
3	53031 133AE	1				EK0			TUBE, Crankcase Vent To Intake
									Manifold
4	53031 711AA	1				EK0,			O RING
						EV0			
5	53032 800AA	1				EK0,			VALVE, Crankcase Vent
						EV0			


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Group – 4.7L**

### **Engine 4.7**L **Eight Cylinder**




<b>4.7L–200</b> Cylinder Head	4.7L-300 Cylinder Block	4.7L–400 Crankshaft, Pistons and Torque Converter	4.7L–500 Camshafts and Valves
4.7L-600	4.7L-700	4.7L-800	4.7L-900
Timing Belt and Cover	Engine Oiling	Manifolds	Crankcase Ventilation

#### **GROUP 4.7L - Engine 4.7L Eight Cylinder**

Illustration Title	Group-Fig. No
Cylinder Head	
Cylinder Head, 4.7L, [EVA],[EVD]	Fig. 4.7L-210
Cylinder Block	
Cylinder Block, 4.7L [EVA],[EVD]	Fig. 4.7L-310
Crankshaft, Pistons and Torque Converter	
Crankshaft, Pistons, Bearings, Torque Converter and Flywheel [EVA], [EVD]	Fig. 4.7L-410
Camshafts and Valves	
Camshaft and Valves, 4.7L [EVA].[EVD]	Fig. 4.7L-510
Timing Belt and Cover	
Timing Cover, 4.7L [EVA],[EVD]	Fig. 4.7L-610
Timing Chain and Guides, 4.7L [EVA],[EVD]	Fig. 4.7L-620
Engine Oiling	
Engine Oiling 4.7L [EVA],[EVD]	Fig. 4.7L-710
Manifolds	
Manifolds, Intake and Exhaust 4.7L [EVA],[EVD]	Fig. 4.7L-810
Crankcase Ventilation	
Crankcase Ventilation 4.7L [EVA],[EVD]	Fig. 4.7L-910

### Cylinder Head, 4.7L, [EVA],[EVD] Figure 4.7L-210


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



Sales C	Jodes:			
	All 4.7L, 8 Cylind	<del>-</del>		
ĒVA] =	Next Generation	4.7L Magnum V8		
ΞVD] =	= Magnum 4.7L V8	8 FFV		
-1	5135 797AA-	1	EV0	GASKET PACKAGE, Engine Upper See Notes
2				COVER, Cylinder Head
	53021 828AA	1	EV0	Includes Item 3, Right
	53021 829AA	1	EV0	Includes Item 3, Left
3				GASKET, Valve Cover
	53021 842AA	1	EV0	Right
	53021 843AA	1	EV0	Left
4	6505 528AA	20	EV0	SCREW AND WASHER, Hex Head Cylinder Head, Mounting
5	53020 798AB	1	EV0	HEAD, Cylinder, Right, Includes Items 11,12,13,14,15
6	53020 797AC	1	EV0	HEAD, Cylinder, Left, Includes Item 11,12,13,14,15
7	6506 785AA	8	EV0	SCREW AND WASHER, Hex Head Cylinder Head, Mounting
8	53020 673AC	2	EV0	GASKET, Cylinder Head, Mounting
9	5302 1031	1	EKO,	PLUG, Access Hole, Cylinder Head
			EV0	Includes O Ring
10	5302 1032	1	EK0,	O RING, Access Hole Plug,
			EV0	Mounting
11	4556 020	2	EV0	PLUG, Core, 1.25 Diameter, Water
				Jacket Core
12	6034 331	2	EV0	PLUG, Hex Socket, 3/8-18NPTx.47
				Water Jacket Vent
13				SCREW, Serviced in Cylinder Hea
				Cover, (NOT SERVICED) (Not
				Serviced)
14				STUD, Serviced in Cylinder Head
				Cover, (NOT SERVICED) (Not
				Serviced)
-15	6036 307AA-	1	EV0	PLUG, Oil Gallery

DODGE DAI	M 1500 (DR)			
	` ,	BODY	ENGINE	TRANSMISSION
SERIES	LINE	ועטם	ENGINE	IRANSINISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA=5.7L HEMI Magnum V8SMPI	DGQ, DG4 = Multi-Speed Auto(45RF)
L = ST		42 = Quad Cab (160.5 WB)	EKG = 3.7L Magnum V6 MPI	DG8 = 4 Spd. Auto.(48RE)
		61 = Reg. Cab (120.5 WB)	EVA = 4.7L Magnum V8	DEC, DEJ = 6 Spd. Manual
		62 = Reg. Cab (140.5 WB)	EVD = 4.7L Magnum V8 FFV	•
		<b>č</b> ( ,	EWC - 8 31 V/10 SEI	

#### Cylinder Block, 4.7L [EVA],[EVD] Figure 4.7L-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Lower Ga	sket Package	contain	s: Front ar	nd Rear Cr	ankshaft S	eals, Oil P	ick Up Tub	e Seal	, Oil Pan, Chain Case and Water Pum
Gaskets	s, Chain Case	Cover	and Oil Tu	be O-Ring	S				
SALES CO	ODES:								
[EV0] = A	II 4.7L, 8 Cylin	der Ga	s Engines						
[EVA] = N	lext Generation	ո 4.7L I	Magnum V	8					
[EVD] = N	1agnum 4.7L V	/8 FFV							
-1	5135 798AB-	1				EVA,	DG0		GASKET PACKAGE, Engine Lower,
						EVD			See Notes
2									BLOCK, Short
	5102 738AC	1				EVA	DBB		
		1				EVA,	DG0		
						EVD			
3	6505 457AA	3				EV0			PIN
4	6036 114AA	4				EK0,			PLUG, Pipe
						EV0			
5									DOWEL
	53010 533AA	2				EV0			Block to Front Cover
	5240 849	4				EK0,			Block to Cylinder Head
						EV0			
6	6505 457AA	3				EV0			PIN, Block to Bedplate
7	56045 794AA	1				EK0,			CORD, Engine Block Heater
						EV0			
8	8220 3640	1				EK0,			HEATER PACKAGE, Engine Block
						EV0			
9	6034 366	2				EV0			PLUG, [.25-18x.69]
10	6034 804	10				EV0			PLUG, Core, 1.39 Diameter
	1122 532	2				EK0,			DOWEL, Block To Clutch Housing
-11	1122 332					EV0			

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Crankshaft, Pistons, Bearings, Torque Converter and Flywheel [EVA], [EVD] Figure 4.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1.2	·	<u> </u>	1	1		1	1	
Note;									
Sales Co	odes								
[DBB]= A	All Manual Trans	smissio	ns						
[DG0]= A	All Automatic Tra	ansmis	sions						
	5-Speed Autom								
	All 4.7L, 8 Cylin		-						
	Next Generation		-	8					
	Magnum 4.7L V								
1	5012 364AC	8				EV0			RING PACKAGE, Piston, Standard
•	5040 0004 <b>D</b>	•				<b>5</b> 1.40			Size
2	5012 362AD	8				EV0			PISTON PIN AND ROD, STD
3	5012 363AC	8				EV0			BEARING PACKAGE, Connecting
4	53020 689AB	1				EK0,			Rod, Standard
4	55020 009AB	ı				EVO,			DAMPER, Crankshaft
5	5014 183AB	5				EV0			BEARING PACKAGE, Crankshaft,
3	3014 103AD	3				LVO			Grade
-6	5013 586AC-	5				EV0			BEARING PACKAGE, Crankshaft,
									Grade
-7	5014 186AB-	5				EV0			BEARING PACKAGE, Crankshaft,
									Grade
-8	5013 587AA-	5				EV0			BEARING PACKAGE, Crankshaft,
									.025mm Undersize
-9	5013 588AA-	5				EV0			BEARING PACKAGE, Crankshaft,
									.25mm Undersize
10	6504 720	16				EV0			BOLT, Connecting Rod
11	53009 180AB	1				EK0,	DBB		BEARING, Pilot
						EV0			
12	5012 356AC	1				EK0,			WASHER PACKAGE, Washer
4.0						EV0			TONE BING O
13									TONE RING, Sensor, Serviced in
									Crankshaft Assembly, (NOT
1.1	E2020 700 A D	1				EKO			SERVICED) (Not Serviced)
14	53020 788AB	1				EK0, EV0			SEAL, Crankshaft Bearing Oil
15						EVU			TORQUE CONVERTER
13	4736 394AA	1	6			EV0	DGQ		TORQUE CONVERTER
	4752 492AA	1	1			EV0	DGQ DG4,		
	02 102/01		•			_ • • •	DG4, DGQ		
16	5210 4048	1				EK0,	DG0		PLATE, Torque Converter Drive
-		•				EV0			,

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Crankshaft, Pistons, Bearings, Torque Converter and Flywheel [EVA], [EVD] Figure 4.7L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6503 465	8				EV0	DG0		BOLT, Drive Plate and Flywheel, To
									Crankshaft, Mounting
18	6504 411	7				EV0			SCREW, M10x1.50x83.50,
									Crankshaft Bearing Cap, Mounting
19	6504 480	3				EV0			SCREW, M6x1x25, Tone Ring,
									Mounting
20	53021 387AA	1				EV0			CRANKSHAFT
21	6504 415	1				EK0,			SCREW AND WASHER, Damper to
						EV0			Crankshaft, Mounting
22									BEDPLATE, Serviced in Short Block
									Assembly, (NOT SERVICED) (Not
									Serviced)
23	6505 394AA	7				EV0			SCREW AND WASHER, M11x1.
									50x90.00, Bedplate to Block,
									Mounting
24	6504 410	5				EV0			SCREW, Hex Head, M10x1.50x55.
									00, Bedplate to Block, Mounting
25	6506 186AA	1				EV0			STUD, M11x1.50x8x1.25x118.50,
									Crankshaft Bearing Cap, Mounting
26	6506 187AA	2				EV0			STUD, M11x1.50x8x1.25x142.75,
									Crankshaft Bearing Cap, Mounting
27	6102 047AA	6				EV0			SCREW, Hex Head, M8x1.25x50,
									Crankshaft Bearing Cap, Mounting
28	1949 765	4				EK0,	DG0		SCREW, Hex Head Header Point,
						EV0,			.312-24x.44, Drive Plate to Torque
						EZ0			Converter, Mounting
-29	53020 688AB-	· 1				EK0,	DBB		FLYWHEEL
						EV0			
-30	2843 214	1				EK0,	DBB		GEAR, Flywheel Ring
						EV0			

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Camshaft and Valves, 4.7L [EVA].[EVD] Figure 4.7L-510



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'								•
Note;									
Sales Co	des								
[EV0] = A	All 4.7L, 8 Cylin	der Ga	s Engines						
[EVA] = 1	Next Generation	1 4.7L <b>i</b>	Magnum V	8					
[EVD] = I	Magnum 4.7L √	'8 FFV	J						
1	4536 513AB	32				EV0			LOCK, Valve Spring Retainer
2	4781 090AA	16				EV0			RETAINER, Valve Spring
3	53020 749AC	16				EV0			SPRING, Valve
4	53020 752AD	16				EV0			SEAL, Valve Guide
5									GUIDE, Intake/Exhaust Valve,
									Standard Size, Serviced in Cylind
									Head Assembly, (NOT SERVICE
									(Not Serviced)
6									INSERT, Exhaust Valve, Serviced
									Cylinder Head Assembly, (NOT
									SERVICED) (Not Serviced)
7									INSERT, Intake Valve, Serviced in
									Cylinder Head Assembly, (NOT
									SERVICED) (Not Serviced)
8	5302 0748	8				EV0			VALVE, Exhaust, Standard
9	53020 747AB	8				EV0			VALVE, Intake, Standard
10	6036 473AA	1				EV0			PLUG, Camshaft
11	6505 034AA	10				EV0			SCREW, M6x1x40, Camshaft Cap
									Mounting
12									CAP, Serviced in Cylinder Head
									Assembly, (NOT SERVICED) (No
									Serviced)
13	53021 159AD	1				EV0			CAMSHAFT, Engine, Left
14	53021 160AD	1				EV0			CAMSHAFT, Engine, Right
-15	6100 902	1				EV0			DOWEL, M6x14
16	5302 1077	16				EV0			ADJUSTER, Valve Lash
	53020 742AC	16				EV0			ROCKER ARM, Valve

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

3
10
5
6 9
8 7 6

Chain Case Cover includes all parts in box EXCEPT Water Pump and Gasket, Thermostat Housing, Thermostat Sales Codes:  [EV0] = All 4.7L, 8 Cylinder Gas Engines  [EVA] = Next Generation 4.7L Magnum V8  [EVD] = Magnum 4.7L V8 FFV  1	mimg Co	ver Kit include	es all p	arts in box	PLUS the	Water Pu	mp and Ga	sket,Therr	nostat ł	Housing,Thermostat and Gasket
Sales Codes:  [EV0] = All 4.7L, 8 Cylinder Gas Engines  [EVA] = Next Generation 4.7L Magnum V8  [EVD] = Magnum 4.7L V8 FFV  1 5134 142AC 1 EV0 COVER KIT, Timin Note  2 53021 238AB 1 EV0 GASKET, Chain Case Note  3 53021 226AA 1 EV0 GASKET, Chain Case Note  4 53021 239AA 2 EV0 ORING, Chain Case Mounting  5 6034 331 3 EV0 PLUG, Hex Socket Chain Case Cove  6 6507 776AA 3 EV0 SCREW, Hex Flant S0x87.00, Chain Pump, Mounting  7 6102 381AA 5 EK0, SCREW, Hex Flant EV0 SOX65.00, Chain Pump, Mounting  8 53021 313AA 1 EV0 SEAL, Crankshaft BV0 SCREW, Hex Flant Pump, Mounting  8 53021 313AA 1 EV0 SCREW, Hex Flant EV0 SCREW, Hex Flant S0x87.00, Chain Pump, Mounting  8 53021 313AA 1 EV0 SEAL, Crankshaft BV0 SEAL, Crankshaft BV0 SCREW, Hex Flant S0x87.00, Chain	_		-				=			_
EVA  = Next Generation 4.7L Magnum V8   EVD  = Magnum 4.7L V8 FFV							·			•
EVD  = Magnum 4.7L V8 FFV	(VO) = All	4.7L, 8 Cyline	der Ga	s Engines						
1       5134 142AC       1       EV0       COVER KIT, Timin Note         2       53021 238AB       1       EV0       COVER, Chain Care See Note         3       53021 226AA       1       EV0       GASKET, Chain Care Mounting         4       53021 239AA       2       EV0       O RING, Chain Care Mounting         5       6034 331       3       EV0       PLUG, Hex Socket Chain Case Cover C	VA] = Ne	xt Generation	1 4.7L N	Magnum V	′8					
Note	:VD] = Ma	agnum 4.7L V	8 FFV							
2 53021 238AB 1 EV0 COVER, Chain Car See Note 3 53021 226AA 1 EV0 GASKET, Chain Car Mounting 4 53021 239AA 2 EV0 ORING, Chain Car Mounting 5 6034 331 3 EV0 PLUG, Hex Socket Chain Case Cover 6 6507 776AA 3 EV0 SCREW, Hex Flant 50x87.00, Chain Car Pump, Mounting 7 6102 381AA 5 EK0, SCREW, Hex Flant EV0 SCREW, Hex Flant Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 6 9 6102 380AA 5 EK0, SCREW, Hex Flant EV0 SEAL, Crankshaft 6 9 6102 380AA 5 EK0, SCREW, Hex Flant EV0 SCREW, Hex Flant SCREW, Hex Flant EV0 SEAL, Crankshaft 6 9 6102 380AA 5 EK0, SCREW, Hex Flant EV0 SCREW, Hex Flant SCREW, Hex Flant	1 5	134 142AC	1				EV0			COVER KIT, Timing, See Notes, Se
See Note   See Note   GASKET, Chain Cand										Note
3 53021 226AA 1 EV0 GASKET, Chain Camounting 4 53021 239AA 2 EV0 ORING, Chain Camounting 5 6034 331 3 EV0 PLUG, Hex Socket Chain Case Cover Chain Case	2 5	3021 238AB	1				EV0			COVER, Chain Case, See Notes,
Mounting   A   53021 239AA   2   EV0   O RING, Chain Ca Mounting										See Note
4 53021 239AA 2 EV0 O RING, Chain Ca Mounting 5 6034 331 3 EV0 PLUG, Hex Socket Chain Case Cove 6 6507 776AA 3 EV0 SCREW, Hex Flant 50x87.00, Chain Pump, Mounting 7 6102 381AA 5 EK0, SCREW, Hex Flant EV0 50x65.00, Chain Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 6 9 6102 380AA 5 EK0, SCREW, Hex Flant EV0 SCREW, Hex Flant EV0 SEAL, Crankshaft 6 9 6102 380AA 5 EK0, SCREW, Hex Flant EV0 SCREW, Hex Flant EV0 SOX45.00, Chain	3 5	3021 226AA	1				EV0			GASKET, Chain Case Cover,
Mounting										
5       6034 331       3       EV0       PLUG, Hex Socket Chain Case Covered Chain Case Chain Chain Case Chain Case Chain Case Chain Ch	4 5	3021 239AA	2				EV0			O RING, Chain Case Cover,
Chain Case Cover 6 6507 776AA 3 EV0 SCREW, Hex Flang 50x87.00, Chain Pump, Mounting 7 6102 381AA 5 EK0, SCREW, Hex Flang EV0 50x65.00, Chain Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 9 6102 380AA 5 EK0, SCREW, Hex Flang EV0 SCREW, Hex Flang EV0 SCREW, Hex Flang EV0 SCREW, Hex Flang EV0 SOx45.00, Chain										_
6 6507 776AA 3 EV0 SCREW, Hex Fland 50x87.00, Chain Pump, Mounting 7 6102 381AA 5 EK0, SCREW, Hex Fland EV0 50x65.00, Chain Pump, Mounting EV0 SEAL, Crankshaft 9 6102 380AA 5 EK0, SCREW, Hex Fland EV0 S0x45.00, Chain EV0 S	5 6	034 331	3				EV0			PLUG, Hex Socket, 3/8-18NPTx.47
50x87.00, Chain Pump, Mounting 7 6102 381AA 5 EK0, SCREW, Hex Fland EV0 50x65.00, Chain Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 9 6102 380AA 5 EK0, SCREW, Hex Fland EV0 50x45.00, Chain EV0 50x45.00, Chain										
Pump, Mounting 7 6102 381AA 5 EK0, SCREW, Hex Fland EV0 50x65.00, Chain Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 6 9 6102 380AA 5 EK0, SCREW, Hex Fland EV0 50x45.00, Chain EV0 50x45.00, Chain	6 6	5507 776AA	3				EV0			SCREW, Hex Flange Head, M10x1.
7         6102 381AA         5         EK0,         SCREW, Hex Flange           EV0         50x65.00, Chain Pump, Mounting           8         53021 313AA         1         EV0         SEAL, Crankshaft           9         6102 380AA         5         EK0,         SCREW, Hex Flange           EV0         50x45.00, Chain         50x45.00, Chain										50x87.00, Chain Case Cover/Wate
EV0 50x65.00, Chain Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 9 6102 380AA 5 EK0, SCREW, Hex Flank EV0 50x45.00, Chain EV0 50x45.00, Cha			_							-
Pump, Mounting 8 53021 313AA 1 EV0 SEAL, Crankshaft 0 9 6102 380AA 5 EK0, SCREW, Hex Flan EV0 50x45.00, Chain	7 6	381AA	5							SCREW, Hex Flange Head, M10x1.
8       53021 313AA 1       EV0       SEAL, Crankshaft 0         9       6102 380AA 5       EK0,       SCREW, Hex Flanger         EV0       50x45.00, Chain 0							EV0			50x65.00, Chain Case Cover/Wate
9 6102 380AA 5 EK0, SCREW, Hex Flanger EV0 50x45.00, Chain							E) (0			-
EV0 50x45.00, Chain										
•	9 6	3102 380AA	5							SCREW, Hex Flange Head, M10x1.
Pumb Mounting							EVU			50x45.00, Chain Case Cover/Water
	40 0		4				EI/O			
	10 6	505 293AA	1							STUD, M10x1.50x.437-14x145.20,
	11 6	2025 054								Front Cover, Mounting NIPPLE, [.375-18x2.00], Heater Hos
11 6035 854 2 EV0 NIPPLE, [.375-18x;	11 6	0030 604	2				EVU			NIPPLE, [.375-16x2.00], Healer Hos


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Timing Chain and Guides, 4.7L [EVA],[EVD] Figure 4.7L-620

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
Sales Co									
	All 4.7L, 8 Cylin		•						
	Next Generation		Magnum V	8					
	Magnum 4.7L V								
1	6504 440	2				EV0			SCREW, Secondary Tensioner Arm, Mounting
2	6102 111AA	2				EK0,			SCREW AND WASHER, Timing
_	0102 111701	_				EV0			Guide to Cyliner Head, Mounting
3	5013 867AC	1				EV0			TIMING DRIVE PACKAGE, Engine
4	5302 0679	1				EV0			SPROCKET, Crankshaft
5	6503 257	6				EV0			BOLT, Hex Head, M8x1.25x37.50,
9	0000 201	O				LVO			Chain Guide and Secondary
									Tensioner
6	5302 0779	1				EV0			TENSIONER, Chain, Secondary, Left
7	6504 471	1				EKO,			KEY, Woodruff, For Crankshaft
,	0304 47 1	'				EV0			Sprocket
8	53021 796AA	2				EV0			GUIDE, Timing Chain, Secondary
9	5302 0835	1				EKO,			SHAFT, Idler
3	3302 0033	'				EV0			OFFACT, Idle
10	53021 168AA	1				EV0			TENSIONER, Chain, Secondary,
10	00021 100/1/	<u>'</u>				LVO			Right
11	53021 393AA	1				EV0			SPROCKET, Camshaft, Right
12	5013 868AB	1				EV0			SPROCKET, Idler
13	5302 0938	1				EV0			SPROCKET, Camshaft, Left
14	6504 429	2				EK0,			SCREW AND WASHER, Hex,
	0001 120	_				EV0			Sprocket to Camshaft, Mounting
15	6100 932	1				EK0,			BOLT, Hex, Primary Tensioner to
. •	0.00 00=	•				EV0			Engine Block, Mounting
16	5302 0681	1				EV0			TENSIONER, Chain, Primary
17	6504 370	1				EK0,			SCREW AND WASHER, Hex, Idler
• •		·				EV0			Sprocket to Engine Block, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Engine Oiling 4.7L [EVA],[EVD] Figure 4.7L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1								
Note;									
Sales Co	odes								
[EV0] = /	All 4.7L, 8 Cylin	der Ga	s Engines						
[EVA] =	Next Generation	n 4.7L ľ	Magnum V	8					
[EVD] =	Magnum 4.7L ∖	/8 FFV	_						
1	53021 673AC	1				EV0			INDICATOR, Engine Oil Level
2	5302 0827	1				EK0,			PUMP, Engine Oil
						EV0			
3	6100 932	1				EK0,			BOLT, Hex, M8x1.25x60.00, Oil
						EV0			Pump to Engine Block, Mounting
4	53032 389AD	1				EK0,			CAP, Oil Filler
						EV0			
5	53032 126AA	1				EK0,			BAFFLE, Oil Fill, None
						EV0			
6	5302 0890	1				EK0,			HOUSING, Oil Fill
						EV0			
7	53020 889AC	1				EK0,			GASKET, Oil Fill Housing, Mounting
						EV0			
8	6505 504AA	3				EK0,			SCREW, M6x1.00x27.00, Oil Fill
						EV0			Housing to Cylinder Block,
									Mounting
-9	6505 566AA-	1				EK0,			STUD, M6x1.00x51.9, Oil Fill
						EV0			Housing to Cylinder Block,
									Mounting
10	5302 0861	1				EK0,			SEAL, Oil Pick Up Tube, Mounting
						EV0			
11	6102 046AA	1				EK0,			SCREW AND WASHER, M8x1.
						EV0			25x27.00, Oil Pick Up Tube,
									Mounting
12	6505 889AA	1				EV0			STUD, M6x1.00x36.97, Oil Pick Up
									Tube, Mounting
13	53020 902AB	1				EV0			PAN, Engine Oil, Includes 15
14	6504 810AA	17				EV0			SCREW AND WASHER, Hex, M6x1
									00x20.00, Engine Oil Pan,
4-	0=00 (55.5	,				<b>-</b> 1/2			Mounting
15	6506 100AA	1				EV0			PLUG, Oil Drain
16	6502 756	3				EV0			NUT, Hex Lock, M8x1.25, Oil Pick
4	F000 0000	4				E) /C			Up Tube, Mounting
17	5302 0828	1				EV0			TUBE, Oil Pickup
18	53020 675AE	1				EV0			GASKET, Oil Pan
19	5281 090	1				EV0			FILTER, Engine Oil

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Engine Oiling 4.7L [EVA],[EVD] Figure 4.7L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									·
20	5300 7563	1				EK0,			CONNECTOR, Oil Filter, Mounting
						EV0			
21	53021 144AA	. 1				EV0			O RING, Engine Oil Indicator,
									Mounting
22	53021 674AB	1				EV0			TUBE, Engine Oil Indicator
23	6504 810AA	1				EK0,			SCREW AND WASHER, Hex, M6x1.
						EV0			00x20.00, Engine Oil Indicator
									Tube, Mounting
24	6101 802	1				EV0			NUT, M6x1.00, Engine Oil Indicator
									Tube, Mounting


DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Manifolds, Intake and Exhaust 4.7L [EVA],[EVD] Figure 4.7L-810

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Sales Co	odes:								
	All 4.7L, 8 Cylind	der Ga	s Engines						
_	Next Generation		-	8					
	Magnum 4.7L V		3						
1	6507 598AA	1				EV0			STUD, M6x1.00x28.50, Bracket to Intake Manifold, Mounting
2	53032 774AA	1				EV0			MANIFOLD, Intake
3	53030 952AB	1				EV0			GASKET, Throttle Body To Intake,
									Mounting
4	6507 433AA	2				EV0			SCREW, Hex Flange Head, M6x1. 00x43.00, Intake Manifold to Cylinder Head, Mounting
5	53010 310AB	8				EV0			SEAL, Intake Manifold, Mounting
6	6507 434AA	8				EV0			STUD, Double Ended, M6x1.00x80.
									00, Intake Manifold to Cylinder Head, Mounting
7									GASKET, Exhaust Manifold
	5303 0812	1				EV0			Right
	5303 0813	1				EV0			Left
8									MANIFOLD, Exhaust
	53030 808AD	1				EV0			Right
	53030 809AD	1				EV0			Left
9	6508 220AA	4				EV0			STUD, Exhaust Manifold, M8x1.
									25xM6x1x73., Exhaust Manifold to
									Cylinder Head, Mounting
10	6507 746AA	8				EV0			BOLT, Exhaust Manifold, M8x1.
									25x46.00, Exhaust Manifold to
									Cylinder Head, Mounting
11	6508 219AA	4				EV0			STUD, Exhaust Manifold, M8x1.
									25xM6x1x73.0, Exhaust Manifold to
									Cylinder Head, Mounting
-12	4669 657	1				EV0			CAP, Vacuum Port, Intake Manifold,
									Also included in item 2


DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Crankcase Ventilation 4.7L [EVA],[EVD] Figure 4.7L-910

**PART** 





				BODY	ENGINE	TRANS	TRIM	DESCRIPTION
de								
II 4.7L, 8 Cylind	der Ga	s Engines						
lext Generation	1 4.7L N	Magnum V	8					
/lagnum 4.7L V	8 FFV							
53032 818AE	1				EK0,			HOSE, Crankcase Vent
					EV0			
53032 126AA	1				EK0,			BAFFLE, Oil Fill, None
					EV0			
5302 0890	1				EK0,			HOUSING, Oil Fill
					EV0			
53032 800AA	1				EK0,			VALVE, Crankcase Vent
					EV0			
6505 504AA	3				EK0,			SCREW, Oil Fill Housing to Cylinder
					EV0			Block, Mounting
53032 617AD	1				EV0			TUBE, Crankcase Vent To Intake
								Manifold
53030 850AB	2				EK0,			BREATHER, Crankcase
					EV0			
	II 4.7L, 8 Cylinglext Generation Magnum 4.7L V 53032 818AE 53032 126AA 5302 0890 53032 800AA 6505 504AA 53032 617AD	II 4.7L, 8 Cylinder Galext Generation 4.7L In Magnum 4.7L V8 FFV 53032 818AE 1 53032 126AA 1 5302 0890 1 53032 800AA 1 6505 504AA 3 53032 617AD 1	II 4.7L, 8 Cylinder Gas Engines lext Generation 4.7L Magnum V Magnum 4.7L V8 FFV 53032 818AE 1 53032 126AA 1 5302 0890 1 53032 800AA 1 6505 504AA 3 53032 617AD 1	II 4.7L, 8 Cylinder Gas Engines lext Generation 4.7L Magnum V8 Magnum 4.7L V8 FFV 53032 818AE	II 4.7L, 8 Cylinder Gas Engines lext Generation 4.7L Magnum V8 Magnum 4.7L V8 FFV 53032 818AE	1 4.7L, 8 Cylinder Gas Engines   Rext Generation 4.7L Magnum V8   Ragnum 4.7L V8 FFV   S3032 818AE	1 4.7L, 8 Cylinder Gas Engines   Rext Generation 4.7L Magnum V8   Ragnum 4.7L V8 FFV   S3032 818AE	1 4.7L, 8 Cylinder Gas Engines


DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## **Group – 5.7L**

## **Engine 5.7**L **Eight Cylinder**



<b>5.7L-200</b> Cylinder Head	5.7L-300 Cylinder Block	5.7L–400 Crankshaft, Pistons and Torque Converter	5.7L–500 Camshafts and Valves
5.7L-600 Timing Belt and Cover	5.7L-700 Engine Oiling	5.7L-800 Manifolds	5.7L-900 Crankcase Ventilation

#### **GROUP 5.7L - Engine 5.7L Eight Cylinder**

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head 5.7L [EZA]	Fig. 5.7L-210
Cylinder Block	
Cylinder Block 5.7L [EZA]	Fig. 5.7L-310
Crankshaft, Pistons and Torque Converter	
Crankshaft, Pistons and Torque Converter 5.7L [EZA]	Fig. 5.7L-410
Camshafts and Valves	
Camshaft and Valves 5.7L [EZA]	Fig. 5.7L-510
Timing Belt and Cover	
Timing Cover and Related Parts 5.7L [EZA]	Fig. 5.7L-610
Engine Oiling	
Engine Oiling 5.7L [EZA]	Fig. 5.7L-710
Manifolds	
Manifolds, Intake and Exhaust 5.7L [EZA]	Fig. 5.7L-810
Crankcase Ventilation	
Crankcase Ventilation	Fig. 5.7L-910

4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

N	$\sim$	т		c
I۷	U	ш	ᆮ	C

Upper Engine Gasket Package Includes: Cylinder Head Gaskets, Rocker Cover Gasket Kits, Intake and Exhaust Manifold Seals, Valve Guide Seals, Throttle Body Seals and PCV Seals

#### NOTES:

		alve Cover Gasket and 4 Sparl	k Plug Well Gaskets	
	CODES:	A CALLIAN 5 71 CARRI VC		
_	· ·	AGNUM" 5.7L SMPI V8		
	All 5.7L, 8 Cylind	•		
-1	5135 357AE-	1	EZ0	GASKET PACKAGE, Engine Uppe
				See Notes
2				GASKET, Cylinder Head
	53021 620AE	1	EZ0	Right
	53021 621AE	1	EZ0	Left
3	53021 608BK	1	EZ0	HEAD, Cylinder, Right
4	53021 609BK	1	EZ0	HEAD, Cylinder, Left
5	6506 694AA	20	EZ0	SCREW AND WASHER, Hex Head
				M12x1.50x135.0, Primary-Cylinde
				Head, Mounting
-6	6506 334AA-	10	EZ0	SCREW AND WASHER, Hex Hea
				M8x1.25x45.0, Secondary-Cylind
				Head, Mounting
7	53021 569AD	8	EZ0	GASKET, Spark Plug Well
8	5114 179AB	2	EZ0	GASKET KIT, Rocker Cover, See
				Notes
9	53021 599AH	2	EZ0	COVER, Cylinder Head
10	6507 007AA	2	EZ0	STUD, Double Ended, M6x1.00x50
				50, Cylinder Head Cover, Mounti
-11	6507 366AA-	18	EZ0	STUD, Double Ended, M6x1.00x72
				30, Cylinder Head Cover, Mounti
-12	4556 020	2	EZ0	PLUG, Core, 1.25 Diameter
-13	56029 062AC-	2	EZ0	STRAP, Ground

DODGE RAM 1500 (DR)-SERIES LINE H = SLTL = ST

BODY 1, 6 = 1500 41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Cylinder Block 5.7L [EZA] Figure 5.7L-310

PART

12	
9 7 6	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
Note; Lon	g Block includ	es: Sho	rt block co	mponents	plus Comp	olete Heads	with Cove	ers, Inta	ake Manifold with Fuel Rail, Chain Case
Cover,	Oil Pump								
Sales Cod	des								
[DG0]= Al	I Automatic Tr	ansmiss	sions						
[EZA] = 5	.7L Magnum V	′-8							
[EZ0]= All	5.7L, 8 Cylind	ler Gas	Engines						
1	5139 102AB	1				EZA	DG0		BLOCK, Short
-2	5142 306AB-	1				EZ0			BLOCK, Long, Complete Engine : See Note
3	5240 849	4				EZ0			DOWEL, Cylinder Head to Block, Mounting
4	6036 417AA	4				EZ0			PLUG, Cylinder Block, [.375-18x1. 343], Oil Gallery
5	6034 331	2				EZ0			PLUG, Hex Socket, 3/8-18NPTx.475, Oil Passage
6	56051 713AA	1				EZ0			CORD, Engine Block Heater
7	6501 373	1				EZ0			SCREW AND WASHER, Hex Head,
									M6x1x20, Block Heater to Block,
									Mounting
8	56044 359AA	1				EZ0			HEATER, Engine Block
9	6036 286AA	1				EZ0			PLUG, Cylinder Block, [.562x.280]
									Stainless, Oil Gallery, Front
10	6036 307AA	2				EZ0			PLUG, [.250-18x.413], Oil Gallery
11	1122 532	2				EZ0			DOWEL, Block To Clutch Housing, [1/2 X 3/4], Or Transmission
12	53032 221AA	4				EZA			Housing PLUG, Cylinder Block, Multiple Displacement Soleniod
-13	6506 332AA-	2				EZ0			PIN, Dowel, M8x10.0, Front Timing
									Cover, Mounting

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Crankshaft, Pistons and Torque Converter 5.7L [EZA]** Figure 5.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	les Codes:								
DG0]= A	All Automatic Tra	ansmis	sions						
EZA]=Eı	ngine - Hemi "M	1AGNU	M" 5.7L SI	MPI V8					
1	5086 002AB	8				EZ0			RING PACKAGE, Piston, Standard Size
2	1949 765	4				EK0, EV0,	DG0		SCREW, Hex Head Header Point, .312-24x.44, Drive Plate to Torqu
						EZ0			Converter, Mounting
3	5210 4048	1				EZ0	DG0		PLATE, Torque Converter Drive
4	6503 465	8				EZ0	DG0		BOLT, Drive Plate and Flywheel, M10x1.00x18.00, Drive Plate to Crankshaft, Mounting
5									TORQUE CONVERTER
	4736 587AB	1	6			EZ0	DGQ		
	<b>5.1.10.000.1.1</b>	1	1			EZ0	DGQ		
6	5140 028AA	1				EZ0			RETAINER PACKAGE, Crankshaf Rear Oil Seal, Includes Gasket,
7	53021 338AB	1				EZ0			Seal, Pins, I-Sheet SEAL, Crankshaft Bearing Oil, Als
0	CEOC 2424 A	_				F70			Serviced In Retainer Package
8	6506 342AA	5				EZ0			SCREW, Hex Flange Head, M6x1
									0x24.0, Seal Retainer to Block,
9	53021 302AD	1				EZ0			Mounting CRANKSHAFT
-10	33021 302AD	1				LZU			TONE RING, Sensor, Serviced Wi
-10									Crankshaft Assembly, (NOT
									SERVICED) (Not Serviced)
-11									SCREW, M6x1x25, Serviced With
-11									Crankshaft Assembly, (NOT
									SERVICED) (Not Serviced)
-12	5083 979AA-	1				EZ0			WASHER PACKAGE, Washer,
	0000 0.0.0.	•							Crankshaft Front Thrust
13	6507 697AA	10				EZ0			SCREW AND WASHER, Hex, M8
- 12									25x45.00, Main Bearing Cap, Mounting
14	6506 272AA	10				EZ0			SCREW, Hex Flange Head, M12x 75x91.2, Main Bearing Cap,
-15	6506 333AA-	1				EZ0			Mounting STUD, Double Ended, M12xM8,
-13	0000 000AA	'				LZO			Main Bearing Cap, Mounting

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Crankshaft, Pistons and Torque Converter 5.7L [EZA] Figure 5.7L-410




	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
16									CAP, Serviced With Short Block		
									Assembly, (NOT SERVICED) (Not		
									Serviced)		
17									PISTON PIN AND ROD		
	53021 538AD	4				EZ0		[2,4,6,8], Right			
	53021 539AD	4				EZ0			[1,3,5,7], Left		
18	5083 993AA	5				EZ0		BEARING PACKAGE, Crankshaft,			
								Grade			
19	6508 400AA	1				EZ0			SCREW AND WASHER, M14x1.		
									5x102.0, Damper/Pulley to		
									Crankshaft, Mounting		
20	53021 303BA	1				EZ0			DAMPER, Crankshaft		
21	5086 003AA	8				EZ0			BEARING PACKAGE, Connecting		
									Rod, Standard		
-22	5083 994AA-	5				EZ0			BEARING PACKAGE, Crankshaft, B		
									Grade		
-23	5083 995AA-	5				EZ0			BEARING PACKAGE, Crankshaft, C		
									Grade		
24	6506 335AA	8				EZ0			SCREW, Hex Flange Head, MJ9x1.		
									0x45.75, Connecting Rod Cap,		
									Mounting		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Camshaft and Valves 5.7L [EZA] Figure 5.7L-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes:								
	gine - Hemi 'M			MPI V8					
	ll 5.7L, 8 Cylin		s Engines						
	53021 552AA					EZ0			ROCKER ARM, Intake
	53021 553AA					EZ0			ROCKER ARM, Exhaust
	53021 676AB					EZ0			RETAINER, Valve Spring
	53021 580AE					EZ0			SPRING, Valve
	53010 515AA					EZ0			LOCK, Valve Spring Retainer
	53021 578AA					EZ0			SEAL, Valve Guide
	53021 550AA					EZ0			VALVE, Intake, Standard
	53021 551AB					EZ0			VALVE, Exhaust, Standard
	53021 720AA					EZ0			TAPPET, Hyd. Roller
10	6507 067AA	4				EZ0			SCREW, Hex Flange Head, Lifter
4.4	50004 <b>7</b> 04 A A	4				<b></b> ^			Guide to Cylinder Block, Mounting
	53021 721AA					EZA			YOKE, Tappet Aligning
	53021 556AA					EZ0			PUSH ROD, Valve, Intake
	53021 557AA					EZ0 EZA			PUSH ROD, Valve, Exhaust CAMSHAFT, Engine
	53021 730BA 6507 663AA-	1				EZA EZ0			PLUG, Camshaft, Rear
	6507 072AA-	10				EZ0			SCREW, Hex Flange Head, Rocker
-10	0307 072AA-	10				LZU			Shaft Mounting, Rocker Shaft to
									Cylinder Head, Mounting
									Cymraer Fredd, Modriting

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Timing Cover and Related Parts 5.7L [EZA] Figure 5.7L-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	les Codes:								
[EZA]=Er	ngine - Hemi "M	1AGNU	M" 5.7L SI	MPI V8					
[EZ0] = A	All 5.7L, 8 Cylin	der Ga	s Engines						
1	53021 581AB	1				EZ0			TIMING DRIVE KIT, Engine
2	6507 480AA	1				EZ0			SCREW AND WASHER, Hex,
									Camshaft Sprocket, Mounting
3	6507 479AA	3				EZ0			SCREW AND WASHER, Hex,
									Tensioner to Block-M8x1.25x20.00,
									Mounting
4	53021 582AD	1				EZ0			TENSIONER, Belt
5									SCREW AND WASHER, Hex
	6506 268AA	1				EZ0			Front Cover to Block Right
									Bushing-M8x1.25x130.0,
									Mounting
	6506 270AA	4				EZ0			Front Cover to Block M8x1.
									25x80.0, Mounting
	6506 269AA	3				EZ0			Front Cover to Block-M8x1.
									25x35.0, Mounting
6	6506 697AA	3				EZ0			BUSHING, Timing Cover, Timing
									Cover Slide, Mounting
7									GASKET, Chain Case Cover, Buy
									Timing Cover, (NOT SERVICED)
									(Not Serviced)
8	53021 323AJ	1				EZ0			COVER, Timing Case
9	53021 585AB	1				EZ0			SEAL, Crankshaft Oil, Front
10	6506 343AA	1				EZ0			STUD, Timing Cover/Lifting-M10x1.
									5x25.0/M10x1.5x25.Ox57.0,
									Mounting
11	6506 397AA	1				EZ0			KEY, Woodruff, Crankshsft Sprocket,
									Mounting
-12	6506 332AA-	2				EZ0			PIN, Dowel, Timing Cover, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Engine Oiling 5.7L [EZA] Figure 5.7L-710




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sal	es Codes:								
EZA]=En	gine - Hemi 'M	IAGNUI	M" 5.7L SN	/IPI V8					
1	53021 321AB	1				EZ0			INDICATOR, Engine Oil Level
2	53021 622AE	1				EZ0			PUMP, Engine Oil
3	6101 383	4				EZ0			SCREW AND WASHER, Hex Head,
									M8x1.25x55, Oil Pump to Block,
									Mounting
4	53032 372AD	1				EZ0			CAP, Oil Filler
5	5302 0861	1				EZ0			SEAL, Oil Pick Up Tube, Mounting
6	6102 046AA	1				EZ0			SCREW AND WASHER, [M8x1.
									25x27.00], Oil Pickup Tube to
									Engine, Mounting
7	6508 066AA	3				EZ0			STUD, [M6x1.00x36.97], Oil Pan to
									Block, Mounting
8	53021 334AF	1				EZ0			PAN, Engine Oil, Includes Item 10
9	6508 065AA	18				EZ0			BOLT, [M6x1.0x23.00], Oil Pan to
									Block, Mounting
10	6506 100AA	1				EZ0			PLUG, Oil Drain, [M14x1.5x20.0]
11	6502 756	1				EZ0			NUT, Hex Lock, M8x1.25, Oil Pickup
									Tube to Engine, Mounting
12	53021 522AD	1				EZ0			TUBE, Oil Pickup
13	53021 568AE	1				EZ0			GASKET, Oil Pan
14	5281 090	1				EZ0			FILTER, Engine Oil
15	4104 511AB	1				EZ0			CONNECTOR, Oil Filter Adapter
16	53021 144AA	1				EZ0			O RING, Engine Oil Indicator
17	53021 322AB	1				EZ0			TUBE, Oil Gauge
18	6508 288AA	2				EZ0			BOLT, Oil Level Tube to Block and
									Timing Cover, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Manifolds, Intake and Exhaust 5.7L [EZA] Figure 5.7L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes:								
EZA]=E	ngine - Hemi "M	1AGNU	M" 5.7L SI	MPI V8					
1	53032 208AH	2				EZ0			SHIELD, Exhaust Manifold, Heat,
									Mounting
2	6505 316AA	8				EZ0			NUT, Shield to Exhaust Stud,
									Mounting
3	6508 218AA	9				EZ0			STUD, Exhaust Manifold, Exhaust
									Manifold to Cylinder Head,
									Mounting
4									MANIFOLD, Exhaust
	53032 198AE	1				EZ0			Right
	53032 197AE	1				EZ0			Left
5									GASKET, Exhaust Manifold
	53032 098AD	1				EZ0			To Cylinder Head, Right
	53032 097AD	1				EZ0			To Cylinder Head, Left
6	5127 193AD	1				EZ0			MANIFOLD PACKAGE, Intake
7	53032 382AB	8				EZ0			SEAL, Intake Manifold, To Cylinde
									head, Mounting
8	53032 772AA	1				EZ0			PAD, Engine
9	53032 384AB	2				EZ0			SEAL, PCV, Mounting
10	53032 383AB	1				EZ0			SEAL, Throttle Body to Intake,
			_				_		Mounting
11	6504 968AA	8				EZ0			NUT, J
12	6506 725AA	10				EZ0			SCREW, Hex Flange Head, Intake
									Manifold to Cylinder Head,
									Mounting
13	6507 746AA	8				EZ0			BOLT, Exhaust Manifold, Exhaust
									Manifold to Cylinder Head,
									Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Crankcase Ventilation** Figure 5.7L-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QII	LINE	SERIES	БОДТ	ENGINE	IKANS	IKIW	DESCRIPTION
loto: Sal	es Codes								
		IAGNU	M" 5.7L SN	ЛРI V8Note	es:				
[EZA]=Engine - Hemi 'MAGNUM" 5.7L SMPI V8Notes:  1 53032 811AA 1 EZ0 HOSE, Crankcase Vent									
2	53032 384AB	2				EZ0			SEAL, PCV
3	53032 531AE	1				EZ0			VALVE, Crankcase Vent




DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

Group – 8.3L Engine 8.3L Ten Cylinder [EWC]






# **Group – 8.3L**Engine 8.3L Ten Cylinder [EWC]




### GROUP 8.3L - Engine 8.3L Ten Cylinder [EWC]

Illustration Title	Group-Fig. No.
Engine Identification  I.D. Location 8.3L [EWC]	Fig. 8.3L-110
Cylinder Head Cylinder Head and Covers 8.3L [EWC]	Fig. 8.3L-210
Cylinder Block Block, Cylinder 8.3L [EWC]	Fig. 8.3L-310
Crankshaft, Piston and Torque Converter  Crankshaft and Pistons 8.3L [EWC]	Fig. 8.3L-410
Camshafts & Valves Camshafts and Valves 8.3L [EWC]	Fig. 8.3L-510
Timing Belt and Cover Timing Chain and Cover 8.3L [EWC]	Fig. 8.3L-610
Engine Oiling 8.3L [EWC]	Fig. 8.3L-710
Manifolds Manifolds, Intake and Exhaust 8.3L [EWC]	Fig. 8.3L-810
Crankcase Ventilation Crankcase Ventilation 8.3L [EWC]	Fig. 8.3L-910
Oil Cooler           Oil Cooler 8.3L [EWC]	Fig. 8.3L-1110

## I.D. Location 8.3L [EWC] Figure 8.3L-110







Notes: Engine ID is located on the left bank at the rear of the block just below the head Sales Code:  [EWC] = 8.3L V10 SFI Engine  1  LABEL, Engine Identification, See Notes, (NOT SERVICED) (Not Serviced)		PART								
Engine ID is located on the left bank at the rear of the block just below the head Sales Code:  [EWC] = 8.3L V10 SFI Engine  1  LABEL, Engine Identification, See Notes, (NOT SERVICED) (Not	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine ID is located on the left bank at the rear of the block just below the head Sales Code:  [EWC] = 8.3L V10 SFI Engine  1  LABEL, Engine Identification, See Notes, (NOT SERVICED) (Not										
Engine ID is located on the left bank at the rear of the block just below the head Sales Code:  [EWC] = 8.3L V10 SFI Engine  1  LABEL, Engine Identification, See Notes, (NOT SERVICED) (Not	Notes:									
[EWC] = 8.3L V10 SFI Engine  1 LABEL, Engine Identification, See  Notes, (NOT SERVICED) (Not		is located on	the left	bank at th	e rear of th	ne block ju	st below th	e head		
1 LABEL, Engine Identification, See Notes, (NOT SERVICED) (Not										
Notes, (NOT SERVICED) (Not		.3L V10 SFI I	Engine							
	1									
Serviced)										
										Serviced)
										_

 DODGE RAM 1500 (DR)

 SERIES
 LINE


 H = SLT
 1, 6 = 1500

 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Cylinder Head and Covers 8.3L [EWC] Figure 8.3L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Upper Ga	sket Package	Contair	ns: 2 Cylino	der Head C	Saskets,2 \	/alve Cove	r Gaskets,	2 Intak	e Manifold Gaskets,2 Exhaust Manifo
Gasket	s,1 Thermosta	t Gaske	et and 1 Th	rottle Body	/ Gasket.				
Sales Cod	des;								
[EWC] = I	Engine - 8.3L \	√10 SF	l						
-1									GASKET PACKAGE, Engine Upper
									See Note
	5086 534AA-	1				EWC	DG8		
		1				EWC	DBB		
2	4648 832AB	1				EWC			CAP, Oil Filler
3									COVER, Cylinder Head
	5037 156AE	1				EWC			Right
	5037 155AF	1				EWC			Left
4	6035 666	12				EWC			SCREW, Hex Flange Head, .25-
									20x1.00, Cylinder Head Cover,
									Mounting
5	5037 157AB	1				EWC			GASKET, Valve Cover, Right or Let
6	6506 855AA	1				EWC			STUD, Double Ended, Air Cleaner t
									Body, Mounting
7	6035 666	15				EWC			SCREW, Hex Flange Head, .25-
									20x1.00, Cylinder Head Tappet
									Gallery, Mounting
8	6035 471	24				EWC			BOLT, Cylinder Head, Cylinder Hea
									to Cylinder Block, Mounting
9	5037 064AF	2				EWC			HEAD, Cylinder, Right or Left
10	4763 749	2				EWC			GASKET, Cylinder Head, Right or
									Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION




Lower Gasket Package Includes: Rear Main Crankshaft Seal, Rear Oil Seal Gasket, Chain Case Gasket, Front Crankshaft Oil Seal, Oil Pan Gasket, Oil Cooler Gasket and Water Pump Gasket.

Sales Codes;

[EWC]	1 = 8.31	V/10	SFI	Engine
	ı — U.JL	- • 10	<b>01 1</b>	

[EWC] :	= 8.3L V10 SFI E	ngine			
-1					GASKET PACKAGE, Engine Lower,
					See Notes
	5086 535AE-	1	EWC	DBB	See Note
		1	EWC	DG8	See Note
2					DOWEL, Locator, [.62ODx.50]
	J400 5149	4	EWC	DEC	Block to Cylinder Head, Mounting
		4	EWC	DG8	Block to Cylinder Head, Mounting
3					BLOCK, SHORT
	5183 854AA	1	EWC	DBB	
	5183 855AA	1	EWC	DG8	
4					PIN, Dowel
	4429 678	2	EWC	DEC	
	5037 583AA	2	EWC	DG8	
5					PLUG, [.375-18x.475]
	6036 308AA	10	EWC	DEC	Cylinder Block Oil Gallery
		10	EWC	DG8	Cylinder Block Oil Gallery
6					PLUG, Pipe, [.125-27x.310]
	6036 543AA	1	EWC	DEC	Cylinder Block Oil Gallery
		1	EWC	DG8	Cylinder Block Oil Gallery
7					DOWEL, Front Cover
	5245 055	2	EWC	DEC	Locating
		2	EWC	DG8	Locating
-8					PLUG, Core, 1.00 Diameter
	4663 941AB-	1	EWC	DEC	Water Jacket
		1	EWC	DG8	Water Jacket
-9					PLUG, Core, 1.39 Diameter
	6034 804	1	EWC	DEC	Front Crankcase Cavity Block Off
		1	EWC	DG8	Front Crankcase Cavity Block Off
-10					DOWEL, Locator, [.62ODx.50]
	J400 5149	1	EWC	DEC	Block to #3 Main Cap
		1	EWC	DG8	Block to #3 Main Cap
					•



DODGE RAM 1500 (DR)-SERIES LINE


H = SLTL = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Crankshaft and Pistons 8.3L [EWC]** Figure 8.3L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

When Replacing Piston And Connecting Rod Packages 05135749AB 05135750AB, Upgraded Connecting Rod Bolts 05037575AA Must Also Be Used.

Check the Crankshaft and the Damper Attaching Bolts for SAE or Metric Threading

[DBB]=Transmissions - All Manual [DG8]=Transmission -4-Speed Automatic,48RE

[EWC]= Engine - 8.3L V10 SFI

[]	gc 0.0_ v				
1					PISTON PIN AND ROD, STD, See
					Note
	5135 750AB	5	EWC		Right
	5135 749AB	5	EWC		Left
-2					PISTON PIN AND ROD, .010" O/S,
					See Note
	5136 167AA-	5	EWC		Right
	5136 168AA-	5	EWC		Left
-3					PISTON PIN AND ROD, .020" O/S,
					See Note
	5136 169AA-	5	EWC		Right
	5136 170AA-	5	EWC		Left
4	5037 575AA	20	EWC		BOLT, Connecting Rod
5					PISTON RING SET, COMPLETE
					ENGINE, STD.
	5086 536AA	1	EWC	DG8	
		1	EWC	DBB	
-6					PISTON RING SET, COMPLETE
					ENGINE, .010" O/S
	5086 537AA-	1	EWC	DG8	
		1	EWC	DBB	
-7					PISTON RING SET, COMPLETE
					ENGINE, .020" O/S
	5086 538AA-	1	EWC	DG8	
		1	EWC	DBB	
8	5086 003AB	10	EWC		BEARING PACKAGE, Connecting
					Rod, Standard
9	5037 226AC	1	EWC	DBB	FLYWHEEL
-10	52118 506AC-	1	EW0	DG0	CONVERTER, Torque
11	5037 544AA	1	EWC	DG8	PLATE, Torque Converter Drive
12	2843 214	1	EWC	DBB	GEAR, Flywheel Ring
13					BOLT, Flexplate
	6036 617AA	8	EWC	DG8	Flex Plate to Crankshaft, Mounting


DODGE RAM	1500 (DR)-
SEDIES	LINE

SERIES H = SLT 1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Crankshaft and Pistons 8.3L [EWC] Figure 8.3L-410



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			8				EWC			Flywheel to Crankshaft, Mounting
	14	6035 666	8				EWC			SCREW, Hex Flange Head, .25-
										20x1.00, Rear Seal Retainer to
										Block, Mounting
_	15	5037 300AA	1				EWC			SEAL, Rear Main Crankshaft
	16	5037 053AC	1				EWC			RETAINER, Crankshaft Rear Oil
										Seal
	17	5037 056AB	1				EWC			GASKET, Rear Oil Seal Retainer
_	18									BOLT, Bearing Cap, [.500-13X4.250]
		6035 665	4				EWC	DG8		Main, Mounting
			4				EWC	DEC		Main, Mounting
	19									SCREW, [.375-16X2.250]
_		6035 470	12				EWC	DG8		Main, Mounting
			12				EWC	DEC		Main, Mounting
	20		_							STUD, [.50-13x.312-18x5.67]
		6036 549AA	8				EWC	DG8		Main Bearing Cap, Mounting
_		5007 55444	8				EWC	DEC		Main Bearing Cap, Mounting
	21	5037 551AA	1				EWC			DAMPER, Crankshaft
	22	6036 207AA	1				EWC			BOLT, Hex Head, [.75-16x2.25]
	23	6506 340AA	1				EWC			SCREW AND WASHER, See Notes,
_	0.4	0004.740					EWC.			[M14x1.5x1.2.0]
	24	6034 749	1				EWC			KEY, Crankshaft Sprocket
	25									BEARING PACKAGE, Crankshaft, Standard
		4723 536AB	AR				EWC			[#1,2,4,5,6] Magenta
_		4723 538AB	AR				EWC			[#1,2,4,5,6] White/Clear
	-26	5096 020AA-	5				EWC			BEARING PACKAGE, Crankshaft,
	20	0000 020/01	J				LVVO			.009" U/S, [#1,2,4,5,6]
	-27	5096 022AA-	AR				EWC			BEARING PACKAGE, Crankshaft,
_		0000 022701	7.11.							.010" U/S, [#1,2,4,5,6]
	-28	5096 024AA-	5				EWC			BEARING PACKAGE, Crankshaft,
			· ·							.011" U/S, [#1,2,4,5,6]
	29									CAP, Serviced in Block Assy, (NOT
_										SERVICED) (Not Serviced)
	30	4723 540AB	AR				EWC			BEARING PACKAGE, Crankshaft
										Thrust, Standard Size, [#3]
	-31	5096 021AA-	AR				EWC			BEARING PACKAGE, Crankshaft
										thrust, .009" U/S, [#3]
	-32	5096 023AA-	AR				EWC			BEARING PACKAGE, Crankshaft
										thrust, .010" U/S, [#3]
	-33	5096 025AA-	AR				EWC			BEARING PACKAGE, Crankshaft
										thrust, .011" U/S, [#3]

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



### **Crankshaft and Pistons 8.3L [EWC]** Figure 8.3L-410




EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34									CRANKSHAFT, See Notes
	5037 599AD	1				EWC			[.75-16] Tapped
	5037 599AA	1				EWC			[M14x1.5] Tapped
35	53009 181AB	1				EWC			BEARING, Pilot
-36	0141 195	1				EWC			DOWEL, .25x.62

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Camshafts and Valves 8.3L [EWC] Figure 8.3L-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Sales Co	odes;								
[EWC]=E	Engine - 8.3L V	10 SFI							
1	5037 241AA	10				EWC			ROCKER ARM AND PIVOT, Valve, Includes Pedestal, Includes
									Pedestal
2	6036 425AA	20				EWC			SCREW, [.375-16x2.125], Rocker Arm/Pedestal, Mounting
3	5004 031AB	20				EWC			SEAT, Valve Spring
4	5300 9887	10				EWC			SEAL, Valve Guide, Exhaust
5	3300 3521	40				EWC			LOCK, Valve Spring Retainer
6	4483 745	20				EWC			RETAINER, Valve Spring
7	5004 032AB	20				EWC			SPRING, Valve
8	5300 9886	10				EWC			SEAL, Valve Guide, Intake
9	5037 069AA	20				EWC			PUSH ROD, Valve
10	0181 065	10				EWC			BOLT, Hex Head, .25-20x1.00,
									Tappet Aligning Yoke, Mounting
11	5037 068AA	10				EWC			YOKE, Tappet Aligning
12	5004 042AA	20				EWC			TAPPET, Hyd. Roller
13	5037 232AB	10				EWC			VALVE, Intake, Standard
14	4763 748	10				EWC			VALVE, Exhaust, Standard
15	5037 057AA	1				EWC			CAMSHAFT, Engine
-16	5093 027AA-	1				EWC			CAMSHAFT, Engine, .002" O/S Journal
-17	5093 028AA-	1				EWC			CAMSHAFT, Engine, .003" O/S
-18	5093 030AA-	1				EWC			Journal CAMSHAFT, Engine, .030" O/S
19	0141 195	1				EWC			Journal DOWEL, .25x.62, Camshaft Sprocke
									Locating
20	0220 800	2				EWC			SCREW, Hex Head, .312-18x.75, Camshaft Thrust Plate, Mounting
21	5245 359	1				EWC			PLATE, Camshaft Thrust

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Timing Chain and Cover 8.3L [EWC] Figure 8.3L-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote:									
Sales Co									
_	Transmissions -								
-	Transmission -4		l Automation	c,48RE					
EWC] =	Engine 8.3L V	10 SFI							
1									CHAIN PACKAGE, Timing, Contains
									Timing Chain and Gears
	5086 533AB	1				EWC	DBB		
		1				EWC	DG8		
2	0154 261	3				EWC			BOLT, Camshaft Sprocket to
									Camshaft, Mounting
3	5037 067AD	1				EWC			GASKET, Chain Case Cover
4	5245 525AC	1				EWC			ROTOR SET, Oil Pump
5	6034 475	8				EWC			SCREW, Torx Head, .25-20x.75, Oil
									Pump Cover to Timing Case Cover
									Mounting
6	5037 048AC	1				EWC			COVER, Engine Oil Pump
7	5037 047AA	1				EWC			CAP, Oil Pressure Relief Valve
8	5037 046AB	1				EWC			SPRING, Oil Pressure Relief Valve
9	5037 045AB	1				EWC			PLUNGER, Oil Pressure Relief Valve
10	4104 511AB	1				EWC			CONNECTOR, Oil Filter Adapter
11	0154 934AA	3				EWC			SCREW AND WASHER, Timing
									Case Cover to Block, Mounting
12	5281 090	1				EWC			FILTER, Engine Oil
13	5245 135	1				EWC			SEAL, Timing Case Cover
14	5037 316AC	1				EWC			CONNECTOR, Engine Oil Cooler
15	6034 248	8				EWC			BOLT, Timing Case Cover to Block,
									Mounting
16	6035 854	2				EWC			NIPPLE, Heater
17	6034 749	1				EWC			KEY, Crankshaft Sprocket
18	5037 036AI	1				EWC			COVER, Timing Case
19	3780 788	1				EWC			SCREW, Bleeder, Air


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Engine Oiling 8.3L [EWC] Figure 8.3L-710

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
Sales Co	ode:								
[EWC] =	Engine - 8.3L	V10 SF	I						
1	5037 036AI	1				EWC			COVER, Timing Case, Includes Air
									Bleed Screw,Cover Gasket,Heater
									Nipples
2	5245 525AC	1				EWC			ROTOR SET, Oil Pump
3	5037 048AC	1				EWC			COVER, Engine Oil Pump
4	6034 475	8				EWC			SCREW, Torx Head, .25-20x.75
5	5037 411AD	1				EWC			INDICATOR, Engine Oil Level
6	5037 410AC	1				EWC			TUBE, Engine Oil Indicator, With Oring
7	5037 047AA	1				EWC			CAP, Oil Pressure Relief Valve
8	5037 046AB	1				EWC			SPRING, Oil Pressure Relief Valve
9	5037 045AB	1				EWC			PLUNGER, Oil Pressure Relief Valv
10	5037 412AB	1				EWC			PICKUP, Engine Oil
11	0152 472	2				EWC			NUT, Hex Flange Lock, .312-18,
									Engine Oil Pickup Tube, Mounting
12	6035 666	1				EWC			SCREW, Hex Flange Head, .25-
									20x1.00, Engine Oil Pickup Tube,
									Mounting
13	6032 920	1				EWC			SEAL, Oil Pick Up Tube
14	5037 163AD	1				EWC			GASKET, Oil Pan
15	5037 158AD	1				EWC			TRAY, Windage
16	0152 472	6				EWC			NUT, Hex Flange Lock, .312-18,
									Windage Tray to Main Bearing
									Studs, Mounting
17	5037 413AE	1				EWC			PAN, Engine Oil
18	4763 738	1				EWC			SEAL, Drain Plug
19	4763 739	1				EWC			PLUG, Oil Drain
20	0154 777	10				EWC			SCREW AND WASHER, Hex Head,
									.25-20x1.00, Oil Pan, Mounting
21	5281 090	1				EWC			FILTER, Engine Oil
22	4104 511AB	1				EWC			CONNECTOR, Oil Filter Adapter
23	5037 316AC	1				EWC			CONNECTOR, Engine Oil Cooler

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Manifolds, Intake and Exhaust 8.3L [EWC] Figure 8.3L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co									
	3.3L V-10 SFI I	•							
1	5037 192AE	1				EWC			MANIFOLD, Intake, Includes Vacuur Nipples
2	5037 217AB	2				EWC			GASKET, Intake Manifold, Right or Left
3	6035 666	20				EWC			SCREW, Hex Flange Head, .25- 20x1.00, Intake Manifold to
4	5037 195AC	2				EWC			Cylinder Block, Mounting GASKET, Exhaust Manifold, Right o Left
5									MANIFOLD, Exhaust
	5037 122AC	1				EWC			Right
	5037 123AC	1				EWC			Left
6	6036 608AA	6				EWC			STUD, .312-18/.312-24x4.00,
									Exhaust Manifold to Cylinder Block
7	6034 856	6				EWC			Mounting NUT AND WASHER, Hex Nut-E Teeth Washer, .312-24, Heat Shield to Exhaust Manifold,
8	5037 246AB	2				EWC			Mounting SHIELD, Exhaust Manifold, Right or Left
9	6036 607AA	14				EWC			SCREW AND WASHER, Hex Head,
									.312-18x3.125, Exhaust Manifold to Cylinder Block, Mounting


DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Crankcase Ventilation 8.3L [EWC]** Figure 8.3L-910

NI-4-						
Note:						
Sales C	ode:					
[EWC] =	= Engine 8.3L V	10 SFI				
1	5037 336AA	1		EWC		FILTER, Crankcase Vent
2	5037 306AE	1		EWC		HARNESS, PCV
3	5037 671AA	1		EWC		HARNESS, CCV To Air Cleaner
-4	6033 369	3		EWC		CLAMP, Hose, PCV Harness




DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Oil Cooler 8.3L [EWC] Figure 8.3L-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
Sales Co	ode:								
[EWC] =	Engine 8.3L V	10 SFI							
1	5096 978AA	3	1			EWC			NUT, Hex, M6, Oil Cooler Bracket t
									Oil Cooler, Mounting
2	5290 412AB	1	1			EWC			COOLER, Engine Oil
3	5037 316AC	2	1			EWC			CONNECTOR, Engine Oil Cooler,
									Inlet or Outlet, Mounting
4	5290 014AD	1	1			EWC			COOLER, Engine Oil, Cooler Only
5	6503 771	3	1			EWC			SCREW, Hex Flange Head,
									M6x1x23, Oil Cooler Bracket to O
									Cooler, Mounting
6									BRACKET, Oil Cooler, Purchase
									Item 2, (NOT SERVICED) (Not
									Serviced)
7	5290 411AB	1	1			EWC			LINE, Oil Cooler Inlet
8	5290 410AB	1	1			EWC			LINE, Oil Cooler Outlet

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 011 Exhaust






#### **GROUP 11 - Exhaust**

Illustration Title	Group-Fig. No
Exhaust System	
Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L[EZ0] ,All 8.3 Gas [EWC]	Fig. 011-110
Heat Shields	
Heat Shields, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC]	Fig. 011-210

## Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L[EZ0] ,All 8.3 Gas [EWC] Figure 011-110

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY E	NGINE	TRANS	TRIM	DESCRIPTION
	Note; Sale									
		3.7L, 6 Cylinde								
		4.7L, 8 Cylinde	er Gas	Engines						
	[EZO]=AII [EWO]=AII									
		ce of the Borla I	Exhaust	t Please ca	all Borla at 1	877-462-6				
		6034 246	4		<b></b>		EK0,			BOLT, Hex Head, .375-16x.75
							EV0,			·
							EZ0			
	2	55366 000AA	4				EKO,			NUT, Hex Flange Lock
							EV0, EZ0			
	3						EZU			PIPE AND CONVERTER, Exhaust
		55366 326AB	1				EK0,			THE AND CONVENTER, EXHAUST
							EV0			
	:	55366 327AB	1				EZ0			
	4									PIPE, Exhaust Extension
(7)		52110 198AD	1		4		EKO,			
		=2422 454AD	4				EV0			
		52103 454AD 52110 323AB	1		,		EV0 EZ0			
(4)		52110 323AB 52110 324AB	1				EZ0			
		55366 000AA					EK0,			NUT, Hex Flange Lock
	-						EV0,			3.
							EZ0			
	6	55366 000AA	4	<u> </u>			EK0,			NUT, Hex Flange Lock
							EV0,			
	7	6505 954AA	6	1	,		EZ0 EWC			SCREW Hay Hand Bilat Paint
		05U3 934AA	ь	1		41, 61	EVVC			SCREW, Hex Head Pilot Point, M8x1.25x65.00
	8									CONVERTER, Catalytic
		5290 600AE	1				EWC			Right
		5290 601AE	1				EWC			Left
	9	52103 718AB	1				EK0,		<u> </u>	INSULATOR, Exhaust
(10)							EV0,			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10						EZ0			INCLILATOR Exhaust
(15)	10	52103 717AB	3				EK0,			INSULATOR, Exhaust
(13)	,	32103 / I/AD	3				EVO,			
							EZ0			
			3				EWC			
	11									CLAMP, Exhaust
	DODGE RAM SERIES	1500 (DR)								
	SERIES H = SLT	LINE 1, 6 = 1500	B 41 =	ODY Quad Cab (1	140.5 WB)	ENGI EZA=5.7L	NE HFMI Mad	gnum V8SMF	PI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE)
	L = ST	1,0	42 =	Quad Cab (1	160.5 WB)	EKG = 3.7	7L Magnum	n V6 MPI		DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
			61 = 62 =	Reg. Cab (1) Reg. Cab (1)	20.5 WB) 40.5 WB)	EVD = 4.7	7L Magnum 7L Magnum	ı V8 FFV		DEC, DEJ = 6 Spa. Manual
_						EWC = 8.	3L V10 SFI	l		


#### Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L[EZ0], All 8.3 Gas [EWC] Figure 011-110



### Heat Shields, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC] Figure 011-210


PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
N	0.1								
Note; Sale	3.7L, 6 Cylind	lor Gas	Engines						
	4.7L, 8 Cylind		-						
[EZO]=All		ici Gas	Liigiiles						
[EWO]=All									
<u>[⊏₹₹₹</u>	10.0 003								SHIELD, Heat
- -	55275 778AC	1				EK0,			Front, Upper Right
	00210110110	•				EVO,			Trom, opporragin
						EW0,			
						EZ0			
	55275 779AC	1				EKO,			Front, Upper Left
	55215 115110	,				EVO,			. Tonk, Oppor Loit
						EW0,			
						EZ0			
	55276 889AA	1				EW0			Front, Upper Right
2	00270 000781	•							SHIELD, Heat
	55275 554AC	1			41, 42	EK0,			Right, Rear Upper
	302.000				,	EV0,			rugin, roa. Oppo.
						EW0,			
						EZ0			
	55276 243AC	1			61, 62	EK0,			Rear Right
					- , -	EV0,			3 1
						EW0,			
						EZ0			
	55276 956AA	1				EK0,			Left, Rear Upper
						EV0,			
						EW0,			
						EZ0			
3									NUT, M5X1.60, (NOT SERVICED
									(Not Serviced)
4	6036 237AA	4				EK0,			SCREW
						EV0,			
						EW0,			
						EZ0			
-5									SHIELD, Exhaust Manifold
	5037 246AB-	2				EWC			
	53032 208AH-	- 2				EZ0			



DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual H = SLT1, 6 = 1500 L = ST

# Group – 013 Frames and Bumpers




013-100 Frames	013–200 Front Bumper and Fascia	013–300 Rear Bumper and Fascia	013-500 Body Hold Down
013–600 Trailer Tow			

### **GROUP 13 - Frames and Bumpers**

Illustration Title	Group-Fig. No.
Frames	
Frame	Fig. 013-140
Front Bumper and Fascia	
Bumper, Front	Fig. 013-230
Bumper, Front, Sport and SRT	Fig. 013-235
Rear Bumper and Fascia	
Rear Bumper and Licence Plate Attaching	Fig. 013-310
Body Hold Down	
Body Hold Down And Front End Mounting	Fig. 013-520
Trailer Tow	
Hitch, Towing	Fig. 013-610

#### **Frame** Figure 013-140



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_									•	
	1									RAIL PACKAGE, Front
		5083 922AA	1	1, 6		41, 42,				Right
						61, 62				
		5083 923AA	1	1, 6		41, 42,				Left
						61, 62				
	2									FRAME ASSEMBLY, Chassis
		52122 100AC	1	1		61				
		52122 101AC	1	1		62				
		52122 102AC		1		41				[DG0]
		52122 103AC		1		42				
		52122 104AC		1		41				[DBB]
		52122 105AA		6		61				
		52122 106AA		6		62				
		52122 107AA		6		41				
		52122 108AA		6		42				
	•	5290 810AD	1	1		61				[DEC]
_	3	5070 50744				44				CROSSMEMBER, Transmission
		5073 587AA	1	1		41				
			1	1		42				
			1 1	1 1		62 61				
_		5073 588AA	2	6		41				
		3073 300AA	2	6		42				
			2	6		61				
			2	6		62				
_	4									CROSSMEMBER, Front Frame
		52021 334AC	1	6						,
		5073 586AA	1	1		41				
			1	1		42				
			1	1		62				
			1	1		61				
	5									BRACKET, Brake Hose
		52010 064AA	1	1		41				
			1	1		42				
			1	1		62				
			1	6		41				
			1	6		42				
			1	6		61				
			1	6		62				
	_		1	1		61				
_	6									BRACKET, Shock Mounting

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Frame** Figure 013-140

			1
(6)	16)	13	
	0 0	(2)	4
Go Il	V		

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5083 156AA	1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
		1	6		41				
		1	6		42				
		1	6		61				
_		1	6		62				
-7	50004 50044								BRACKET, Torsion Bar
	52021 562AA-		6		41				Right
		1	6		42				Right
		1	6		61				Right
	50004 500 A A	1	6		62				Right
	52021 563AA-		6		41 42				Left Left
		1 1	6		42 61				Left
		•	6		62				Left
-8		1	6		02				BRACKET, Fuel Tank
-0	52020 844AA-	. 1	1		41				BRACKET, Fuel Talik
	32020 044AA-	1	1		42				
		1	1		61				
		<u>'</u>	1		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
-9		·	Ü		02				BRACKET, Parking Brake Cable
-	52020 846AA-	. 1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
-10									ROD, Exhaust Pipe Support
	52021 593AA-	3	1		41				Front
		3	1		42				Front
		3	1		61				Front
		3	1		62				Front
		3	6		41				Front

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Frame** Figure 013-140

				1
			13	
6	(16)		3	
		5		4
	200	•	(2)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•					•			•
		3	6		42				Front
		3	6		61				Front
		3	6		62				Front
	52021 594AA-		1		41				Inner
	0_0_1 00 11 11 1	1	1		42				Inner
		1	1		61				Inner
		1	1		62				Inner
		1	6		41				Inner
		1	6		42				Inner
		1	6		61				Inner
		1	6		62				Inner
	52021 596AA-	. 1	1		41				Center
		1	1		42				Center
		1	1		61				Center
		1	1		62				Center
		1	6		41				Center
		1	6		42				Center
		1	6		61				Center
		1	6		62				Center
-11									BRACKET, Vapor Canister
	52021 675AB-		1		61				
	52021 680AB-	· 1	1		41				
		1	1		42				
		1	1		62				
	52021 675AB-		6		61				
	52021 680AB-		6		41				
		1	6		42				
		1	6		62				
12	0500 007				44				NUT, Hex Flange Lock, M12x1.75
	6502 697	4	1		41				
		4	1		42				
		4	1		61				
		4	1		62				
		6	6		61				
		6 6	6		62 41				
		6	6 6		41				
13	6504 863AA	4	6		42				SCREW, Hex Flange Head, M12x1.
13	UJU4 UUJAA	4	U						75x89.50
-14									STUD, Double Ended
	6507 267AA-	1	1		41				C. GD, Double Liluda
	0301 Z01AA-	1	ı		71				_

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year

#### **Frame** Figure 013-140

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

**ENGINE** 

TRIM

TRANS


DESCRIPTION

				1	1	42	
				1	1	61	
				1	1	62	
				1	6	41	
				1	6	42	
				1	6		
				1		61	
				1	6	62	
		-15					SCREW, Hex Flange Head
			6507 268AA-	1	1	41	
				1	1	42	
				1	1	61	
				1	1	62	
				1	6	41	
	(1)			1	6	42	
	$\sim$			1	6	61	
				1	6	62	
		40	FF070 004AD	1	O	02	ISOLATOR, Frame To Body
		16	55276 324AB	4			ISOLATOR, Frame to Body
	(12)						
	(13)						
	(16)						
6							
(6)							


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Front, Primed
	5073 002AC	1							[MCM] Paint as Required
	5073 001AE	1							[MBP] Paint as Required
2	55077 355AC	1							FASCIA, Front Bumper, [MCL]
3									BUMPER, Front
	55077 103AB	1							Chrome [MCT+LNJ]
		1							Chrome [MCT-LNJ]
	5JQ48 1SPAA	1							Painted [MCC]
4									AIR DAM
	5096 348AA	1			41, 61				
	55077 337AD	1							Chrome [MCT+LNJ]
		1							Chrome [MCT-LNJ]
5									BRACKET, Front Bumper Side
'	55077 208AA	1							Right
	55077 209AA	1							Left
6									PLUG, Fog Lamp Hole
	55077 234AD	1							Right,Without Fog Lamp
	55077 235AD	1							Left
7									BRACKET, Front Bumper Side
	55077 378AC	1							Right
	55077 379AC	1							Left
8	3420 1686	2							BOLT, Hex Flange Head, M12x1.
									18x35
9	6508 161AA	12							BOLT
10	6101 678	4							NUT, Hex, M12x1.75
11	6502 625	4							SCREW AND RETAINER, Round
									Head, M6.35x25.4, M12
12									BRACKET, Fascia
	55077 504AE	1							Right
	55077 505AE	1							Left
13									BRACKET, Bumper
	55077 220AC								[-XEA], Right
	55077 221AC								[-XEA], Left
	55077 230AC								[XEA], Right
	55077 231AC								[XEA], Left
14	6507 166AA	2							PLATE, Bumper Bracket Attach
15	6506 640AA	4							BOLT AND RETAINER, Hex Head
16	55077 342AC	1							STEP PAD, Front Fascia
17									SCREW AND WASHER, Truss
									Head, M6-1.00x30.00, (NOT
	FF077 906AC								SERVICED) (Not Serviced)
18	55077 896AC	1							PANEL, Front Bumper, Air Close Out
	M 1500 (DR)								
SERIES H = SLT	LINE 1, 6 = 1500		BODY = Quad Cab	(140 5 W/R)		NGINE 5.7L HEMI M	agnum \/8SN	ЛРI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE)
L = ST	1, 0 – 1300	42 = 61 =	= Quad Cab = Quad Cab = Reg. Cab ( = Reg. Cab (	(160.5 WB) (120.5 WB)	EKG = EVA = EVD =	= 3.7L Magnu = 4.7L Magnu = 4.7L Magnu = 4.7L Magnu = 8.3L V10 S	ım V6 MPI ım V8 ım V8 FFV	1	DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	52020 586AB	1							HOOK, Tow
20									BEZEL, Fog Lamp
!	55077 238AD	1							Right
į	55077 239AD	1							Left
-21 5	55077 158AE	- 1							BRACKET, License Plate
-22 5	5134 739AA-	1							BRACKET KIT, License Plate,
									Rumble Bee & Hemi Sport
23 6	6101 755	6							SCREW AND WASHER, Hex Head
									M10x1.5x53


DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Bumper, Front, Sport and SRT** Figure 013-235



### **Bumper, Front, Sport and SRT** Figure 013-235



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	YX19 WS2AA	1	1						[S2] SRT, Left,Upper
19	5029 611AC	1	1						PANEL, Underbody Front, Belly Pan
20	5029 612AA	2	1						BRACKET, Belly Pan, Rear
21									AIR DUCT, Brake Cooling
	5290 808AB	1	1						Right
	5290 809AB	1	1						Left
22	6101 718	6							SCREW AND WASHER, Oval Head,
									M6x1x25
23	6502 871	4							RETAINER
24									GRILLE, Front Bumper
	YX64 XXXAB	1	1						[MLH], Right
	YX65 XXXAA	1	1						[MLH], Left
-25	5029 625AB-	1	1						RETAINER, Fascia, Upper center


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Rear Bumper and Licence Plate Attaching Figure 013-310**


**PART** 



### **Rear Bumper and Licence Plate Attaching** Figure 013-310



### Body Hold Down And Front End Mounting Figure 013-520




	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									INSULATOR, Body Hold Down
	55275 749AB	8			41, 42				
		6			61, 62				
2	55276 252AB	2							CUSHION, Body Hold Down
3	55276 255AB	2							CUSHION, Body Hold Down
4	55276 259AC	2							CUSHION, Body Hold Down
5	55276 257AB	2			41, 42				CUSHION, Body Hold Down
6									BOLT, Hex Flange Head, M12x1.
									75x95.50
	6501 557	6			61, 62				
		8			41, 42				
-7									SCREW AND WASHER, Hex Flange
									Head, M12x1.75x45, Box Hold
									Down
	6506 948AA-	8			42, 62				
		6			41, 61				

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RECEIVER KIT, Trailer Tow
	52110 367AE	1							[-AHC]
	52110 373AE	1							[AHC]
2	6502 696	4							NUT, Hex Flange Lock, M10x1.5
3	6505 961AA	4							SCREW AND WASHER, Hex Head
									M10x1.5x40
4	6502 817	2	2, 3, 7, 8		41, 42,				LOCK NUT, M14-2.00, Hitch to
					62				Frame
-5	55077 311AB	- 1							PLUG, Trailer Hitch
6									BRACKET, Bumper
	55077 704AA	1							Right
	55077 705AA	1							Left
7	6507 219AA	4							BOLT AND WASHER, Hex Head,
									M10x1.5x30

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Group – 014 Fuel






## Group – 014



### **GROUP 14 - Fuel**

Illustration Title	Group-Fig. No
Tank, Fuel	
Fuel Tank, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA]	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Filler Tube, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA],8.3L [EWC]	Fig. 014-210
Fuel Lines	
Fuel Lines, Front, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA]	Fig. 014-310 Fig. 014-315
Fuel Rail	
Fuel Rail, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 8.3 [EWC]	Fig. 014-410
Fuel Pump and Sending Unit Fuel Module, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA], 8.3L [EWC]	Fig. 014-510
<b>Throttle Body</b> Throttle Body, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 8.3L [EWC]	Fig. 014-610
Throttle Controls	
Throttle Controls, 3.7L [EKG], 4.7L[ EV0], 5.7L [EZA] 8.3L [EWC]	Fig. 014-710
Air Cleaner	
Air Cleaner, 3.7L [EKG], 4.7L [EV0] 5.7 [EZA] ,8.3 [EWC]	Fig. 014-810
Air Intake System  Air Intake System,	Fig. 014-910
Speed Control Speed Control, All Engines	Fig. 014-1010
Accelerator Pedal	
Accelerator Pedal 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC]	Fig. 014-1110 Fig. 014-1120

### Fuel Tank, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] Figure 014-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	les Codes								
EK0]= A	II 3.7L, 6 Cylind	der Gas	Engines						
EV0]= A	II 4.7L, 8 Cylind	der Gas	Engines						
EZO]=A	ll 5.7L Gas								
1									STRAP, Fuel Tank
	52102 527AA	1							Front
	52102 671AA	1			41				Front
2	52102 522AA	1							STRAP, Fuel Tank, Rear
3	6502 337	2							NUT, M10x1.5
4									TANK, Fuel
	52113 589AD	1			41, 61	EK0,			[NFW] [EWC] 8.3L
						EVA,			
						EZ0			
	52113 613AD	1			42, 62	EK0,			[NFV]
						EVA,			
						EZ0			
	55366 067AC	1			41	EK0,			[NFU]
						EV0,			
						EZ0			
5									SHIELD, Heat
	52102 524AB	1			41	EK0,			
						EV0,			
						EZ0			
	52102 625AA	1			42, 62	EK0,			
						EV0,			
						EW0,			
						EZ0			
	52102 626AA	1			41, 61	EK0,			
						EV0,			
						EZ0			
6									NUT, (NOT SERVICED) (Not
									Serviced)
7									BOLT, Retainer, (NOT SERVICE
									(Not Serviced)


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Fuel Filler Tube, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA],8.3L [EWC] Figure 014-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1								
Note: Sal	les Codes								
	II 3.7L, 6 Cylind	ler Gas	Engines						
=	II 4.7L, 8 Cylind		-						
	I 5.7L Gas		J						
	ll 8.0 Gas								
1									CAP, Fuel Filler
	4578 235AB	1				EK0,			
						EV0,			
						EZ0			
	5290 145AC	1				EWC			
2	4682 676	1				EK0,			TETHER, Fuel Filler Cap
						EV0,			•
						EZ0			
3									TUBE, Fuel Filler
	52113 581AC	1				EK0,			
						EV0,			
						EZ0			
		1				EWC			
4									HOUSING, Fuel Filler, Service in
									Item #3, (NOT SERVICED) (No
									Serviced)
5									HOSE, Fuel Filler
	52110 305AA	1			41, 61	EK0,			[NFW,NFU]
						EV0,			
						EZ0			
		1			41, 61	EWC			[NFW]
	52110 306AA	1			42, 62	EK0,			[NFV]
						EV0,			
						EZ0			
6									TUBE, Fuel Vapor Recirculation
	55366 012AA	1				EK0,			[NFW,NFU]
						EV0,			
						EWC,			
						EZ0			
	55366 013AA	1			42, 62	EK0,			[NFV]
						EV0,			
						EZ0			
7									CLAMP, Fuel Filler Pipe, (NOT
									SERVICED) (Not Serviced)
8	6505 322AA	2				EZ0			CLAMP, Hose
									GASKET, Filler Tube Housing



DODGE RAI	/ 1500 (DR)			
SERIES H = SLT L = ST	LINE 1, 6 = 1500	BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)	ENGINE EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 EVD = 8.3L V10 SFI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual

### Fuel Filler Tube, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA],8.3L [EWC] Figure 014-210

		PART	071		050150	DODY	ENGINE	TD 4110	<b>TD114</b>	DECODINE ION
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5210 2306	1				EK0,			
_							EV0,			
							EZ0			
			1				EWC			




DODGE RAM 1500 (DR)-SERIES LINE H = SLT

1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Fuel Lines, Front, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] Figure 014-310



	All 3.7L, 6 Cylind						
	All 4.7L, 8 Cylind	er Gas	Engines				
[EZO]=A	II 5.7L Gas						BUNDLE, Fuel Supply and Vapor
<u> </u>							Lines
	52110 252AG	1			EK0,		
					EV0		
2	52110 255AF	1			EZ0		CLIP, Fuel Line
2	5212 7788	2			EKO,		CLIF, Fuel Line
	02.27.00	_			EV0		
		2			EZ0		
3							SCREW, Hex Head, .375-16x1.5
	6022 266	4			EK0, EV0	DBB	
		4			EKG,	DG0	
					EV0,		
					EW0,		
					EZ0		DDAOKET E III
-4	52110 315AB-	1			EK0,	DG4,	BRACKET, Fuel Line To Transmission
	32110 313AB	'			EVO,	DG4, DGQ	10 Hansinission
					EZA		
	55366 030AA-	1			EK0,	DEJ	To Transmission
	52440 24CAD	4	0		EV0	DET	
	52110 316AB-	1	6		EK0, EV0	DEJ	
	55366 286AA-	1	1		EKO,	DEJ	
					EV0		
-5	6015 756	1					STRAP, Tie

 DODGE RAM 1500 (DR)

 SERIES
 LINE

 H = SLT
 1, 6 = 1500


 L = ST
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Fuel Lines, Rear, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC] Figure 014-315

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•		•	•	•	
Note; Sale									
	3.7L, 6 Cylind								
	4.7L, 8 Cylind	der Gas	Engines						
[EZO]=All									
[EWO]=All	l 8.0 Gas								
1									TUBE, Fuel Supply
	52110 248AC	1			42	EK0,			
						EV0,			
						EZ0			
	52110 245AC	1			41	EK0,			
						EV0,			
	=0.1.10 000.1.0				0.4	EZ0			
	52110 239AC	1			61	EK0,			
						EV0,			
	50440 040AC	4			00	EZ0			
	52110 242AC	1			62	EKO,			
						EV0, EZ0			
	E200 2724C	4			61				
2	5290 372AC	1			01	EWC			TUBE, Fuel Vapor
	5290 945AA	1			61	EWC			TOBE, Fuel Vapol
	52110 240AC				61	EK0,			
	32110 2 <del>1</del> 0A0	ļ			01	EVO,			
						EZ0			
	52110 243AC	1			62	EK0,			
	02110 210/10	<u> </u>				EV0,			
						EZ0			
	52110 246AC	1			41	EK0,			[NFW]
						EV0,			. ,
						EZ0			
	52110 249AC	1			42	EK0,			
						EV0,			
						EZ0			
	55366 205AB	1			41	EK0,			[NFU]
						EV0,			
						EZ0			
3									CLIP, Fuel Bundle
	52110 278AD	2	<u>-</u>		41	EK0,			4 Way
						EV0,			
						EZ0			



DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Fuel Lines, Rear, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC] Figure 014-315

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
			0			40	FIGO			4.30/
			3			42	EK0,			4 Way
							EV0,			
							EZ0			
			1			61	EK0,			4 Way
·							EV0,			
							EZ0			
			2			62	EK0,			4 Way
							EV0,			
							EZ0			
		52110 280AD	) 1				EK0,			4 Way
							EV0			
		5290 454AA	1			61	EWC			4 Way
			1			41	EWC			4 Way
	4									CLIP
		52110 317AC	1			41	EK0,			Fuel Supply & Vapor
(4) $(8)$							EV0,			,
							EZ0			
			1			61	EK0,			Fuel Supply & Vapor
							EV0,			т пот отручу от торот
(3)							EZ0			
$\overline{7}$			1			62	EK0,			Fuel Supply & Vapor
						02	EV0,			r der dappry & vapor
							EZ0			
			1			42	EK0,			Fuel Supply & Vapor
			ı			42	EVO,			i dei Suppiy & Vapoi
							EZ0			
(1)			4			61	EWC			Fuel Cumply 9 Vanor
(2)	-	5000 500 A D	1			61				Fuel Supply & Vapor
	5	5290 523AB	1			41	EWC			BUNDLE, Fuel Line, Supply and
										Vapor
5	6									BUNDLE, Fuel Supply and Vapor
							-112			Lines
		52110 252AC	÷ 1				EKO,			
							EV0			
$\cap$		5290 524AB	1			41, 42	EWC			
		5290 343AD	1			61, 62	EWC			
		52110 255AF	1				EZ0			
	7	6506 545AA	1			41	EK0,			CLIP, Cruise Control
							EV0,			
							EZ0			
	8									HOSE, Vapor Canister Pass Thru

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



### Fuel Lines, Rear, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC] Figure 014-315

TEM NUMBER   QTY   LINE   SERIES   BODY   ENGINE   TRANS   TRIM   DESCRIPTION													
EV0, EZ0  1 42 EK0, EV0, EV0, EZ0  1 62 EK0, EV0, EV0, EV0, EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]	BODY	SERIES	SERIES	SERIES	S E	BODY	ENGI	INE	TRANS	TR	RIM	DESCRIPTION	
EV0, EZ0  1 42 EK0, EV0, EV0, EZ0  1 62 EK0, EV0, EV0, EV0, EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]													
EZ0  1 42 EK0, EV0,  EZ0  1 62 EK0, EV0, EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]	41					41							
1 42 EK0, EV0, EZ0 1 62 EK0, EV0, EV0, EZ0 -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]													
EV0, EZ0  1 62 EK0, EV0, EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]													
EZ0  1 62 EK0, EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]	42					42							ļ
1 62 EK0, EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]													
EV0, EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]	60					62							!
EZ0  -9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]	62					62							ľ
-9 4861 553AC- 1 61 EWC PIN, Push -10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]													
-10 5139 086AA- 1 61 EWC RETAINER KIT, Quick Connect, Repair Kit for Items 1 and 2 [EWC]	61					61					PIN, Push		
Repair Kit for Items 1 and 2 [EWC]												IT, Quick Connec	ct,
											Only		
.) (8)													
3													



DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Fuel Rail, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 8.3 [EWC] Figure 014-410

Ge	2
	5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sal	es Codes								
	II 3.7L, 6 Cylind	der Gas	Engines						
_	ll 4.7L, 8 Cylind		-						
_	l 5.7L Gas		gcc						
	ll 8.0 Gas								
1									RAIL, Fuel
	53031 102AB	1				EK0			,
	53032 721AA	1				EV0			
	53032 712AC	1				EZ0			
	5096 292AB	1				EWC			
2									INJECTOR, Fuel
	53032 701AA	6				EK0			·
	53032 704AB	8				EV0			
	53032 713AA	8				EZ0			
	5037 224AA	10				EWC			
3									CLIP, Fuel Injector
	4418 257AB	6				EK0			
		8				EZ0			
		10				EWC			
	53032 722AA	8				EV0			
4	6505 504AA	4				EK0,			SCREW
						EV0			
5	4897 125AA	8				EV0			O RING KIT, Fuel Injector
6	4723 971	1				EWC			O RING PACKAGE, Fuel Injecto
-7	53032 772AA-	- 1				EZ0			PAD, Engine


DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500 H = SLTL = ST

BODY 41 = Quad Cab (140.5 WB) 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

**ENGINE** ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Fuel Module, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA], 8.3L [EWC] Figure 014-510

3



1754	PART	OTV.		OEDIE0	DODY	FNOINE	TRANC		DECORIDEION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sale		lor Coo	Facinas						
	3.7L, 6 Cylind								
	4.7L, 8 Cylind	ier Gas	Engines						
[EZO]=AII [EWO]=AI	5.7L Gas								
1	1 0.0 Gas								MODULE PACKAGE, Fuel Pump/
•									Level Unit
	5104 694AB	1			41, 61	EK0,			[NFW]
	0101001112	·			,	EVA,			[]
						EZ0			
	5134 555AA	1			41, 61	EWC			[NFW]
	5104 696AB	1			42, 62	EK0,			[NFV]
					,	EVA,			
						EZ0			
	5134 554AC	1			41	EK0,			[NFU]
						EV0,			
						EZ0			
2									RING, Lock, Fuel Module
	55366 299AA	1			41, 61	EWC			
		1			42, 62	EK0,			
						EVA,			
						EZ0			
		1			41, 61	EK0,			
						EVA,			
						EZ0			
		1			41	EKO,			
						EV0,			
						EZ0			0.500.5 1.5
3	FF200 200 A A				44 04	FMC			O RING, Fuel Pump and Level Un
	55366 298AA	1			41, 61	EWC			
		1			41, 61	EK0, EVA,			
						EZO			
		1			41	EK0,			
		•				EVO,			
						EZ0			
		1			42, 62	EK0,			
					, -	EVA,			
						EZ0			
-4									O RING, Fuel Pump and Level Un
	55366 298AA-	. 1			41, 61	EWC			·

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Fuel Module, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA], 8.3L [EWC] Figure 014-510

ITEM

PART

NUMBER

QTY

LINE

SERIES


BODY

41, 61

**ENGINE** 

EK0, EVA, EZ0

3



1	42, 62	EK0,	
	, -	EVA,	
		EZ0	
1	41	EKO,	
ı	71	EVO.	
		EV0,	
		EZ0	
)			

TRIM

DESCRIPTION


TRANS

H = SLT L = ST 1, 6 = 1500

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

EXA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI

### Throttle Body, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 8.3L [EWC] Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	les Codes								
EK0]= A	II 3.7L, 6 Cylind	er Gas	Engines						
EV0]= A	II 4.7L, 8 Cylind	er Gas	Engines						
EZO]=A	ll 5.7L Gas								
EWO]=A	All 8.0 Gas								
1									THROTTLE BODY
	5139 073AB	1				EK0			
	5114 397AA	1				EV0			
	53032 801AA	1				EZ0			
	5037 419AB	1				EWC			
2									GASKET, Throttle Body To Intake
	53013 292AB	1				EK0			•
	53030 952AB	1				EV0			
	5037 191AB	1				EWC			
-3									O RING, Throttle Body
	8350 3642	1				EV0			- · · · · · · · · · · · · · · · · · · ·
		1				EWC			
-4	53032 383AA-					EZ0			SEAL, Throttle Body to Intake
5		•							SCREW AND WASHER, Hex He
· ·									.312-18x2.38, (NOT REQUIRED
6	6507 066AA	4				EZ0			SCREW AND WASHER, Hex
7	5017 479AA	1				EV0			SENSOR KIT, Throttle Position
8	4778 462	1				EV0			SCREW, Throttle Position Sensor
9	1170 102	•							SOLENOID, Linear IACV
Ü	4861 552AC	1				EV0			COLLINGIB, Liniodi II/CV
	+001 002/10	<del>'</del>				EK0			
10		'				LINO			MOTOR KIT, A.I.S.
10	4778 637AB	1				EWC			Up to 8/24/04
	5245 352AB	1				EWC			Use After 8/24/04
-11	5017 478AA-	1				EV0			GASKET, Throttle Body
12	6508 214AA	2				EWC			SCREW, Pan Head, M5x0.8x16.0
13	0000 Z 14AA	2				EVVC			
13	511 <i>1</i> 256	1				EV0			O RING KIT, Linear Solenoid
	5114 356AA	1 1							
4.4		1				EK0			SLEEVE Made Sweet reviews
-14	9250 2542	4				EWO.			SLEEVE, Mode Synchronizer
	8350 3542	1				EWC			
		1				EV0			

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Throttle Controls, 3.7L [EKG], 4.7L[ EV0], 5.7L [EZA] 8.3L [EWC] Figure 014-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CABLE, Accelerator
	52110 386AC	1				EW0			
	53032 162AC	1				EK0,			
						EV0			
-2	4592 020	1				EK0,			CLIP, Cable, Cable to Dash Panel
						EV0,			
						EWC,			
						EZ0			
3									BRACKET, Serviced in Throttle
									Body, (NOT SERVICED) (Not
									Serviced)
4	5207 9065	1				EW0	DG0		LEVER, Throttle Valve
5	0181 065	1				EW0	DG0		BOLT, Hex Head, .25-20x1.00
6	0138 165	1				EW0	DG0		WASHER, Lock
7	J012 0375	1				EW0	DG0		NUT, Hex, .250-20
8	53032 665AE	1				EW0	DG0		CABLE, Throttle Valve
-9	53032 463AE-	· 1				EZ0			RESONATOR, Throttle Body
-10	5037 420AB-	1				EWC			BRACKET, Accelerator Cable
-11	6506 567AA-	2				EWC			SCREW AND WASHER, Hex Head,
									M6 x 1.0 x 16.0, Accelerator
									Bracket to Intake Manifold
-12	4780 450	1				EZ0			PLUG, Dash Plug
13	0180 034	1				EW0	DG0		SCREW AND WASHER, Hex Head,
									.25-20x1.50

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Air Cleaner, 3.7L [EKG], 4.7L [EV0] 5.7 [EZA] ,8.3 [EWC] Figure 014-810

**PART** 



**DESCRIPTION** 

Fastener Repair Air Cleaner


Fastener Repair Air Cleaner

Bracket

**Bracket** 


**TRANSMISSION** 

#### Air Cleaner, 3.7L [EKG], 4.7L [EV0] 5.7 [EZA] ,8.3 [EWC] Figure 014-810



**« »** 

### Air Cleaner, 3.7L [EKG], 4.7L [EV0] 5.7 [EZA] ,8.3 [EWC] Figure 014-810



		PART								
ITE	М	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32	2 5	5029 461AA	1				EWC			DUCT, Clean Air
33	3 5	53032 169AC	1				EZ0			DUCT, Clean Air
-34	4 5	5029 494AA-	1				EWC			CLAMP, Hose, Clean air hose to air
										cleaner housing
-3	5 5	53032 047AC	- 1				EK0			RESONATOR, Air Cleaner, After 09/
										08/03
36	6 5	53032 537AA	1				EZ0			CLAMP, Hose
3	7									DUCT, Ambient Air
	5	53032 049AB	1				EK0,			
							EV0			
			1				EZ0			
	5	5142 663AA	1				EWC			

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Air Intake System, Figure 014-910

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DUCT, Ambient Air
	53032 049AB	1				EK0,			
						EV0			
		1				EZ0			
-2									DUCT, Clean Air
	5029 461AA-	1				EWC			
	53032 044AA-	1				EK0,			
						EV0			
	53032 169AC-	1				EZ0			



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Speed Control, All Engines** Figure 014-1010

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

Note; Sales Codes

[EK0]= All 3.7L, 6 Cylinder Gas Engines


[EV0]= All 4.7L, 8 Cylinder Gas Engines

[EZO]=All 5.7L Gas

[EWO]=All 8.0 Gas

Note Speed control for 5.7L is fully electronically controlled by the Power Control Module (PCM). A cable and a vacuum controlled

		is is a servo less system.			
1	5503 5614	1		EKO,	RESERVOIR, Vacuum
				EV0,	
				EW0	
2	5114 185AA	1		EK0,	HARNESS, Speed Control Vacuum
				EV0	
3	5159 135AA	1		EW0	HARNESS, Vacuum
4					CLIP, Cable to Servo Attach
	6025 867	1		EK0,	
				EV0	
		1		EW0	
5					BRACKET, Speed Control Servo
	5072 745AA	1		EK0,	
				EV0	
	5093 350AA	1		EW0	
6					SERVO, Speed Control
	4669 979	1		EK0,	
				EV0	
		1		EW0	
7					NUT, Hex Flange Serration, M6x1
	6502 493	2		EK0,	
				EV0	
		2		EW0	
8					CABLE, Speed Control
	5072 859AC	1		EK0,	
				EV0	
	5159 134AA	1		EW0	
-9	6506 545AA-	1	41	EK0,	CLIP, Cruise Control
				EV0,	
				EZ0	
-10	4683 774AA-	1		EK0,	CLIP, Parking Brake Cable, Cable
				EV0	and Harness to Battery Tray
11	52010 399AC	1		EK0,	HARNESS, Speed Control Vacuum
				EV0,	Reservoir
				EWC	




DODGE RAM 1500 (DR)-SERIES LINE BODY H = SLT1, 6 = 1500 L = ST

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Speed Control, All Engines** Figure 014-1010

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	12	6100 775	2				EK0,			NUT, Hex Flange, M5x.8
-							EV0,			
							EW0			
	13	6035 625	3				EK0,			SCREW, Servo to Battery Tray
_							EV0,			
							EW0			
	-14	5255 216	1							PLUG, Body, .875 Diameter



DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Accelerator Pedal 3.7L [EKG], 4.7L [EV0], 5.7L [EZA], 8.3L [EWC] Figure 014-1110

ITEM

PART

NUMBER

QTY


LINE

SERIES

BODY

**ENGINE** 

	•				. ==, :=, ; :000:0:0:0:0:
		53032 753AB	1	EZ0	
		53032 268AE	1	EK0,	
				EV0	
	2				SCREW, Hex Head, M8x20, M8x2.
		0500.750			50x30.0, (NOT SERVICED) (Not Serviced)
	3	6502 756	1	FIGO	NUT, Hex Lock, M8x1.25
	4	4592 020	1	EK0,	CLIP, Cable
				EV0,	
				EWC,	
				EZ0	
(1)					
$\succ$					
(2)					
2					
<i>ð</i> /					
Name of the last o					
_ 11 KLLL 18841					
<b>√/</b> ///// ////					
X 9(1)11 11[]					
A THE THIN					
<del>500</del>					
· ·					



DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500

L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRIM

DESCRIPTION

PEDAL, Accelerator

TRANS

#### Pedal Brake, Power Adjustable Figure 014-1120

|--|


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND BRACKET, BRAKE
	55366 024AB	1					DG0		Adjustable Without Speed Control
	55366 025AB	1					DBB		Adjustable Without Speed Control
	55366 032AB	1					DG0		Adjustable With Speed Control
	55366 033AB	1					DBB		Adjustable With Speed Control
	5290 525AB	1					DG8		Adjustable With Bright Pedal
	5290 682AA	1					DEC		Adjustable With Bright Pedal
2	52010 188AC	1					DG0		MOTOR AND CABLE, Pedal
3	55351 190AE	1							BRACKET, Steering Column, Clutch
									and Brake Pedal
4									PAD, Pedal
	4779 027	1					DG0		
	5200 2750	2					DBB		
	5140 908AA	2					DEC		
	5140 909AA	1					DG8		


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 016 Propeller Shafts and U–Joints






#### **GROUP 16 - Propeller Shafts and U-Joints**

Illustration Title	Group-Fig. No
Propeller Shaft	
Shaft,Propeller,Front,DR 6	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,6	Fig. 016-120
Shaft,Propeller,Rear,2 Piece,Body 41,42,61,62,DR 1	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 42,DR 6	Fig. 016-140

### Shaft, Propeller, Front, DR 6 Figure 016-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	les Codes;								
[DEJ]=Tı	ansmission - 6-	Speed	Manual						
[DG0]=T	ransmissions - A	All Auto	matic						
1	5014 733AA	1	6				DEJ,		U JOINT
							DG0		
2	J320 7886	1	6				DEJ,		RING, U Joint
							DG0		
3	52105 990AB	1	6				DEJ,		SHAFT, Drive, Front
							DG0		
4	6506 497AA	4	6						BOLT, Hex Head, M12, Driveshaft to
									Front Axle, Mounting



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,6 Figure 016-120




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sale	es Codes;								
[DEC]=Tra	ansmission - 6	-Speed	Manual						
[DEJ]=Tra	nsmission - 6-	Speed	Manual						
[DG0]=Tra	ansmissions - A	All Auto	matic						
	gines - All 3.7L		nder Gas						
	gines - All 4.7L								
	ngine - 8.3L V1								
	gines - All 5.7L	. 8 Cyli	nder Gas						011457 8 1 8 4 8
1	5007.00444				04	FWO	DEO		SHAFT, Drive, Rear 1-Piece
	5037 624AA	1	1		61	EWC	DEC		SRT-10
	52105 918AA	1	6		41, 62		DEJ, DG0		
	52105 919AA	1	6		61		DG0 DEJ,		
	32103 919AA	- 1	- 0		01		DE3,		
	52105 924AE	1	1		41, 62	EK0,	DG0		
	02100 02 1712	•	•		, 02	EV0,	200		
						EZ0			
	52105 926AA	1	1		61		DG0		
2									YOKE, Drive Shaft
	5134 234AB	1	1		61	EWC	DEC		SRT-10
	5014 043AA	1	6		41, 62		DEJ,		
							DG0		
		1	6		61		DEJ,		
							DG0		
	5114 568AA	1	1		41, 62	EK0,	DG0		
						EV0,			
						EZ0			
0		1	1		61		DG0		II IONT
3	4707 207AD					FWC	DEC		U JOINT
	4797 307AB	2 2	1		61 41 62	EWC	DEC		SRT-10
	5014 733AA	2	6 6		41, 62 61		DG0 DG0		
		2	1		41, 62	EK0,	DG0 DG0		
			•		11, 02	EV0,			
						EZ0			
		2	1		61		DG0		
4							-		RING, U Joint
	J320 7886	4	6		41, 62		DEJ,		-
							DG0		
		4	6		61		DEJ,		
							DG0		


DODGE RAM 1500 (DR)-SERIES LINE SERIES H = SLT L = ST 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,6 Figure 016-120







		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
			4	1		41, 62	EK0,	DG0		
_			•	<u> </u>		,	EV0,			_
							EZ0			
			4	1		61		DG0		
	5	6506 497AA	4				EK0,			BOLT, Hex Head, M12, Drive Shaft
_							EV0,			to Flange, Mounting
							EZ0			
	6									FLANGE, Drive Shaft
		5015 556AA	1	6		41, 62		DEJ,		
								DG0		
			1	6		61		DEJ,		
								DG0		
			1	1		41, 62	EK0,	DG0		
							EV0,			
							EZ0			
			1	1		61		DG0		
	7	4428 723	2	1			EWC			CLAMP, U-Joint, SRT-10-Drive Shaft
										to Yoke, Mounting
	8	6502 581	4	1			EWC			BOLT, Hex Flange Head, M8x1.
										0x19, SRT-10-Drive Shaft to Yoke,
										Mounting
	9	52853 161AA	1	1		61		DEJ		SHAFT, Drive, Rear 1-Piece
	10	5135 579AA	1	1		61		DEJ		FLANGE, Drive Shaft
	11	5014 733AA	2	1		61		DEJ		U JOINT
	12	J320 7886	8	1		61		DEJ		RING, U Joint
_	13	5143 065AA	1	1		61		DEJ		YOKE, Drive Shaft
	14	5143 069AA	1	1		61		DEJ		FLANGE, Drive Shaft
	15	5143 068AA	1	1		61		DEJ		BOOT, Drive Shaft
_	16									CLAMP, Boot
		5143 066AA	1	1		61		DEJ		Front
		5143 067AA	1	1		61		DEJ		Rear

DODGE RAM 1500 (DR)-SERIES LINE


H = SLTL = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Shaft, Propeller, Rear, 2 Piece, Body 41,42,61,62, DR 1 Figure 016-130





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote: Sal	es Codes;								
	ansmission - 6-	Speed	Manual						
_	ansmissions - A	-							
_	igines - All 3.7L								
_	igines - All 4.7L	-							
	ngine - 8.3L V1								
- [Z0]=En	gines - All 5.7L	8 Cylii	nder Gas						
1		•							SHAFT, Drive, Rear 2-Piece
	5037 625AA	1	1		41	EWC	DG0		SRT-10
	52853 162AA	1	1		41, 62		DEJ		
	52853 163AA	1	1		42		DEJ		
	52105 923AB	1	1		42		DG0		
2									YOKE, Drive Shaft
	5142 889AA	1	1		41	EWC	DG0		SRT-10, Front
	5014 044AA	1	1		42		DG0		Front
3									U JOINT
	5102 060AA	1	1		41	EWC	DG0		SRT-10, Front
	5142 891AA	1	1		41	EWC	DG0		SRT-10, Center
	5142 892AA	1	1		41	EWC	DG0		SRT-10, Rear
	5014 733AA	3	1		41, 62		DEJ		Front,Center,Rear
		3	1		42		DEJ		Front,Center,Rear
		3	1		42		DG0		Front,Center,Rear
4									RING, U Joint
	J320 7886	4	1		41, 62		DEJ		
		4	1		42		DEJ		
		4	1		42		DG0		
5									CENTER BEARING, Drive Shaft
	5080 662AA	1	1		41	EWC	DG0		SRT-10
	5135 580AA	1	1		41, 62		DEJ		
		1	1		42		DEJ		
	5014 097AA	1	1		42		DG0		
6									CLAMP, Boot
	5080 880AA	1	1		41	EWC	DG0		SRT-10, Front
	5080 881AA	1	1		41	EWC	DG0		SRT-10, Rear
	5013 626AA	1	1		41, 62		DEJ		Small
	5013 625AA	1	1		41, 62		DEJ		Large
	5013 626AA	1	1		42		DEJ		Small
	5013 625AA	1	1		42		DEJ		Large
	5013 626AA	1	1		42		DG0		Small
	5013 625AA	1	1		42		DG0		Large
7									BOOT, Drive Shaft


DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Shaft, Propeller, Rear, 2 Piece, Body 41,42,61,62, DR 1 Figure 016-130





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5000 0404 4					<b>514</b> 0	200		ODT 40
	5080 846AA	1	1		41	EWC	DG0		SRT-10
	5083 001AA	1	1		41, 62		DEJ		
		1	1		42		DG0		
8		1	1		42		DEJ		YOKE, Drive Shaft
	5142 890AA	1	1		41	EWC	DG0		SRT-10, Center
	5014 056AA	1	1		41, 62	20	DEJ		Center
	0011 000/1/	1	1		42		DG0		Center
		1	1		42		DEJ		Center
9	6506 497AA	4				EK0,			BOLT, Hex Head, M12, Drive Sha
Ŭ	0000 107781	•				EV0,			To Rear Axle, Mounting
						EZ0			To real twie, wouldning
10						220			FLANGE, Drive Shaft
	5015 556AA	1	1		41, 62		DEJ		Rear
		1	1		42		DEJ		Rear
		1	1		42		DG0		Rear
11	4428 723	2	1			EWC			CLAMP, U-Joint, SRT-10-to Rear
									Yoke, Mounting
12	6502 581	4	1			EWC			BOLT, Hex Flange Head, M8x1.
									0x19, SRT-10-to Rear Yoke,
									Mounting
13	6506 497AA	4	1			EK0,	DBB		BOLT, Hex Head, M12, Drive Sha
						EV0			to Transmission, Mounting
14									FLANGE, Drive Shaft
	5135 579AA	1	1		41, 62		DEJ		Front
		1	1		42		DEJ		Front
15	6502 696	4							NUT, Hex Flange Lock, M10x1.5,
									Center Bearing, Bracket, Spacer,
									Mounting
16									BRACKET, Drive Shaft Center
									Bearing
	5106 002AA	1	1		41	EWC	DG0		SRT-10, Mounting
	52105 587AB	1	1		41		DEJ		Mounting
17									SCREW AND WASHER, Hex He
									M10x1.5x30
	6101 060	6	1		41	EWC	DG0		SRT-10-Center Bearing, Bracke
									Spacer, Mounting
		6	1		41		DBB		Center Bearing,Bracket,Space
									Mounting
		10			42				Center Bearing, Bracket, Space
									Mounting

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



### Shaft, Propeller, Rear, 2 Piece, Body 41,42,61,62, DR 1 Figure 016-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		10	1		62		DBB		Center Bearing, Bracket, Spacer,
									Mounting
18									BRACKET, Drive Shaft Center
									Bearing
	52105 584AB	1	1		42				Mounting
	52105 583AB	1	1		62		DBB		Mounting
19									SPACER, Driveshaft
	52105 704AA	1			42				Center Bearing, Mounting
		1	1		62		DBB		Center Bearing, Mounting



DODGE RAM 1500 (DR)-SERIES LINE


H = SLT


1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Shaft, Propeller, Rear, 2 Piece, Body 42, DR 6 Figure 016-140





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes;								
-	ransmission - 6-	•							
_	ransmissions - A				40		55.		OUAET D : D . O D:
1	52105 916AC	1	6		42		DEJ,		SHAFT, Drive, Rear 2-Piece
	50440404				40		DG0		VOICE D: 01 (1
2	5014 043AA	1	6		42		DEJ,		YOKE, Drive Shaft
	5044 70044	•	0		40		DG0		II IONT
3	5014 733AA	3	6		42		DEJ,		U JOINT
	1000 7000				40		DG0		DINO II I : (
4	J320 7886	4	6		42		DEJ,		RING, U Joint
_	5044.0074.4		0		40		DG0		OFNITED DEADING D: OL (
5	5014 097AA	1	6		42		DEJ,		CENTER BEARING, Drive Shaft
							DG0		OLAMB B. A
6	5040 COCAA		0		40		DET		CLAMP, Boot
	5013 626AA	1	6		42		DEJ,		Small
	5040 CO5 A A		0		40		DG0		Laura
	5013 625AA	1	6		42		DEJ,		Large
7	E002 004 A A	4	6		40		DG0		DOOT Drive Shott
7	5083 001AA	1	6		42		DEJ, DG0		BOOT, Drive Shaft
8	5014 056AA	1	6		42		DG0 DEJ,		YOKE, Drive Shaft
0	5014 050AA	ı	0		42		DE3,		TORE, Drive Shart
9	6506 497AA	4	6				DGU		BOLT, Hex Head, M12, Drive Shaft
9	0500 491 AA	4	O						to Rear Axle Yoke, Mounting
10	5015 556AA	1	6		42		DEJ,		FLANGE, Drive Shaft
10	3013 330AA	'			42		DG0		FLANGE, Drive Shall
11	52105 704AA	1			42		DGU		SPACER, Driveshaft, Center
	32103 704AA	'			42				Bearing, Mounting
12	52105 559AB	1	6		42				BRACKET, Drive Shaft Center
12	32 103 333AB	<u>'</u>			42				Bearing, Mounting
13	6101 060	10			42				SCREW AND WASHER, Hex Head
13	3101 000	10			74				M10x1.5x30, Center Bearing,
									Bracket, Spacer, Mounting
14	6101 696	4			42				NUT, Center Bearing, Bracket, Space
	3101 030	<b>⊣</b> r			74				Mounting
									Mounting

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 017 Rear Suspension






#### **GROUP 17 - Rear Suspension**

Illustration Title	Group-Fig. No
Rear Suspension	
Suspension, Rear Leaf With Shock Absorber, DR 1,6	Fig. 017-110
Rear Stabilizer	
Stabilizer Bar, Rear	Fig. 017-210

### Suspension, Rear Leaf With Shock Absorber, DR 1,6 Figure 017-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sale	es Codes;								
AWL]=O	ff Road Group								
DRB]=A	de - Rear, Corp	orate 9	9.25 LD						
[DRD]=A	xle - Rear, Dan	a M60	HD/248MN	Л					
[SGB]=SI	nock Absorbers	- Rear	, Heavy D	uty					
[SGC]=S	nock Absorbers	- Rear	, Performa	ance Tunes	 S				
[TTJ]=Tir	es - P275/60R2	20 BSW	On/Off R	oad					
[ZAR] Th	rough [ZTS]= S	pring s	ales codes	s will be for	und on Vel	nicle Identif	fication Nu	mber [\	/IN] sales code listing.
1	6505 599AA	4							SCREW, Pilot Point, Spring Front,
									Mounting
2									NUT, Hex Flange Lock
	6502 698	8							U-Bolt, Mounting
		4							Rear Spring and Shackle, Mountin
	6507 798AA	2							Shock Upper, Mounting
	6502 698	2							Shock Lower, Mounting
3									BOLT, Hex Flange Head, M14x2.
									00x80
	6502 818	2							Upper Shock, Mounting
		2							Lower Shock, Mounting
4									BUMPER, Jounce
	5290 832AA	2	1						[SGC]
	52106 829AD	2	6						
	52110 276AA	2	1						[SGB]
5									BUSHING, Spring
	52113 552AB	1	1		62		DG0		[ZAR,ZNR], Front
		1	1		61				[ZAR,ZNR], Front
		1	1		41		DG0		[ZAS,ZNS], Front
	5290 441AA	1	1		61				[ZAT,ZNT], Front
		1	1		41				[ZAU,ZNU], Front
	52113 552AB	1	6		41				[ZBS,ZPS], Front
		1	1		41		DBB		[ZCS,ZRS], Front
		1	1		42				[ZCS,ZRS], Front
		1	6		42				[ZDS,ZSS], Front
		1	6		61, 62				[ZER,ZTR], Front
		1	1		62		DBB		[ZES,ZTS], Front
6	6503 183	4							SCREW, Hex Head, M10x1.5x30,
									Jounce Bumper, Mounting
7									PLATE, Rear Spring Clip
	52106 739AA	1	1		41				
		1	1		42				
		1	1		61				

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Suspension, Rear Leaf With Shock Absorber, DR 1,6 Figure 017-110




	PART							
ITEM	NUMBER	QTY	LINE	SERIES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1	62		DBB		
		1	1	62		DG0		
		1	6	41				
		1	6	42				
		1	6	61, 62				
8								SPRING, Rear Leaf
	5290 607AC	1	1	61				Tag# 607AC [ZAT,ZNT]
	5290 777AA	1	1	41				Tag# 777AA [ZAU,ZNU
	52110 136AB	1	1	41		DBB		Tag# 136AB [ZCS,ZRS]
		1	1	42				Tag# 136AB [ZCS,ZRS]
	52110 137AB	1	6	42				Tag# 137AB [ZDS,ZSS]
	52110 138AB	1	1	62		DBB		Tag# 138AB [ZES,ZTS]
	52113 120AE	1	1	41		DG0		Tag# 120AE [ZAS,ZNS]
	52113 141AE	1	6	41				Tag# 141AE [ZBS,ZPS]
	52113 143AE	1	1	62		DG0		Tag# 143AE [ZAR,ZNR]
		1	1	61				Tag# 143AE [ZAR,ZNR]
	52113 144AE	1	6	61, 62				Tag# 144AE [ZAR,ZNR]
9	52110 066AA	AR						LINER, SPRING TIP, As Required
10								U-BOLT
	52106 224AA	4						[DRB]
		4	1	41				[DRD]
	5290 515AA	4	1	61				[DRD]
11								SHOCK ABSORBER, Suspension,
								Rear
	52110 202AA	2	1	61	EK0			[SGB,Z1A]
	55366 455AB	2	1	61	EV0,			[SGB,Z1A]
					EZ0			
	52121 524AC	2	1	61	EV0,			[SGB,Z1A,TTJ]
					EZ0			
	52110 212AA	2	1	62	EK0	DBB		[SGB,Z1B]
	55366 453AA	2	1	62	EV0,	DBB		[SGB,Z1B]
	=0.440 ==	_			EZ0	<b>D</b> 0 0		1000 7401
	52110 204AA	2	1	62	EK0	DG0		[SGB,Z1B]
	55366 454AA	2	1	62	EV0,	DG0		[SGB,Z1B]
	50440 4474 4	0	,	4.4	EZ0	DDD		1000 7401
	52110 147AA	2	1	41	EK0	DBB		[SGB,Z1C]
	55366 460AB	2	1	41	EV0	DBB		[SGB,Z1C]
	52110 206AA	2	1	41	EK0	DG0		[SGB,Z1C]
	55366 459AB	2	1	41	EV0,	DG0		[SGB,Z1C]
	F0440 04045	•	4	40	EZ0			1000 7401
	52110 213AB	2	1	42				[SGB,Z1C]

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



### Suspension, Rear Leaf With Shock Absorber, DR 1,6 Figure 017-110




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5290 674AA	2	1		41				[SGC]
		5290 608AB	2	1		61				[SGC]
		52121 293AA	2	6		61	EV0,			[SGB,Z6A]
							EZ0			
		52110 468AA	2	6		61				[SGB,Z6A,AWL]
		55366 457AA	2	6		61	EV0,			[SGB,Z6A,TTJ]
							EZ0			
		52121 323AA	2	6		62	EV0,			[SGB,Z6B]
							EZ0			
		52110 469AA	2	6		62				[SGB,Z6B,AWL]
		52110 211AB	2	6		41	EV0,			[SGB,Z6C]
							EZ0			
		52110 470AA	2	6		41				[SGB,Z6C,AWL]
		55366 462AA	2	6		41	EV0,			[SGB,Z6C,TTJ]
							EZ0			
		52110 214AB	2	6		42				[SGB,Z6D]
	12									BUSHING, Spring
		52113 553AB	1	1		61				[ZAR,ZNR], Rear
			1	1		62		DG0		[ZAR,ZNR], Rear
			1	1		41		DG0		[ZAS,ZNS], Rear
		52113 553AA	1	1		61				[ZAT,ZNT], Rear
			1	1		41				[ZAU,ZNU], Rear
		52113 553AB	1	6		41				[ZBS,ZPS], Rear
			1	1		41		DBB		[ZCS,ZRS], Rear
			1	11		42				[ZCS,ZRS], Rear
			1	6		42				[ZDS,ZSS], Rear
			1	6		61, 62				[ZER,ZTR], Rear
			1	1		62		DBB		[ZES,ZTS], Rear
_		52106 737AA	2							SHACKLE, Spring
	14	6506 919AA	2							SCREW, Hex Flange Head, Shackle
										to Frame Rear, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Stabilizer Bar, Rear Figure 017-210




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
	1	6503 652	2							NUT, Hex Flange Lock, M12x1.75,
										Link to Frame, Mounting
	2	6502 473	2							BOLT, Hex Flange Head, M12x1.
										75x65, Link to Frame, Mounting
	3	6508 044AA	2							BOLT, Hex Flange Head, Rear Axle
										Damper, Mounting
	4	6502 697	2							NUT, Hex Flange Lock, M12x1.75,
										Rear Axle Damper, Mounting
	5	5290 379AA	2							BUSHING, Sway Bar
_	6	5290 831AA	1							DAMPER, Rear Axle
	7	5203 8713	2							PLATE, Sway Bar, Mounting
	8	5290 355AA	1							BAR, Rear Sway
	9	5290 373AA	2							LINK, Sway Eliminator
_	10	6502 697	2							NUT, Hex Flange Lock, M12x1.75,
										Link to Stabilizer, Mounting
	11	6502 696	4							NUT, Hex Flange Lock, M10x1.5,
										Stabilizer Bar, Mounting
_	12	52087 865AB	2							RETAINER, Sway Bar, Mounting

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Group – 019 Steering



019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–500 Power Steering Pump
		En all to the second	
019-700 Power Steering Hoses			

### **GROUP 19 - Steering**

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering Upper & Lower	Fig. 019-210
Steering Gear	
Gear,Power Steering,Rack & Pinion,	Fig. 019-310
Power Steering Pump	
Pump,Power Steering and Mounting,All Engines	Fig. 019-510
Power Steering Hoses	
Hoses,Power Steering, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA]	Fig. 019-710
Hoses, Pump and Related Power Steering, 8.3L [EWC]	Fig. 019-720

9	
8	
5	


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II EIVI	NUMBER	QII	LINE	SERIES	БОЛТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
		efective	e, you mus	replace th	ne AIR BAG	G COVER	WITH SWI	TCH a	nd not the AIR BAG MODULE
	/IBLY itself.								
	es Codes;								
-	igines - All 3.7L	-							
	ngines - All 5.9		inder Gas						
	gines - All 4.7L		5						
	gines - All 5.9L		Diesels						
	ngines - All 8.0								
	gines - All 5.7L	8 Cyli	nder Gas						
	peed Control	· ·	100						
-	udio Controls -		-	lounted					
_	eering Wheel -								
	eering Wheel -		er vvrapped	1					
_	heels - Dual R								SCDEW Hay Flores Hand MAON
1	6505 656AA	1							SCREW, Hex Flange Head, M10x
									5x35., Steering Wheel to Column
2									Mounting
2	VE20 \\ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	4							AIR BAG, Driver
	XE29 WL8AC XE29 XDVAC								[L5]
2	AEZ9 ADVAC	1							[DV]
3	YT70 WL8AA	1							COVER, Air Bag Module [L5]
	YT70 WL8AA	1							[DV]
4	6507 294AA	2							SCREW
5	0307 29477	_							SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left
6	1000 720712	•							SWITCH, Speed Control
Ü	56049 378AA	1							Right
	56049 379AA	1							Left
-7		·							COVER, Steering Wheel, Without
•									Speed Control
	55351 242AA	- 1							Right
	55351 243AA								Left
8									SCREW, (NOT REQUIRED)
9									WHEEL, Steering
	YV19 1L8AB	1							[L5] Without Leather
	YV19 1DVAB	1							[DV] Without Leather
	YV25 1DVAB	1							Leather Without Radio Controls
									[DV]
	YV25 1L8AB	1							Leather Without Radio Controls
									[L5]
									-

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual 1, 6 = 1500



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4.41/00 4.731/4.4							•	A A MEIL D. F. O. A L. ME
	1AK38 1DVAA	4 1							Leather, With Radio Controls, Wi
	1AK38 1Y3AA YP21 1DVAB								Loothor With Radio Controls and
									Leather, With Radio Controls and Speed Control [SCV,DV]
	YP21 1L8AB	1							Leather, With Radio Controls and Speed Control [SCV,L5]
-10	56049 795AA	- 1							CLOCKSPRING

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Column, Steering Upper & Lower Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	es Codes;								
	ransmissions- A								
-	ransmissions - A		matic						
-	teering Column								DDACKET Charming Columns Child
1	55351 190AE	1							BRACKET, Steering Column, Clute and Brake Pedal, Without XAP
2									SCREW AND WASHER, Hex Hea
_									M8x1.25x58.4 Qty 1, (NOT
									SERVICED) (Not Serviced)
3									SCREW, Hex Head, M6x1.00x50.0
									Qty 2, (NOT SERVICED) (Not
									Serviced)
4									SHROUD, Steering Column
	5GE10 WL8AE						DG0		Without Tilt
	5GE09 WL8AD						DG0		With Tilt
	5GW80 WL8A						DBB DBB		Without Tilt With Titl
5	5GW81 XDVA	<u> </u>					рвь		LEVER, Gearshift
3	5037 436AB	1					DEC		LL VLIX, Gearstint
	5139 505AA	1	1			EWC	DEC		
	52107 787AA	1					DEJ		
	5057 196AB	1					DG8		
		1					DG4,		
							DGQ		
-6									SCREW, .164-18x1.00
	6035 937AA-	3					DG8		Gearshift Module to Bracket
		3					DG4, DGQ		Gearshift Module to Bracket
7							DGQ		COLUMN, Steering, Tilt
	5057 162AC	1					DEC		With 6 Speed Manual [DEC]
	5057 189AA	1					DG8		······································
	5057 397AE	1					DG4,		
							DGQ		
	5057 398AD	1					DEJ		
8	56045 165AB	1							BRACKET, Mounting
9	56049 795AA	1							CLOCKSPRING
-10									BRACKET, Gearshift
	55351 142AE-						DG8		
		1					DG4, DGQ		
-11							שטע		PIN, M5x50.00
- 1 1									1 114, 1910/200.00

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

## Column, Steering Upper & Lower Figure 019-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•				•	
	6504 628	1					DG4,		Gear Shift Lever
	000: 020	•					DGQ		200. 2 2010.
		1					DG8		Gear Shift Lever
-12									SPRING, Gearshift Lever
	4690 242AB-	1					DG4,		
							DGQ		
		1					DG8		
13									LEVER ASSY, with bracket and
									cable
	5057 140AA	1					DG8		
		1 1					DEJ DEC		
		1					DEC DG4,		
		- 1					DG4,		
14	4690 806AE	1					DOQ		KNOB, TILT LEVER RELEASE
15		•							NUT AND WASHER, Hex Lock Nut-
									Coned Teeth Washer, M8 x 1.25,
									(NOT SERVICED) (Not Serviced)
16	4470 105	2							SCREW, Filister Head, #8-16x.25,
									Shroud to Shroud, Mounting
-17	6036 264AA-	1							SCREW, 6 Lobed, Shroud to
									Steering Column, Mounting
18									SCREW
	6506 950AA	1				FICO			Upper Shaft to Lower Shaft
	6506 971AA	AR				EK0, EV0,			Lower Shaft to Gear
						EVO, EWO			
19	55351 300AG	1				LVVO			SHAFT, Intermediate
20	55351 444AC	1							SHAFT, Intermediate
-21		•							SCREW
	6506 950AA-	1							Intermediate Shaft to Steering
									Column
		1							Upper to Lower Intermediate Shaft
-22	6034 779	2							SCREW, Pan Head, .164-32x.50,
									Switch Housing to Tilt Head
-23	56045 606AB-	· 1							COVER, Steering Column Gap
-24									SCREW
	55351 131AA-	_					DG8		Park Inhibit Link
		1					DG4,		Park Inhibit Link
							DGQ		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


#### Gear, Power Steering, Rack & Pinion, Figure 019-310


|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RACK, Steering Gear
	52106 518AJ	1	1		41, 61				With [TTQ]
	52110 333AH	1	1		62				
	52106 519AJ	1	1		42				
	52110 487AC	1	1			EWC			With [SBP]
	52110 334AH	1	6		41, 62				
	52106 522AJ	1	6		42				
	52106 521AJ	1	6		61				
2									BUSHING, Steering Gear
	52106 728AC	2				EK0,			Threaded Sleeve
						EV0,			
						EZ0			
	52113 031AD	2				EK0,			Non_Threaded Sleeve
						EV0,			
						EZ0			
		4	1		61	EWC			Non Threaded Sleeve
3									END PACKAGE, Tie Rod
	5073 582AA	1	1		61				
		1	1		41				
		1	1		42				
		1	1			EWC			
		1	6		61				
		1	6		42				
		1	6		41, 62				
4	6506 557AA	2							NUT AND WASHER
5									BUSHING, Steering Gear
	52106 728AC	2				EK0,			Threaded Sleeve
						EV0,			
						EZ0			
	52113 031AD	2				EK0,			Non-Threaded Sleeve
						EV0,			
						EZ0			
		4	1		61	EWC			Non-Threaded Sleeve
6									SCREW AND WASHER
	6506 555AA	2				EK0,			
						EV0,			
						EZ0			
	6507 356AA	2	1		61	EWC			
-7	6507 143AA-	2	1		61	EWC			NUT, Hex Flange Lock, Rack Mounting

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual H = SLT L = ST 1, 6 = 1500

## Pump,Power Steering and Mounting,All Engines Figure 019-510





=	3.7L, 6 Cylind 4.7L, 8 Cylind 5.7L Gas		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EK0]= All EV0]= All EZO]=All EWO]=All	3.7L, 6 Cylind 4.7L, 8 Cylind 5.7L Gas								
EK0]= All EV0]= All EZO]=All EWO]=All	3.7L, 6 Cylind 4.7L, 8 Cylind 5.7L Gas								
EV0]= All EZO]=All EWO]=All	4.7L, 8 Cylind 5.7L Gas								
EZO]=AII : EWO]=AII	5.7L Gas	ler Gas	Engines						
EWO]=All			Engines						
	8 0 Gas								
1	0.0 000								
									PUMP ASSEMBLY, Power Steering
,	-0440 00441					FICO			with Pulley
•	52113 364AI	1				EK0, EV0			
	52113 454AI	1				EZ0			
	5093 985AA	1	1			EWC			PUMP, Power Steering
	4778 797AB-	1	1			EWC			SEAL, Power Steering Pump
	2537 833	1	1			EWC			SPRING, Power Steering Pump Flow
5		<u> </u>	•						BRACKET KIT, Power Steering
									Reservoir
!	5073 242AA	1				EZ0			
		1				EK0,			
						EV0			
-6									SCREW AND WASHER, Hex Head
6	6102 045AA-	3				EZ0			Pump Mounting
		3				EK0,			Pump Mounting
						EV0			
_		3				EWC			Pump Mounting
7	-0000 <b>-</b> 004 <b>D</b>					FICO			PULLEY, Power Steering Pump
	53032 723AB	1				EK0,			
1	5290 139AA	1	1			EV0 EWC			
	53032 128AB	1	Į.			EZ0			
8	30002 120/1B	•				L20			RESERVOIR, Power Steering Pump
	5073 241AA	1				EK0,			THE ELECTIVE HIS, I CANCE CLOCKING I CAMP
						EV0			
<b>!</b>	5103 202AA	1	1			EWC			
į	5073 241AA	1				EZ0			
9									CAP, Power Steering Reservoir
	52106 856AC	1				EK0,			
						EV0			
	5073 626AA	1	1			EWC			
	52106 856AC	1				EZ0			
	6034 248	8				EWC			BOLT
-11 5	5019 705AA-	1	1			EWC			O RING

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Hoses, Power Steering, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] Figure 019-710

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY


**ENGINE** 

	ales Codes; Fransmissions - A	II Manual			
		Speed Automatic,46R			
[DG0]=1	Fransmissions - A	II Automatic			
[EK0]=E	Engines - All 3.7L	6 Cylinder Gas			
[EV0]=E	ngines - All 4.7L	Gas			
[EW0]=	Engines - All 8.0L	Gas			
[EZ0]=E	ingine - All 5.7L 8	Cylinder Gas			
1					COOLER, Power Steering
	52029 306AD	1	EK0,	DG0	
			EV0		
		1	EK0,	DBB	
			EV0		
		1	EZ0	DG0	
		1	EZ0	DBB	
2					HOSE, Power Steering Pressure
	52113 541AF	1	EK0,		
			EV0		
	55366 867AA	1	EZ0		
-3					O RING, Power Steering Hose
	5205 254	2	EZ0		
		1	EWC		
	52088 915AA-	1	EK0,		
			EV0		
4					HOSE, Power Steering Return
	52113 652AC	1	EK0,		
			EV0		
	52110 498AB	1	EZ0		
5					RESERVOIR, Power Steering Pur
	5073 241AA	1	EK0,		
			EV0		
		1	EZ0		
6					CAP, Power Steering Reservoir
	52106 856AC	1	EK0,		

TRIM

TRANS

DESCRIPTION




DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

EV0 EZ0

## Hoses, Pump and Related Power Steering, 8.3L [EWC] Figure 019-720



85AA 97AB- 33 02AA 26AA 39AA 929AB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SERIES	EWC EWC EWC EWC EWC EWC EWC EWC EWC	TRANS	S S R C P C	UMP, Power Steering EAL, Power Steering Pump PRING, Power Steering Pump Flow ESERVOIR, Power Steering Pump AP, Power Steering Reservoir ULLEY, Power Steering Pump LIP, Line, 3/8 Inch
97AB- 33 02AA 26AA 39AA 929AB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		EWC EWC EWC EWC EWC		S S R C P C	EAL, Power Steering Pump PRING, Power Steering Pump Flow ESERVOIR, Power Steering Pump AP, Power Steering Reservoir ULLEY, Power Steering Pump
33 02AA 26AA 39AA 929AB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		EWC EWC EWC EWC		S R C P C	PRING, Power Steering Pump Flow ESERVOIR, Power Steering Pump AP, Power Steering Reservoir ULLEY, Power Steering Pump
02AA 26AA 39AA 929AB	1 1 1 1 1 1		EWC EWC EWC		R C P C	ESERVOIR, Power Steering Pump AP, Power Steering Reservoir ULLEY, Power Steering Pump
26AA 39AA 929AB 116AB	1 1 1 1 1 1		EWC EWC		C P C	AP, Power Steering Reservoir ULLEY, Power Steering Pump
39AA 929AB 116AB	1		EWC EWC		C P C	AP, Power Steering Reservoir ULLEY, Power Steering Pump
929AB 116AB	1		EWC		С	,
116AB	1		_			LIP. Line. 3/8 Inch
_	•		EWC		_	
21111					F1	ITTING, Quick Connect
<i>3</i> 1 <del>1 /</del> / / / / / / / / / / / / / / / / / /	1 1		EWC		F	ITTING, Quick Disconnect
05AA	1 1		EWC			RING
50AB ·	1		EWC		LI	NE, Power Steering
51AD	1		EWC		LI	NE, Power Steering
13AC	1		EWC		Н	OSE, Power Steering Return
52AB	1		EWC		LI	NE, Power Steering
22AC	1		EWC		LI	NE, Power Steering
12AC	1		EWC		T	UBE, Power Steering Cooler
11AB	1		EWC		С	OOLER, Power Steering
25	1		EWC		S	CREW AND RETAINER, Round
						Head, M6.35x25.4, Steering Line to
						Fan Shroud
	22AC 12AC 11AB	22AC 1 12AC 1 11AB 1	22AC 1 12AC 1 11AB 1	22AC       1       EWC         12AC       1       EWC         11AB       1       EWC	22AC 1 EWC 12AC 1 EWC 11AB 1 EWC	22AC       1       EWC       LI         12AC       1       EWC       TI         11AB       1       EWC       C         25       1       EWC       S


DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 45RFE Automatic Transmission Multi-Speed



45RFE-100	45RFE-200	45RFE-300	45RFE-400
Transmission Assembly	Case and Extension	Oil Pump	Gear Train
45RFE-700	45RFE-1200	45RFE-1300	
Valve Body	Gearshift Controls	Seal and Shim Packages	


#### **GROUP 45RFE - Automatic Transmission Multi-Speed**

Illustration Title	Group-Fig. No.
Transmission Assembly Transmission Assembly [45RFE] [DGQ] [DG4]	Fig. 45RFE-110
Case and Extension           Related Parts [45RFE] [DGQ] [DG4]	Fig. 45RFE-210 Fig. 45RFE-220
Oil Pump           Oil Pump [45RFE] [DGQ] [DG4]	Fig. 45RFE-310
Gear Train Input Shaft [45RFE] [DGQ] [DG4] Underdrive [45RFE] [DGQ] [DG4] Overdrive [45RFE] [DGQ] [DG4] 2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4] Input/Reverse Planetary [ 45RFE] [DGQ] [DG4] Reaction Annulus / Sun Gear [45RFE] [DGQ] [DG4] Low / Reverse Clutch [45RFE] [DGQ] [DG4]  Valve Body Valve Body [45RFE] [DGQ] [DG4]	Fig. 45RFE-410 Fig. 45RFE-420 Fig. 45RFE-430 Fig. 45RFE-440 Fig. 45RFE-450 Fig. 45RFE-460 Fig. 45RFE-470
Parking Sprag [45RFE] [DGQ] [DG4]	Fig. 45RFE-720
Gearshift Controls Gearshift Controls [45RFE [DGQ] [DG4]	Fig. 45RFE-1210
Seal and Shim Packages  LR Clutch [45RFE] [DGQ] [DG4]  2and4 Clutch [45RFE] [DGQ] [DG4]  Input Clutch Plate [45RFE] [DGQ] [DG4]  OVERHAUL [45RFE] [DGQ] [DG4]  Input Clutch [45RFE] [DGQ] [DG4]  Planetary Clutch [45RFE] [DGQ] [DG4]	Fig. 45RFE-1310 Fig. 45RFE-1320 Fig. 45RFE-1330 Fig. 45RFE-1340 Fig. 45RFE-1350 Fig. 45RFE-1360

#### Transmission Assembly [45RFE] [DGQ] [DG4] Figure 45RFE-110

**PART** 

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	des:								
[DGQ]=5	Speed Automa	atic Trai	nsmission	- [5-45RFE	[]				
[EV0] = A	II 4.7L 8 Cylin	der Eng	jines						
[EZ0] = A	II 5.7L 8 Cyline	der Eng	ines						
1									TRANSMISSION KIT, Automat
	5133 155AB	1	6			EV0	DGQ		[ Includes Torque Converter].
	5133 187AB	1	6			EZ0	DGQ		[ Includes Torque Converter].
	5133 188AB	1	1			EZ0	DGQ		[ Includes Torque Converter].
	5143 340AA	1	1			EV0	DG4,		[ Includes Torque Converter].
							DGQ		
	5143 341AA	1	1			EK0	DG4,		[ Includes Torque Converter].
							DGQ		
2									TORQUE CONVERTER
	4736 394AA	1	6			EV0	DGQ		
	4736 587AB	1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
	4736 600AA	1	1			EV0	DG4,		
							DGQ		
	4736 582AB	1	1			EK0	DG4,		
							DGQ		




DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes								
DG4]= N	/Julti - Speed Au	ıtomati	c Transmis	sion 45RF	E				
[DGQ]=5	Speed Automa	tic Trai	nsmission	45RFE					
[EK0] = A	All 3.7L 6 Cylind	ler Gas	Engines						
	All 4.7L Engines								
[EZ0] = A	All 5.7L 8 Cylind	ler Eng	ines						
1									CASE, Transmission
	4799 613AB	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
2									GROMMET
	4810 021	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
3									VENT, Transmission
	4799 861AB	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
4	53032 457AA	1					DG4,		TUBE, Vent
							DGQ		
5	6501 979	1					DG4,		SCREW AND WASHER, Hex Head
							DGQ		M6x1x17
6									TUBE, Transmission Oil Filler
	53032 517AB	1					DGQ		
		1				EK0,	DG4		
						EV0			
7									INDICATOR, Transmission Fluid
									Level
	53032 518AC	1					DGQ		

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EK0,	DG4		
_						EV0			
8	4700 770					<b>5</b> 140	504		TRANSDUCER, Pressure Sensor
	4799 758	1	1			EK0	DG4,		
						E\/0	DGQ		
		1	6			EV0 EZ0	DGQ		
		1	6			EZ0	DGQ DGQ		
		1 1	1 1			EV0	DGQ DG4,		
		'	Į.			LVU	DG4,		
9							DOQ		BOLT, M6x1.00x20
3	6101 331	1	1			EK0	DG4,		BOLT, WOX1.00X20
	0101 001	•	•			LINO	DGQ DGQ		
		1	1			EV0	DG4,		
		•	•				DGQ		
		1	1			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
10			-						SENSOR, Transmission Input Speed
	4799 061AB	2	6			EV0	DGQ		,
		2	6			EZ0	DGQ		
		2	1			EZ0	DGQ		
		2	1			EV0	DG4,		
							DGQ		
		2	1			EK0	DG4,		
							DGQ		
11									O RING
	4799 062	2	6			EV0	DGQ		
		2	6			EZ0	DGQ		
		2	1			EZ0	DGQ		
		2	1			EV0	DG4,		
							DGQ		
		2	1			EK0	DG4,		
							DGQ		
12									BOLT, M6x1.00x20
	6101 331	2	6			EZ0	DGQ		
		2	6			EV0	DGQ		
		2	1			EZ0	DGQ		
		2	1			EK0	DG4,		
							DGQ		


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	1			EV0	DG4,		
							DGQ		
13									SEAL
	4799 346	1	1			EK0	DG4,		
							DGQ		
		1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
1.1							DGQ		CCDEW Don Hood ME v 0.9 v 12
14									SCREW, Pan Head, M5 x 0.8 x 12.
	6503 232	1	1			EK0	DG4,		60
	0003 232		· ·			ENU	DG4,		
		1	6			EV0	DGQ		
		1	1			EV0	DGQ DG4,		
		•	'			LVO	DG4,		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
15		•	•				Dog		FILTER PACKAGE, Transmission Oi
. •	5013 470AC	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
	5015 267AC	1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
16									VALVE, Flow Control
	4799 681	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
17									FILTER, Transmission Oil
	4799 662AB	1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year








	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				!	!			l .	
		1	1			EK0	DG4,		
						LINO	DG4,		
		1	6			EV0	DGQ		
18		•	· ·						MAGNET, Transmission
	4446 728	1	1			EK0	DG4,		
							DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
19									PAN, Transmission Oil
	4800 078AA	1	1			EK0	DG4,		
							DGQ		
		1	1			EV0	DG4,		
						<b></b>	DGQ		
	5040 00444	1	1			EZ0	DGQ		
	5013 681AA	1	6			EZ0	DGQ		
20		1	6			EV0	DGQ		CCDEW
20	6101 221	15	1			EV0	DG4,		SCREW
-	0101 221	13	'			LVU	DG4,		
		15	6			EV0	DGQ		
		15	1			EK0	DG4,		
			-				DGQ		
		15	1			EZ0	DGQ		_
		15	6			EZ0	DGQ		
21	53032 454AB	1				EK0,	DG4,		COVER, Converter
						EV0	DGQ		
-22	4626 568	2	1			EWC	DEC		NUT, Transmission Case
-23									PLUG, Pressure Check
	6030 035	2	1			EZ0	DGQ		
		2	6			EV0	DGQ		
		2	1			EV0	DG4,		
							DGQ		
		2	6			EZ0	DGQ		
		2	1			EK0	DG4,		
0.4							DGQ		CODEW Have Hand 1975 40:4.5
24	6000 000	4	4			FICO	DC 4		SCREW, Hex Head, .375-16x1.5
	6022 266	1	1			EK0	DG4,		
							DGQ		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWIDER	QII	LINE	SERIES	ВООТ	ENGINE	INANS	I I I I I I I	DESCRIPTION
		1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Adapter [45RFE] [DGQ] [DG4] Figure 45RFE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II LIVI	NOMBER	QII	LINE	JERIES	ВОВТ	LINGINE	IKANO	LIXIIVI	DESCRIPTION
IOTE: S	Sales Codes								
	Multi - Speed Au	tomatic	: Transmis	sion 45RF	 F				
	Speed Automa				_				
	All 3.7L 6 Cylind								
_	All 4.7L Engines		g						
	All 5.7L 8 Cylind		ines						
1	•	Ū							ADAPTER, Transfer Case
	5210 7719	1	1			EZ0	DGQ		
	52107 719AC	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
2									STUD, M10x1.5x62
	6505 064AA	2	1			EZ0	DGQ		Extension Housing to Case
		2	6			EZ0	DGQ		Adapter to Case
		2	6			EV0	DGQ		Adapter to Case
		2	1			EV0	DG4,		Extension Housing to Case
							DGQ		
		2	1			EK0	DG4,		Extension Housing to Case
							DGQ		
3									SCREW AND WASHER, Hex Head
									M10x1.5x37
	6504 774	10	1			EZ0	DGQ		Extension Housing to Case
		10	6			EZ0	DGQ		Adapter to Case
		10	6			EV0	DGQ		Adapter to Case
		10	1			EV0	DG4,		Extension Housing to Case
							DGQ		
		10	1			EK0	DG4,		Extension Housing to Case
							DGQ		
4									SEAL, Input
	4799 090	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
_							DGQ		
5		_	_						SEAL, Input Gear
	5019 020AA	1	6			EV0	DGQ		
_		1	6			EZ0	DGQ		
6									HOUSING, Transmission Rear
		_	_						Extension
	4799 495AC	1	1			EZ0	DGQ		

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Adapter [45RFE] [DGQ] [DG4] Figure 45RFE-220



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						E) (0	D.C.4		
		1	11			EV0	DG4,		
		4	4			FICO	DGQ		
		1	1			EK0	DG4,		
7							DGQ		SEAL, Output Shaft
	4531 216AB	1	1			EZ0	DGQ		SEAL, Output Shart
	4001 Z TOAD	1	1			EV0	DGQ DG4,		
		•				LVO	DGQ,		
		1	1			EK0	DG4,		
		<u> </u>	· ·				DGQ		
8									BEARING, Output Shaft
	2466 224	1	1			EZ0	DGQ		, 4
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
9									SNAP RING
	4461 069	1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
10									BEARING, Input Gear
	5086 303AA	1	1			EZ0	DGQ		
		1	11			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		01145 51110
11	5000 00444					F70	D00		SNAP RING
	5086 304AA	1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
		4	4			FICO	DGQ DC4		
		1	1			EK0	DG4,		
12							DGQ		SNAD DING
12	5086 314AA	1	1			EZ0	DGQ		SNAP RING
	JUOU 314AA	1	1 1			EZ0 EV0	DGQ DG4,		
		ı	ı			EVU	DG4,		
		1	1			EK0	DGQ DG4,		
		'				LINU	DG4, DGQ		

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Oil Pump [45RFE] [DGQ] [DG4] Figure 45RFE-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sa	ales Codes								
[DG4] = N	1ulti - Speed A	utomat	ic Transmi	ssion 45RF	E				
[DGQ] = 5	Speed Auton	natic Tr	ansmissior	1 45RFE					
[EK0] = A	II 3.7L 6 Cylind	der Eng	ines						
[EV0] = A	II 4.7L Engines	s							
[EZ0] = A	II 5.7L 8 Cylind	der Eng	ines						
1									PUMP PACKAGE, Transmission
	5073 004AC	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
2									HOUSING, Pump, (NOT SERVICED)
									(Not Serviced)
3									BODY, Oil Pump Valve, (NOT
									SERVICED) (Not Serviced)
4									SUPPORT, Reaction Shaft, (NOT
									SERVICED) (Not Serviced)
5									SNAP RING, Transmission
	4799 082	1	1			EZ0	DGQ		Pump Cover Inner
		1	6			EZ0	DGQ		Pump Cover Inner
		1	6			EV0	DGQ		Pump Cover Inner
		1	1			EV0	DG4,		Pump Cover Inner
							DGQ		
		1	1			EK0	DG4,		Pump Cover Inner
							DGQ		
6									COVER, Oil Pump
	4799 609	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
						·	DGQ		
		1	1			EK0	DG4,		
							DGQ		
7									SEAL, Transmission Oil Pump
	4617 919	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Oil Pump [45RFE] [DGQ] [DG4] Figure 45RFE-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	11			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		CODEW AND WACHED B. H.
8									SCREW AND WASHER, Pan Head
	0500 045	0.4	4			F70	D00		M5x.8x25
	6500 215	24	1			EZ0	DGQ		
		24	6			EZ0	DGQ		
		24 24	6 1			EV0	DGQ DC4		
		24	ı			EVU	DG4, DGQ		
		24	1			EK0	DGQ DG4,		
		24	ı			ENU	DG4, DGQ		
9							DGQ		SCREW, Pan Head, M5 x 0.8 x 12
3									60
	6503 232	2	6			EV0	DGQ		
	0000 202	2	1			EZ0	DGQ		
		2	<u>·</u> 1			EK0	DG4,		
		_					DGQ		
		2	6			EZ0	DGQ		
		2	1			EV0	DG4,		
							DGQ		
10									SEAL, Oil Pump
	4799 964AB	1	6			EV0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
11									SCREW, Button Head
	6504 661	5	6			EV0	DGQ		
		5	6			EZ0	DGQ		
		5	1			EZ0	DGQ		
		5	1			EV0	DG4,		
							DGQ		
		5	1			EK0	DG4,		
							DGQ		
12		_	_						RING, Transmission
	4799 056	5	1			EZ0	DGQ		
		5	6			EZ0	DGQ		

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





## Oil Pump [45RFE] [DGQ] [DG4] Figure 45RFE-310



NUMBER		PART								
S	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
S										
S			5	6			EV0	DGQ		
S			5	1			EV0	DG4,		
13								DGQ		
13 4799 003			5	1			EK0	DG4,		
4799 003								DGQ		
1 6 EZO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EKO DGQ 1 6 EZO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 6 EZO DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EXO DGQ 1 1 1 1 EZO DGQ	13									O RING, Oil Pump, .
1		4799 003	1							
1 1 EVO DG4, DGQ 1 1 1 EKO DG4, DGQ  14 SNAP RING, Transmission  4799 005 1 1 1 EZO DGQ 1 6 EZO DGQ 1 6 EVO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EKO DG4, DGQ 1 1 1 EKO DGQ 1 1 1 EKO DGQ 1 1 1 EKO DGQ 1 1 1 EVO DGQ										
1										
1 1 EKO DG4, DGQ  14			1	1			EV0			
14										
14			1	1			EK0			
4799 005 1 1 1 EZ0 DGQ 1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 1 EV0 DGQ 1 1 1 EK0 DG4, DGQ 1 1 1 EK0 DG4, DGQ 15 SEAL, Torque Converter Hub 4736 547 1 6 EV0 DGQ 1 1 1 EZ0 DGQ								DGQ		
1 6 EZO DGQ 1 6 EVO DGQ 1 1 1 EVO DGQ 1 1 1 EVO DGQ 1 1 1 EKO DG4, DGQ 15 SEAL, Torque Converter Hub 4736 547 1 6 EZO DGQ 1 1 1 EVO DG4, DGQ	14	4700 005	4	4			F70	D00		SNAP RING, Transmission
1       6       EV0       DGQ         1       1       EV0       DG4, DGQ         1       1       1       EK0       DG4, DGQ         15       SEAL, Torque Converter Hub         4736 547       1       6       EV0       DGQ         1       1       6       EZ0       DGQ         1       1       EV0       DG4, DGQ         1       1       EV0       DG4, DGQ         1       1       1       EK0       DG4, DGQ		4799 005								
1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4, DGQ  15 SEAL, Torque Converter Hub  4736 547 1 6 EV0 DGQ 1 1 1 EZ0 DGQ 1 1 1 EZ0 DGQ 1 1 1 EZ0 DGQ 1 1 1 EV0 DG4, DGQ 1 1 1 EV0 DG4, DGQ										
1										
1 1 EKO DG4, DGQ  15 SEAL, Torque Converter Hub  4736 547 1 6 EVO DGQ  1 6 EZO DGQ  1 1 1 EZO DGQ  1 1 1 EZO DGQ  1 1 1 EVO DG4, DGQ  1 1 1 EKO DGQ			'	ı			LVO			
DGQ			1	1			EKO			
15			•	•			LIKO			
4736 547	15									SEAL. Torque Converter Hub
1 6 EZ0 DGQ 1 1 1 EZ0 DGQ 1 1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,		4736 547	1	6			EV0	DGQ		, - 1
1 1 EZO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EKO DG4,										
1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,			1							
DGQ 1 1 EK0 DG4,			1							
								DGQ		
DGO			1	1			EK0	DG4,		
								DGQ		


DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sa	ales Codes								
[DGQ] = 5	Speed Auton	natic Tra	ansmissior	45RFE					
[DG4]= M	ulti - Speed A	utomatic	Transmis	sion 45RF	E				
[EK0] = A	II 3.7L 6 Cylind	der Eng	ines						
[EV0] = A	II 4.7L Gas En	gines							
[EZ0] = AI	ll 5.7L 8 Cylind	der Engi	ines						
1									THRUST BEARING, Needle Rolle
	4799 469	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	11			EK0	DG4,		
							DGQ		
2									SEAL, Input Shaft, PKG
			_						05013090AC
	4799 539	AR	6			EV0	DGQ		
		AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4, DGQ		
		AR	1			EK0	DGQ DG4,		
		AN	1			LKU	DG4, DGQ		
3							DGQ		SHAFT, Input
	5114 582AA	AR	6			EV0	DGQ		SHALL, INPUT
	3114 302701	AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
			·				DGQ		
		AR	1			EK0	DG4,		
							DGQ		
4									CHECK VALVE, Transmission
	4799 974AA	AR	6			EV0	DGQ		
		AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
							DGQ		
		AR	1			EK0	DG4,		
							DGQ		
5									O RING, Control Valve




DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT1, 6 = 1500 L = ST

6505 335AA AR

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

EV0

DGQ



AR = Use as required -= Non illustrated part # = New this model year

1, 6 = 1500

H = SLT

L = ST

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

**ENGINE** 

EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI

EVA = 4.7L Magnum V8

EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI

September 19, 2005


TRANSMISSION

DG8 = 4 Spd. Auto.(48RE)

DEC, DEJ = 6 Spd. Manual

DGQ, DG4 = Multi-Speed Auto(45RFE)





**SERIES** 

H = SLTL = ST

1, 6 = 1500

AR = Use as required -= Non illustrated part # = New this model year

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI

EVA = 4.7L Magnum V8

EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI


September 19, 2005

DGQ, DG4 = Multi-Speed Auto(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEC, DEJ = 6 Spd. Manual





**SERIES** 

H = SLTL = ST

1, 6 = 1500

AR = Use as required -= Non illustrated part # = New this model year

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

EZA=5.7L HEMI Magnum V8SMPI

EKG = 3.7L Magnum V6 MPI

EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI

EVA = 4.7L Magnum V8


September 19, 2005

DGQ, DG4 = Multi-Speed Auto(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEC, DEJ = 6 Spd. Manual





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 101	AR	6			EV0	DGQ		
		AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
							DGQ		
		AR	1			EK0	DG4,		
							DGQ		
21									PISTON, Underdrive
	4799 652	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
22									SNAP RING, Transmission, PKG 05013090AC
	4799 103	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
23									PLATE, PKG 05013090AC, (NOT
									SERVICED) (Not Serviced)
24									DISC, Clutch, PKG 05013090AC,
									(NOT SERVICED) (Not Serviced)


DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Underdrive [45RFE] [DGQ] [DG4] Figure 45RFE-420

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	es Codes								
	5 Speed Auton								
	Multi-Speed Au			sion [45RF	E]				
	II 3.7L 6 Cylind		lines						
	III 4.7L Gas En		Engines						
[⊑ZU] = <i>P</i>	iii 5.7L 6 Cyllin	Jei Gas	Engines						THRUST BEARING, Needle Roller
'	4799 469	1	1			EZ0	DGQ		THROOT BEARING, Needle Rollel
	4733 403	1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
		·	•				DGQ		
		1	1			EK0	DG4,		
							DGQ		
2									HUB AND SHAFT, Underdrive Clutch
	5127 485AA	AR	6			EV0	DGQ		
		AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
							DGQ		
		AR	1			EK0	DG4,		
							DGQ		
3									SNAP RING, Transmission
	4799 760	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
		_				FICO	DGQ		
		1	1			EK0	DG4,		
4							DGQ		DLATE Transmission Clutch
4									PLATE, Transmission Clutch Reaction
	4799 108AD	AR	1			EZ0	DGQ		Neaction
	+133 100AD	AR	6			EZ0	DGQ		
		AR	6			EV0	DGQ		
		AR	1			EV0	DGQ DG4,		
			•			_,,	DGQ		
		AR	1			EK0	DG4,		
			•				DGQ		



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

5

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

SNAP RING, Transmission, PKG

05013090AC

## Underdrive [45RFE] [DGQ] [DG4] Figure 45RFE-420

	ITEM	PART	OTY.	LIME	OFDIFO	DODY	ENGINE	TDANO	TD1M	DECORPTION
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4799 111AB	1	1			EZ0	DGQ		
			1	6			EZ0	DGQ		
			1	6			EV0	DGQ		
			1	1			EV0	DG4,		
								DGQ		
_			1	1			EK0	DG4,		
								DGQ		
	6									DISC, Clutch, PKG 05013090AC,
										(NOT SERVICED) (Not Serviced)
	7									PLATE, PKG 05013090AC, (NOT
										SERVICED) (Not Serviced)
_										




DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Overdrive [45RFE] [DGQ] [DG4] Figure 45RFE-430


		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										



I I EIVI	NUMBER	Q I T	LINE	SERIES	ן שטטז	ENGINE	IKANS	IKIW	DESCRIPTION
			-					-	
NOTE; S	ales Codes								
[DGQ] =	5 Speed Auton	natic Tr	ansmissio	n [45RFE]					
	Multi-Speed Au			sion [45RF	E]				
	dl 3.7L 6 Cyline	_	jines						
	II 4.7L Gas En								
	II 5.7L 8 Cylind	der Gas	Engines						
1									THRUST BEARING, Needle Roller
	4799 469	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
			4			FIGO	DGQ		
		1	1			EK0	DG4,		
0							DGQ		LILID AND CLIAFT. Overadrive Clistel
2	4700 550	۸۵	•			E\/0	DCC		HUB AND SHAFT, Overdrive Clutch
	4799 550	AR	6			EV0	DGQ		
		AR AR	<u>6</u> 1			EZ0 EZ0	DGQ DGQ		
		AR	1			EV0	DGQ DG4,		
		AK	ı			EVU	DG4, DGQ		
		AR	1			EK0	DGQ DG4,		
		AIX	ı			LINU	DG4,		
3							DOQ		SNAP RING, Overdrive Clutch
0	4799 118	AR	6			EV0	DGQ		ON IT THING, OVERAING GIGIEN
	., 66 6	AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
							DGQ		
		AR	1			EK0	DG4,		
							DGQ		
4									PLATE, Clutch Pressure
	4799 116AB	AR	6			EV0	DGQ		
		AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
							DGQ		
		AR	1			EK0	DG4,		
							DGQ		
5									THRUST BEARING, Needle Roller
	4799 469	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		

DODGE RAI	M 1500 (DR)			
SERIES H = SLT L = ST	LINE 1, 6 = 1500	BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)	ENGINE EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 EWC = 8.3L V10 SFI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual

### Overdrive [45RFE] [DGQ] [DG4] Figure 45RFE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	BODT	ENGINE	IKANS	I KIIVI	DESCRIPTION
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
		•	•				DGQ		
		1	1			EK0	DG4,		
			•				DGQ		
6									SNAP RING, Transmission
	4799 117	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
7									HUB AND SHAFT, Reverse Clutc
	4799 556	AR	6			EV0	DGQ		
		AR	6			EZ0	DGQ		
		AR	1			EZ0	DGQ		
		AR	1			EV0	DG4,		
							DGQ		
		AR	1			EK0	DG4,		
							DGQ		
8									PLATE, PKG 05013090AC, (NOT
									SERVICED) (Not Serviced)
9									DISC, Clutch, PKG 05013090AC,
4.0									(NOT SERVICED) (Not Serviced
10									PLATE, Transmission Clutch
	4700 404	4	4			F <b>7</b> 0	DCC		Reaction
	4799 121	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1 1	6			EV0	DGQ DG4		
		ı	1			EV0	DG4, DGQ		
		1	1			EK0	DGQ DG4,		
		ı	1			LINU	DG4,		
11							שטט		SNAP RING, PKG 05013090AC,
									(NOT SERVICED) (Not Serviced

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


#### 2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4] Figure 45RFE-440



#### 2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4] Figure 45RFE-440




#### 2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4] Figure 45RFE-440



### Input/Reverse Planetary [ 45RFE] [DGQ] [DG4] Figure 45RFE-450

NOTE: Salas Cadas	DESCRIPTION	TRIM	TRANS	ENGINE	BODY	SERIES	LINE	QTY	PART NUMBER	ITEM
NOTE; Sales Codes									iles Codes	NOTE; Sa



NOTE;	Sales Codes					
[DGQ] =	= 5 Speed Automa	atic Tra	ansmission [45RFE]			
[DG4] =	: Multi-Speed Auto	omatic	Transmission [45RFE]			
[EK0] =	All 3.7L 6 Cylinde	er Engi	nes			
	All 4.7L Gas Eng					
	All 5.7L 8 Cylinde		Engines			
1	•					THRUST BEARING, Needle Roller
	4799 469	1	6	EZ0	DGQ	
		1	1	EZ0	DGQ	
		1	6	EV0	DGQ	
		1	1	EV0	DG4,	
					DGQ	
		1	1	EK0	DG4,	
					DGQ	
2						SNAP RING
	4799 247	1	1	EZ0	DGQ	
		1	6	EZ0	DGQ	
		1	6	EV0	DGQ	
		1	1	EV0	DG4,	
		•	·		DGQ	
		1	1	EK0	DG4,	
		•	<u> </u>	LINO	DGQ	
3					DOG	THRUST BEARING, Needle Roller
0	52119 464AA	1	1	EZ0	DGQ	THROOT BEARING, Needle Roller
	02110 101701	1	6	EZ0	DGQ	
		1	6	EV0	DGQ	
		1	1	EV0	DG4,	
		'	•	200	DGQ	
		1	1	EK0	DG4,	
-		<u>'</u>	<u> </u>	LITO	DGQ DGQ	
4					DOQ	GEAR, Input Sun
	4799 586AB	1	1	EZ0	DGQ	OLAIN, Input Our
	4799 300AB	1	6	EZ0	DGQ	
		1	6	EV0	DGQ	
		1	1	EV0	DG4, DGQ	
		1	1	EK0	DGQ DG4,	
		ı	ı	ENU	DG4, DGQ	
5					DGQ	CARRIER, Input Complete
5	4700 50045	4	6	E\/0	DCC	CARRIER, Input Complete
	4799 500AE	1	6	EV0	DGQ	

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI H = SLT L = ST 1, 6 = 1500

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

**>>** 

### Input/Reverse Planetary [ 45RFE] [DGQ] [DG4] Figure 45RFE-450

6 7 5	

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_									-	
			1	1			EV0	DG4,		
-								DGQ		
			1	6			EZ0	DGQ		
			1	1			EK0	DG4,		
								DGQ		
_			1	1			EZ0	DGQ		
	6									GEAR, Annulus
		4799 501	1	1			EZ0	DGQ		
			1	6			EZ0	DGQ		
			1	6			EV0	DGQ		
			1	1			EV0	DG4,		
								DGQ		
_			1	1			EK0	DG4,		
								DGQ		
	7									THRUST BEARING, Needle Roller
		4799 459	1	1			EZ0	DGQ		
_			1	6			EZ0	DGQ		
			1	6			EV0	DGQ		
			1	1			EV0	DG4,		
								DGQ		
_			1	1			EK0	DG4,		
	_							DGQ		
	8									CARRIER, Reverse Complete
		4799 503AE	1	1			EZ0	DGQ		
_			1	6			EZ0	DGQ		
			1	6			EV0	DGQ		
			1	1			EV0	DG4,		
			_					DGQ		
_			1	1			EK0	DG4,		
								DGQ		

DODGE RAM 1500 (DR)-SERIES LINE H = SLTL = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


#### Reaction Annulus / Sun Gear [45RFE] [DGQ] [DG4] Figure 45RFE-460

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: O-I-	- O-d								
NOTE; Sale [DGQ] = 5 S		notio Tr	onomionio	1/5DEE1					
[DGQ] = 5 S	-			-	⊏1				
[EK0] = All 3	=			SION (45KF	-]				
[EV0] = All 4			IIIes						
[EZ0] = All 5			inos						
[EZU] = All 5	o.7∟ o Cyllin	uei Elig	11162						THRUST READING Moodle Rolle
1	700 450	4	4			F70	DCO		THRUST BEARING, Needle Rolle
47	799 459	1	1			EZ0 EZ0	DGQ		
		1	6				DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
		_				-1/0	DGQ		
		1	1			EK0	DG4,		
_							DGQ		
2									THRUST WASHER, Planetary
									Carrier, PKG 05013092AA, (NO
									SERVICED) (Not Serviced)
3									GEAR, Annulus
47	799 501	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
4									THRUST BEARING, Needle Rolle
47	799 469	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
5									GEAR, Reaction Sun
47	799 602	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
6									CARRIER, Reaction Complete
Ū									C. I. I. I
DODGE DAM 45	:00 (DD)								
DODGE RAM 15 SERIES	000 (DR) LINE		BODY		EN	NGINE			TRANSMISSION
	1, 6 = 1500		Quad Cab			5.7L HEMI M		/IPI	DGQ, DG4 = Multi-Speed Auto(45RFE)
L = ST			= Quad Cab = Reg. Cab (			= 3.7L Magnu = 4.7L Magnu			DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
			Reg. Cab (		EVD =	= 4.7L Magnu	ım V8 FFV		-, 3 <b>-</b> pa
					EWC:	= 8.3L V10 S	SFI .		



### Reaction Annulus / Sun Gear [45RFE] [DGQ] [DG4] Figure 45RFE-460




4799 619AB 1 6 EV0 DGQ 1 6 EZ0 DGQ 1 1 1 EZ0 DGQ 1 1 1 EV0 DG4, DGQ	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 6 EZ0 DGQ 1 1 1 EZ0 DGQ 1 1 1 EV0 DG4, DGQ				!		!	!			
1 1 EZ0 DGQ 1 1 1 EV0 DG4, DGQ		4799 619AB	1	6			EV0	DGQ		
1 1 EV0 DG4,DGQ			1	6			EZ0	DGQ		
DGQ			1	1			EZ0	DGQ		
			1	1			EV0	DG4,		
								DGQ		
1 1 EK0 DG4,			1	1			EK0	DG4,		
DGQ								DGQ		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Low / Reverse Clutch [45RFE] [DGQ] [DG4] Figure 45RFE-470



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes:								
-	5 Speed Autom								
	Multi-Speed Au			sion 45RFE					
_	All 3.7L 6 Cylind	_	ines						
	All 4.7L Engines								
-	All 5.7L 8 Cylind	der Eng	ines						
1									CLUTCH, L/R Clutch
	4799 457AB	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
_							DGQ		
2									CLUTCH PACKAGE, Automatic
									Transmission, Low/Reverse
	5073 003AA	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
			4			FICO	DGQ		
		1	1			EK0	DG4,		
2							DGQ		CNIAD DINIC
3	4700 062 4 4	4	4			EZ0	DGQ		SNAP RING
	4799 863AA	1 1	<u>1</u>			EZ0	DGQ		
		1	6			EZ0 EV0	DGQ		
		1	1			EV0	DGQ DG4,		
		1	ı			EVU	DG4, DGQ		
		1	1			EK0	DGQ DG4,		
		'	'			LINU	DG4, DGQ		
4							DGQ		CLUTCH, Overrunning
4	4799 465	1	6			EV0	DGQ		OLOTOTI, Overrunning
	7133 703	1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DGQ DG4,		
		1	ı			LVO	DG4, DGQ		
		1	1			EK0	DGQ DG4,		
		1	ı			LIVO	DG4, DGQ		
5							200		PLATE, Transmission Clutch
5									Reaction

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Low / Reverse Clutch [45RFE] [DGQ] [DG4] Figure 45RFE-470



NUMBER		PART								
1 6   EZO DGQ     1 6   EVO DGQ     1 1 1   EVO DG4, DGQ     1 1 1   EKO DGQ     6   EZO DGQ     6   EZO DGQ     6   EZO DGQ     7   EZO DGQ     1 1 1   EXO DGQ     7   SPRING, Low/Reverse Clutch Pistor     7   A799 640AC	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 6   EZO DGQ     1 6   EVO DGQ     1 1 1   EVO DG4, DGQ     1 1 1   EKO DGQ     6   EZO DGQ     6   EZO DGQ     6   EZO DGQ     7   EZO DGQ     1 1 1   EXO DGQ     7   SPRING, Low/Reverse Clutch Pistor     7   A799 640AC										
1 6   EV0   DG4   DG9     1 1		4799 667	1	1			EZ0	DGQ		
1			1	6			EZ0	DGQ		
BGQ			1	6			EV0	DGQ		
1			1	1			EV0			
BOGQ   SNAP RING										
6			1	1			EK0			
4799 863AA								DGQ		
1	6									SNAP RING
1		4799 863AA	1							
1			1	6						
DGQ										
1 1 1 EKO DG4, DGQ  7 SPRING, Low/Reverse Clutch Pistor  4799 640AC 1 6 EVO DGQ  1 1 1 EZO DGQ 1 1 1 EZO DGQ 1 1 1 EKO DG4, DGQ  -8 SNAP RING, Transmission  4799 466 1 1 EZO DGQ 1 1 EKO DGQ 1 EKO DGQ 1 EZO DGQ 1 EXO DGQ 1 EZO DGQ 1 EXO DGQ 1 EZO DGQ			1	1			EV0			
DGQ   SPRING, Low/Reverse Clutch Pistor   4799 640AC   1   6   EV0   DGQ     1   1   EZ0   DGQ     1   1   EV0   DG4,     DGQ     1   1   EK0   DG4,     DGQ     -8   SNAP RING, Transmission     4799 466   1   1   EZ0   DGQ     1   6   EZ0   DGQ     1   6   EV0   DG4,     DGQ     1   1   EK0   DG4,     DGQ     1   1   EK0   DG4,     DGQ     9   BLEED ORIFICE, Transmission     4799 086   1   1   EZ0   DGQ     1   6   EV0   DG4,     DGQ     1   1   EK0   DG4,     DGQ     1   1   EV0   DG4,     DGQ     1   1   EV0   DG4,     DGQ     1   1   EV0   DG4,     DGQ     1   1   EK0   DG4,     DGQ     1   1   EK0   DG4,     DGQ										
Table   Tabl			1	1			EK0			
4799 640AC								DGQ		
1   6   EZ0   DGQ     1   1   EZ0   DGQ     1   1   EV0   DG4,     DGQ     1   1   EK0   DG4,     DGQ     -8	7									SPRING, Low/Reverse Clutch Piston
1		4799 640AC								
1 1 EV0 DG4, DGQ  1 1 1 EK0 DG4, DGQ  -8 SNAP RING, Transmission  4799 466 1 1 1 EZ0 DGQ  1 6 EZ0 DGQ  1 1 6 EV0 DG4, DGQ  1 1 1 EV0 DG4, DGQ  9 EK0 DG4, DGQ  9 A799 086 1 1 1 EZ0 DGQ  1 6 EZ0 DGQ  1 6 EZ0 DGQ  BLEED ORIFICE, Transmission  8 EV0 DGQ  1 1 EZ0 DGQ  1 1 1 EZ0 DGQ			1							
DGQ										
1 1 EKO DG4, DGQ SNAP RING, Transmission  4799 466 1 1 1 EZO DGQ 1 6 EZO DGQ 1 6 EVO DGQ 1 1 1 EVO DG4, DGQ 9 4799 086 1 1 EZO DGQ 1 6 EZO DGQ 1 6 EZO DGQ 1 6 EXO DG4, DGQ 9 BLEED ORIFICE, Transmission  4799 086 1 1 EZO DGQ 1 6 EZO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EVO DG4, DGQ			1	1			EV0			
-8										
SNAP RING, Transmission   SNAP RING, Transmission			1	1			EK0			
4799 466   1   1   EZO DGQ     1   6   EZO DGQ     1   6   EVO DGQ     1   1   EVO DGQ     1   1   EVO DGQ     1   1   EKO DG4     DGQ     9   BLEED ORIFICE, Transmission     4799 086   1   1   EZO DGQ     1   6   EZO DGQ     1   6   EVO DGQ     1   1   EVO DG4     DGQ     1   1   EVO DG4     DGQ     1   1   EVO DG4     DGQ     1   1   EKO DG4     DGQ								DGQ		
1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 1 EV0 DG4,	-8									SNAP RING, Transmission
1 6 EV0 DGQ 1 1 1 EV0 DG4, DGQ  1 1 1 EK0 DG4, DGQ  9 BLEED ORIFICE, Transmission  4799 086 1 1 EZ0 DGQ 1 6 EZ0 DGQ 1 6 EV0 DGQ 1 6 EV0 DGQ 1 1 6 EV0 DGQ 1 1 1 EK0 DG4, DGQ		4799 466								
1 1 EV0 DG4, DGQ  1 1 1 EK0 DG4, DGQ  9 BLEED ORIFICE, Transmission  4799 086 1 1 EZ0 DGQ  1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 6 EV0 DGQ 1 1 1 EK0 DG4, DGQ										
DGQ										
1 1 EKO DG4, DGQ 9 BLEED ORIFICE, Transmission 4799 086 1 1 1 EZO DGQ 1 6 EZO DGQ 1 6 EVO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EKO DG4,			1	1			EVO			
9 BLEED ORIFICE, Transmission 4799 086 1 1 1 EZ0 DGQ 1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,										
9 BLEED ORIFICE, Transmission 4799 086 1 1 1 EZ0 DGQ 1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,			1	1			EK0			
4799 086 1 1 EZO DGQ 1 6 EZO DGQ 1 6 EVO DGQ 1 1 1 EVO DGQ 1 1 1 EKO DGQ								DGQ		DI EED ODIEIOE T
1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,	9	4700.000	,	,			F70	DOO		BLEED ORIFICE, Transmission
1 6 EV0 DGQ 1 1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,		4799 086								
1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4,										
			=							
1 1 EK0 DG4,			1	1			⊏VU			
							FICO			
DGQ			1	1			⊨KU			
								DGQ		

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART

NOTE; Sales   Codes	ve Body
Table   Transmission   Transmissio	ve Body
Table   Transmission   Transmissio	ve Body
DG4 = Multi - Speed Automatic Transmission 45RFE   EKO  = All 3.7L 6 Cylinder Engines   EVO  = All 4.7L Gas Engines	ve Body
[EK0] = All 3.7L 6 Cylinder Engines [EV0] = All 4.7L Gas Engines  [EZ0] = All 5.7L 8 Cylinder Engines  [EZ0] = All 5.7L 8 Cylinder Engines  1	ve Body
EVO  = All 4.7L Gas Engines	ve Body
EEZO  = All 5.7L 8 Cylinder Engines   SOLENOID PACKAGE, Value   SOLE	ve Body
1 5170 877AA 1 1 1 EZO DGQ 1 6 EZO DGQ 1 6 EZO DGQ 1 1 6 EVO DGQ DGQ DGQ 1 1 1 EKO DG4, DGQ DGQ VALVE BODY, Transfer Pl Valve  5166 834AA 1 6 EZO DGQ	ve Body
10 877AA 1 1 1 EZ0 DGQ 1 6 EZ0 DGQ 1 6 EV0 DGQ 1 1 1 EV0 DGA, DGQ 1 1 1 EK0 DGA, DGQ  VALVE BODY, Transfer Pl Valve  5166 834AA 1 6 EZ0 DGQ	
1 6 EZO DGQ 1 6 EVO DGQ 1 1 1 EVO DG4, DGQ 1 1 1 EKO DG4, DGQ VALVE BODY, Transfer Pl Valve  5166 834AA 1 6 EZO DGQ	
1 6 EV0 DGQ 1 1 1 EK0 DGQ DGQ DGQ VALVE BODY, Transfer Pi Valve  5166 834AA 1 6 EZ0 DGQ	
1 1 EV0 DG4, DGQ 1 1 1 EK0 DG4, DGQ  VALVE BODY, Transfer Pi Valve  5166 834AA 1 6 EZ0 DGQ	
DGQ 1 1 1 EK0 DG4,  DGQ  VALVE BODY, Transfer Pl Valve  5166 834AA 1 6 EZ0 DGQ	
1 1   EKO DG4,   DGQ	
2 VALVE BODY, Transfer Pl Valve 5166 834AA 1 6 EZ0 DGQ	
2 VALVE BODY, Transfer Pl Valve 5166 834AA 1 6 EZ0 DGQ	
Valve5166 834AA 1 6 EZ0 DGQ	ite and
5166 834AA 1 6 EZ0 DGQ	
1 1 EV0 DG4,	
$(12) \qquad (13) \qquad (14) \qquad (15) \qquad (16) \qquad (17) \qquad $	
DGO	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
9 PLATE, Manual Valve Car	
(13) 4799 654AC 1 6 EV0 DGQ	
1 6 F70 DG0	
5 1 1 EZO DGQ	
DGQ	
1 1 EKO DG4,	
8 SCREW, Shoulder/Truss, I	15x.
8x12.5	
6508 087AA 1 6 EV0 DGQ	
1 6 EZO DGQ	
1 1 EZO DGQ	
1 1 EV0 DG4,	
DGQ	
1 1 EKO DG4,	
DGQ	
SEAL, Clutch Feed	
(2)	

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI AR = Use as required -= Non illustrated part # = New this model year

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 778	3	6			EV0	DGQ		
		3	6			EZ0	DGQ		
		3	1			EZ0	DGQ		
		3	1			EV0	DG4,		
							DGQ		
		3	1			EK0	DG4,		
							DGQ		
6									DETENT, Valve Body
	4799 593	1	6			EV0	DGQ		
	52119 501AA	1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
7									BLEED ORIFICE, Transmission
	4799 086	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
		·	•			2.0	DGQ		
		1	1			EK0	DG4,		
		·	•			2.10	DGQ		
8							204		SPRING, Accumulator, Outer
Ū	4471 880	5	1			EZ0	DGQ		or raise, resummator, outer
	1171 000	5	6			EZ0	DGQ		
		5	6			EV0	DGQ		
		5	1			EV0	DG4,		
		J				LVO	DGQ,		
		5	1			EK0	DGQ DG4,		
		3	'			LINU	DG4, DGQ		
9							שטע		SPRING, Accumulator, Inner
9	4567 575	4	1			EZ0	DGQ		Or Mino, Accumulator, Illiel
	7001 010	4	6			EZ0	DGQ		
		4				EV0	DGQ		
		4	6 1			EV0	DGQ DG4,		
		4	ı			EVU	DG4, DGQ		
		1	4			EK0			
		4	1			ENU	DG4,		
40							DGQ		DALL Charle
10									BALL, Check


DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI







AR = Use as required -= Non illustrated part # = New this model year

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

1, 6 = 1500

H = SLT

L = ST


EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8

EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI

September 19, 2005

DGQ, DG4 = Multi-Speed Auto(45RFE)

DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						-	-		
	6503 232	7	1			EZ0	DGQ		
		7	6			EZ0	DGQ		
		7	6			EV0	DGQ		
		7	1			EV0	DG4,		
							DGQ		
		7	1			EK0	DG4,		
							DGQ		


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Parking Sprag [45RFE] [DGQ] [DG4] Figure 45RFE-720

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								




NOTE: 9	Sales Codes					
		atic Tra	nsmission 45RFE			_
	-		Transmission 45RFE			
	All 3.7L 6 Cylind					
	All 4.7L Gas Eng					
	All 5.7L 8 Cylind		nes			
1	,	J				SPRAG, Transmission Parking
	4799 493AB	1	6	EV0	DGQ	
		1	6	EZ0	DGQ	
		1	1	EZ0	DGQ	
		1	1	EV0	DG4,	
					DGQ	
		1	1	EK0	DG4,	
					DGQ	
2						SNAP RING, Transmission
	4799 704	1	1	EZ0	DGQ	
		1	6	EZ0	DGQ	
		1	6	EV0	DGQ	
		1	1	EV0	DG4,	
					DGQ	
		1	1	EK0	DG4,	
					DGQ	
3						PIN
	0456 636	1	1	EZ0	DGQ	
		1	6	EZ0	DGQ	
		1	6	EV0	DGQ	
		1	1	EV0	DG4,	
					DGQ	
		1	1	EK0	DG4,	
					DGQ	
4						SHAFT, Parking Pawl
	4799 450	1	6	EV0	DGQ	
		1	6	EZ0	DGQ	
		1	1	EZ0	DGQ	
		1	1	EV0	DG4,	
					DGQ	
		1	1	EK0	DG4,	
					DGQ	
5						PAWL, Parking Sprag
	4799 744AD	1	6	EV0	DGQ	
		1	6	EZ0	DGQ	

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Parking Sprag [45RFE] [DGQ] [DG4] Figure 45RFE-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
6									SPRING, Torsion
	4799 451	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
7									SNAP RING
	4799 313	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
8									GUIDE, Parking Sprag Pawl
	4799 774	1	6			EV0	DGQ		
		1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EV0	DG4,		
		_	_				DGQ		
		1	1			EK0	DG4,		
							DGQ		DOD D 1: 0
9	4700 044 45		,			F70	DOO		ROD, Parking Sprag
	4799 611AB	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
		4	4			FICO	DGQ		
		1	1			EK0	DG4,		
4.0							DGQ		CODEW Most 22
10	GEO.4 E.40	4	4			F <b>7</b> 0	DCC		SCREW, M6x1x30
	6504 548	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



### Parking Sprag [45RFE] [DGQ] [DG4] Figure 45RFE-720



		1							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
11									SNAP RING, Rod
	6035 256	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
12									LEVER, Shift Shaft
	4799 453	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		

DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Gearshift Controls [45RFE [DGQ] [DG4] Figure 45RFE-1210

7
2 4 6
3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; S	ales Codes								
[DG4] = N	Multi Speed Au	itomatic	Transmiss	sion 45RFE	Ē				
[DGQ] = 5	Speed Autom	atic Tra	ansmission	45RFE					
[EK0] = A	II 3.7L 6 Cylin	der Eng	jines						
[EV0] = A	II 4.7L Engine	s							
1	52107 847AG	1					DG4,		CABLE, Shift
							DGQ		
2	55366 749AA	. 1					DG4,		BRACKET, Shift Cable
							DGQ		
3	6101 758	2					DG4,		SCREW, Hex Head, M8x1.25x20
							DGQ		
4	52107 848AB	1					DG4,		LEVER, Manual Control
							DGQ		
5									NUT, Hex Flange Lock, M12x1.75,
									(NOT SERVICED) (Not Serviced)
6	0180 034	1				EW0	DG0		SCREW AND WASHER, Hex Head,
									.25-20x1.50
7									PLUG, Body, 1.75 Diameter, (NOT
									REQUIRED)
-8	6032 633	1							CLIP, Vent Tube, Shift Cable Routing

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### LR Clutch [45RFE] [DGQ] [DG4] Figure 45RFE-1310

LR CLU	TCH PA	CKAGE	05013091aa
			000 1000 1aa

	D-ring, external (L/R piston outer)
	D-ring, internal (L/R piston inner)
(6)	Plate, clutch separator (1.74mm thk)
(6)	Disc assy, clutch (L/R)
	Snap ring, flat (1.5/1.6 thk)
	Snap ring, flat (2.03/2.13 thk)
	Snap ring, flat (2.54/2.68 thk)
(2)	Retainer, c-clip

	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
					!						
NOTE;											
Sales Coc	les										
DG4]= M	ulti - Speed Ai	utomatio	c Transmis	sion 45RF	E						
DGQ]=5	Speed Automa	atic Trai	nsmission	45RFE							
EK0] = Al	I 3.7L 6 Cylind	der Eng	jines								
EV0] = All 4.7L Engines											
EZ0] = Al	I 5.7L 8 Cylind	der Eng	ines								
1									CLUTCH PACKAGE, Automatic		
									Transmission, Low/Reverse		
	5073 003AA	1	6			EV0	DGQ				
		1	6			EZ0	DGQ				
		1	1			EV0	DG4,				
						<b>-</b>	DGQ				
		1	1			EK0	DG4,				
		_	_			<b>57</b> 0	DGQ				
2		1	1			EZ0	DGQ		CLUTCH I /B Clutch		
-2	4799 457AB-	1	1			EZ0	DGQ		CLUTCH, L/R Clutch		
	4799 437AB-	1	6			EZ0	DGQ				
		1	6			EV0	DGQ				
		1	1			EV0	DGQ DG4,				
		•	•				DGQ				
		1	1			EK0	DG4,				
		-					DGQ				

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

#### 2&4 CLUTCH PACKAGE 05013087aa

TOT OF O	OIII MOINIGE GOOTGOOTAA
(2)	Disc assy, clutch (2nd clutch)
(2)	Plate, clutch separator
	D-ring, external (2nd outer)
	D-ring, internal (2nd inner)
	D-ring, internal (4th outer)
	D-ring, internal (4th inner)
(3)	Plate, clutch separator (4th clutch)
(3)	Disc assy, clutch (4th clutch)
	Snap ring (4th, 1.74/1.84 thk)
	Snap ring (4th, 2.15/2.25 thk)
	Snap ring (4th, 2.56/2.66 thk)

IIEM	NUMBER	QIY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sa	ales Codes								
[DG4]= M	ulti -Speed Au	tomatic	Transmiss	sion 45RFE					
[DGQ]=5	Speed Automa	atic Trai	nsmission	45RFE					
[EK0] = A	II 3.7L 6 Cylind	der Eng	ines						
[EV0] = A	II 4.7L Engines	6							
[EZ0] = A	II 5.7L 8 Cylind	der Eng	ines						
1									CLUTCH PACKAGE, Automatic
									Transmission, 2/4
	5013 087AC	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		
		1	1			EZ0	DGQ		
-2									PLATE, Transmission Clutch
									Reaction
	4799 687AB-	1	1			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6			EV0	DGQ		
		1	1			EV0	DG4,		
							DGQ		
		1	1			EK0	DG4,		
							DGQ		

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Input Clutch Plate [45RFE] [DGQ] [DG4] Figure 45RFE-1330

SELECTIVE THRUST PLATES	05013093aa	
INPUT CLUTCH THRUST PLATE PKG		/

<del>,,,, , , , , , , , , , , , , , , , , ,</del>	THROOFFEATETRO
	Thrust plate, input clutc 1.52 / 1.61
	Thrust plate, input clutc 1.66 / 1.75
	Thrust plate, input clutc 1.80 / 1.89
	Thrust plate, input clutc 1.94 / 2.03
	Thrust plate, input clutc 2.08 / 2.17
	Thrust plate, input clute 2:22//2/31
	Thrust plate, input clutc-2.36 / 2.45
	Thrust plate, input clute 2-50 / 2.59
****	Thrust plate, input clutc 2.64 / 2.73
	Thrust plate, input clutc 2.78 / 2.87
	Thrust plate, input clutc 2.92 / 3.01
·	Thrust plate, input clutc 3.06 / 3.15
	Thrust plate, input clutc 3.20 / 3.29
	Thrust plate, input clute 3.34 / 3.43
	Thrust plate, input clutc 3.62 / 3.71

ITEM	PART	ОТУ	LINE	ernice	BODY	ENGINE	TDANC	TDIM	DESCRIPTION				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
	NOTE; Sales Codes												
	[DG4]= Multi - Speed Automatic Transmission 45RFE												
	[DGQ]=5 Speed Automatic Transmission 45RFE [EK0] = All 3.7L 6 Cylinder Engines												
	[EV0] = All 3.7L 6 Cylinder Engines [EV0] = All 4.7L Engines												
			ines										
1	[EZ0] = All 5.7L 8 Cylinder Engines  1 PLATE PACKAGE, Input Clutch												
									Thrust				
	5013 093AA	1	6			EV0	DGQ						
		1	6			EZ0	DGQ						
		1	1			EV0	DG4,						
							DGQ						
		1	1			EK0	DG4,						
		4	4			F <b>7</b> 0	DGQ DGQ						
		1	1			EZ0	DGQ						

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500

L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### OVERHAUL [45RFE] [DGQ] [DG4] Figure 45RFE-1340

O/H seal/g	jasket package	05014221ac
	284 clutch packag	G
	input clutch packa	ge
	L/R clutch package	
	Sump filter & seal	package
	Cooler filter	
	fill tube seal	
	En pmp cover o-nr	ng/seal assy
	Rotating shaft sea	l,omp hsg
	Adapter seal, 4x4	
	Extension seal,4x2	2
	Manual lever seal	
(2)	Speed sensor sea	
	Reaction supt ring	seal
	Rev O/D clutch filt	
(10)	Accumulatornings	eal
(3)	Valve body seal	
	Check valve o-ring	
	Solenoid insulator	seai
	T/C seal	

ITEM	PART	ОТУ		OFFICE	BODY	ENGINE	TDANO	TDIM	DECORIDATION			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
NOTE; Sa												
	[DG4]= Multi - Speed Automatic Transmission 45RFE											
	Speed Automa			45RFE								
	I 3.7L 6 Cylin		jines									
	I 4.7L Engine											
	I 5.7L 8 Cyline	aer Eng	ines						OVERHALII DACKACE			
1									OVERHAUL PACKAGE, Transmission			
	5014 221AJ	1	6			EV0	DGQ		Hansinission			
-	3014 221/3	1	6			EZ0	DGQ					
		1	1			EV0	DGQ DG4,					
		•	•				DGQ					
		1	1			EK0	DG4,					
							DGQ					
		1	1			EZ0	DGQ					

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Input Clutch [45RFE] [DGQ] [DG4] Figure 45RFE-1350

TCH PACKAGE	05013090aa

INPUT CLUTCH	PACKAGE
	O-ring, large (2.62mm x 79.84 ID,gm)
	O-ring, small (2.62mm x 70.56 ID,red)
(2)	Seal, internal lip
(2)	Ring seal, I-shaft
	O-ring, piston inner (2.62mm x 93.54 ID)
(5)	Plate, clutch separator (1.74mm thk)
(4)	Disc assy, clutch (u/d clutch)
(4)	Disc assy, clutch (o/d clutch)
(3)	PLate, clutch separator (2.21mm thk, O/D)
(2)	Disc assy, clutch (rev clutch)
	Snap ring,tapered, internal butterfly end
	Snap ring, flat (1.5/1.6 thk)
	Snap ring, flat (1.80/1.90 thk)
	Snap ring, flat (2.15/2.25 thk)
	Piston & seal, underdrive
	Piston & seal, underdrive balance

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I LIVI	NOWBER	QII	LINE	JERIES	ВОВТ	LINGINE	INANO	1 IXIIVI	DESCRIPTION
OTE: Sa	les Codes								
	ulti - Speed A	utomati	c Transmis	ssion 45RF	E				
	Speed Autom			45RFE					
	II 3.7L 6 Cylin		jines						
	I 4.7L Engine I 5.7L 8 Cylin		ings						
_o <sub>]</sub>	1 0.7 L 0 Oyiii 1	aci Liig	11100						CLUTCH PACKAGE, Automatic
									Transmission, Input
	5013 090AC	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EV0	DG4, DGQ		
		1	1			EK0	DGQ DG4,		
		•	· ·				DGQ		
		1	1			EZ0	DGQ		

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500

L = ST

BODY

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART

SELECTIVE THRUST PLATES	
PLANETARY THRUST PLATE PKG	05013092aa

Thrust plate	e, planetary   1.62 / 1.75
Thrust plate	e, planetary   1.81 / 1.94
Thrust plate	e, planetary  1.96 / 2.09
Thrust plate	e, planetary   2.11 / 2.24
Thrust plate	e, planetary   2.26 / 2.39
Thrust plate	e, planetary   2.41 / 2.54
	e, planetary   2.56 / 2.69
Thrust platt	e, planetary 2.71 / 2.84
	e, planetary 2.86 / 2.99
Thrust plate	e, planetary 3.01 / 3.14
Thrust plate	e, planetary 3.16 / 3.29
Thrust plate	e, planetary 3.31 / 3.44
Thrust plate	e, planetary   3.46 / 3.59
Thrust plate	e, planetary   3.61 / 3.74
Thrust plate	e, planetary   3.76 / 3.89
Thrust plate	e, planetary   3.91 / 4.04
Thrust plate	e, planetary   4.06 / 4.19
Thrust plate	e, planetary   4.21 / 4.34
	e, planetary   4.36 / 4.49

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes				_				
	/Julti - Speed Au				E				
	Speed Automa			45RFE					
	All 3.7L 6 Cylind	_	ines						
	All 4.7L Engines								
	All 5.7L 8 Cylind	ier Eng	ines						DI ATE DAOKAGE Discretes These
1	5040 000AD		•			E) (0	<b>D</b> 00		PLATE PACKAGE, Planetary Thrus
	5013 092AB	1	6			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1			EV0	DG4,		
			ā			F1/0	DGQ		
		1	1			EK0	DG4,		
							DGQ		
		1	1			EZ0	DGQ		DIATE OLIVINITI
-2	4700 000 4 5		ā			<b></b>	500		PLATE, Clutch Hub Thrust
	4799 830AB-	AR	1			EZ0	DGQ		[1.94/2.03]
		AR	6			EZ0	DGQ		[1.94/2.03]
		AR	6			EV0	DGQ		[1.94/2.03]
		AR	1			EV0	DG4,		[1.94/2.03]
							DGQ		
		AR	1			EK0	DG4,		[1.94/2.03]
							DGQ		
	4799 831AB-	AR	1			EZ0	DGQ		[2.08/2.17]
		AR	6			EZ0	DGQ		[2.08/2.17]
		AR	6			EV0	DGQ		[2.08/2.17]
		AR	1			EV0	DG4,		[2.08/2.17]
							DGQ		
		AR	1			EK0	DG4,		[2.08/2.17]
							DGQ		
	4799 832AB-	AR	1			EZ0	DGQ		[2.22/2.31]
		AR	6			EZ0	DGQ		[2.22/2.31]
		AR	6			EV0	DGQ		[2.22/2.31]
		AR	1			EV0	DG4,		[2.22/2.31]
							DGQ		
		AR	1			EK0	DG4,		[2.22/2.31]
							DGQ		
	4799 833AB-	AR	1			EZ0	DGQ		[2.36/2.45]
		AR	6			EZ0	DGQ		[2.36/2.45]
		AR	6			EV0	DGQ		[2.36/2.45]
		AR	1			EV0	DG4,		[2.36/2.45]
							DGQ		

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



**SELECTIVE THRUST PLATES** 05013092aa **PLANETARY THRUST PLATE PKG** 

FLANLIANT HINOST FLATE FING	030 1303Za
Thrust plate, planetary	1.62 / 1.75
Thrust plate, planetary	1.81 / 1.94
Thrust plate, planetary	1.96 / 2.09
Thrust plate, planetary	2.11 / 2.24
Thrust plate, planetary	2.26 / 2.39
Thrust plate, planetary	2.41 / 2.54
Thrust plate, planetary	2.56 / 2.69
Thrust plate, planetary	2.71 / 2.84
Thrust plate, planetary	2.86 / 2.99
Thrust plate, planetary	3.01 / 3.14
Thrust plate, planetary	3.16 / 3.29
Thrust plate, planetary	3.31 / 3.44
Thrust plate, planetary	3.46 / 3.59
Thrust plate, planetary	3.61 / 3.74
Thrust plate, planetary	3.76 / 3.89
Thrust plate, planetary	3.91 / 4.04
Thrust plate, planetary	4.06 / 4.19
Thrust plate, planetary	4.21 / 4.34
Thrust plate, planetary	4.36 / 4.49

	PART								_
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		۸۵	4			FIG	DC 4		[0.00/0.45]
		AR	1			EK0	DG4,		[2.36/2.45]
	4700 924AD	۸۵	4			E <b>7</b> 0	DGQ		[2 50/2 50]
	4799 834AB-	AR	1			EZ0 EZ0	DGQ DGQ		[2.50/2.59]
		AR	6				DGQ		[2.50/2.59]
		AR	6			EV0	DGQ DG4,		[2.50/2.59]
		AR	1			EV0	•		[2.50/2.59]
		۸۵	4			FICO	DGQ		[2,50/2,50]
		AR	1			EK0	DG4,		[2.50/2.59]
	4700 00EAD		4				DGQ		[0.04/0.70]
	4799 835AB-	AR	1			EZ0	DGQ		[2.64/2.73]
		AR	6			EZ0	DGQ		[2.64/2.73]
		AR	6			EV0	DGQ DC4		[2.64/2.73]
		AR	1			EV0	DG4,		[2.64/2.73]
		۸۵	4			EI/O	DGQ DC4		[2.64/2.72]
		AR	1			EK0	DG4,		[2.64/2.73]
	4700 000 A D	۸۵	4			F <b>7</b> 0	DGQ		[2 70/2 07]
	4799 836AB-	AR	1			EZ0	DGQ		[2.78/2.87]
		AR	6			EZ0	DGQ		[2.78/2.87]
		AR	6			EV0	DGQ		[2.78/2.87]
		AR	1			EV0	DG4,		[2.78/2.87]
		A.D.				FICO	DGQ		FO 70/0 071
		AR	1			EK0	DG4,		[2.78/2.87]
	4700 007 A D	۸۵	4			F <b>7</b> 0	DGQ		[2.02/2.04]
	4799 837AB-	AR	1			EZ0	DGQ		[2.92/3.01]
		AR	6			EZ0	DGQ		[2.92/3.01]
		AR	6			EV0	DGQ DC4		[2.92/3.01]
		AR	1			EV0	DG4,		[2.92/3.01]
		۸۵	4			FICO	DGQ DC4		[2.02/2.04]
		AR	1			EK0	DG4,		[2.92/3.01]
2							DGQ		DI ATE Dispotent
-3	4700 04040	۸۵	4			F70	DCC		PLATE, Planetary
	4799 810AC-	AR	1			EZ0	DGQ		[2.26/2.39]
		AR	6			EZ0	DGQ		[2.26/2.39]
		AR	6			EV0	DGQ		[2.26/2.39]
		AR	1			EV0	DG4,		[2.26/2.39]
		۸.۵	4			FICO	DGQ		In 20/2 201
		AR	1			EK0	DG4,		[2.26/2.39]
	4700 044 40	۸.۵	4			F70	DGQ		FO 44/0 F 41
	4799 811AC-	AR	1			EZ0	DGQ		[2.41/2.54]
		AR	6			EZ0	DGQ		[2.41/2.54]
		AR	6			EV0	DGQ		[2.41/2.54]

DODGE RAM 1500 (DR)-SERIES LINE

H = SLTL = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





**SELECTIVE THRUST PLATES PLANETARY THRUST PLATE PKG** 05013092aa

1 6-7116-17-17-1	IIIIQOI I EATE I IQ	OUT TOTAL
	Thrust plate, planetary	1.62 / 1.75
	Thrust plate, planetary	1.81 / 1.94
	Thrust plate, planetary	1.96 / 2.09
	Thrust plate, planetary	2.11 / 2.24
	Thrust plate, planetary	2.26 / 2.39
	Thrust plate, planetary	2.41 / 2.54
	Thrust plate, planetary	2.56 / 2.69
	Thrust plate planetary	2.71 / 2.84
	Thrust plate planetary	2.86 / 2.99
	Thrust plate, planetary	3.01 / 3.14
	Thrust plate, planetary	3.16 / 3.29
	Thrust plate, planetary	3.31 / 3.44
	Thrust plate, planetary	3.46 / 3.59
	Thrust plate, planetary	3.61 / 3.74
	Thrust plate, planetary	3.76 / 3.89
	Thrust plate, planetary	3.91 / 4.04
	Thrust plate, planetary	4.06 / 4.19
	Thrust plate, planetary	4.21 / 4.34
	Thrust plate, planetary	4.36 / 4.49

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR	1			EV0	DG4,		[2.41/2.54]
							DGQ		
		AR	1			EK0	DG4,		[2.41/2.54]
							DGQ		
47	799 812AC-	AR	1			EZ0	DGQ		[2.56/2.69]
		AR	6			EZ0	DGQ		[2.56/2.69]
		AR	6			EV0	DGQ		[2.56/2.69]
		AR	1			EV0	DG4,		[2.56/2.69]
							DGQ		
		AR	1			EK0	DG4,		[2.56/2.69]
			,				DGQ		TO 74 (0.0.4)
47	799 813AC-	AR	1			EZ0	DGQ		[2.71/2.84]
		AR	6			EZ0	DGQ		[2.71/2.84]
		AR	6			EV0	DGQ		[2.71/2.84]
		AR	1			EV0	DG4,		[2.71/2.84]
							DGQ		
		AR	1			EK0	DG4,		[2.71/2.84]
	<b>.</b>						DGQ		
47	799 814AC-	AR	1			EZ0	DGQ		[2.86/2.99]
		AR	6			EZ0	DGQ		[2.86/2.99]
		AR	6			EV0	DGQ		[2.86/2.99]
		AR	1			EV0	DG4,		[2.86/2.99]
							DGQ		
		AR	1			EK0	DG4,		[2.86/2.99]
							DGQ		
47	799 816AC-	AR	1			EZ0	DGQ		[3.16/3.29]
		AR	6			EZ0	DGQ		[3.16/3.29]
		AR	6			EV0	DGQ		[3.16/3.29]
		AR	1			EV0	DG4,		[3.16/3.29]
							DGQ		
		AR	1			EK0	DG4,		[3.16/3.29]
							DGQ		
47	799 817AC-	AR	1			EZ0	DGQ		[3.31/3.44]
		AR	6			EZ0	DGQ		[3.31/3.44]
		AR	6			EV0	DGQ		[3.31/3.44]
		AR	1			EV0	DG4,		[3.31/3.44]
							DGQ		
		AR	1			EK0	DG4,		[3.31/3.44]
							DGQ		
47	799 818AC-	AR	1			EZ0	DGQ		[3.46/3.59]
		AR	6			EZ0	DGQ		[3.46/3.59]

DODGE RAM 1500 (DR)-SERIES LINE

H = SLTL = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





### **SELECTIVE THRUST PLATES** 05013092aa **PLANETARY THRUST PLATE PKG**

Thrust plate, planetary 1.62 / 1.75 Thrust plate, planetary 1.81 / 1.94 Thrust plate, planetary 1.96 / 2.09 Thrust plate, planetary 2.11 / 2.24 Thrust plate, planetary 2.26 / 2.39 Thrust plate, planetary 2.41 / 2.54 Thrust plate, planetary 2.56 / 2.69 Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99 Thrust plate, planetary 3.01 / 3.14
Thrust plate, planetary 1.96 / 2.09 Thrust plate, planetary 2.11 / 2.24 Thrust plate, planetary 2.26 / 2.39 Thrust plate, planetary 2.41 / 2.54 Thrust plate, planetary 2.56 / 2.69 Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99
Thrust plate, planetary 2.11 / 2.24 Thrust plate, planetary 2.26 / 2.39 Thrust plate, planetary 2.41 / 2.54 Thrust plate, planetary 2.56 / 2.69 Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99
Thrust plate, planetary 2.26 / 2.39 Thrust plate, planetary 2.41 / 2.54 Thrust plate, planetary 2.56 / 2.69 Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99
Thrust plate, planetary 2.41 / 2.54 Thrust plate, planetary 2.56 / 2.69 Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99
Thrust plate, planetary 2.56 / 2.69 Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99
Thrust plate, planetary 2.71 / 2.84 Thrust plate, planetary 2.86 / 2.99
Thrust plate, planetary 2.86 / 2.99
transcription of the control of the
Thrust plate, planetary 3.01 / 3.14
Thrust plate, planetary 3.16 / 3.29
Thrust plate, planetary 3.31 / 3.44
Thrust plate, planetary 3.46 / 3.59
Thrust plate, planetary 3.61 / 3.74
Thrust plate, planetary 3.76 / 3.89
Thrust plate, planetary 3.91 / 4.04
Thrust plate, planetary 4.06 / 4.19
Thrust plate, planetary 4.21 / 4.34
Thrust plate, planetary 4.36 / 4.49

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
			AR	6			EV0	DGQ		[3.46/3.59]
			AR	1			EV0	DG4,		[3.46/3.59]
								DGQ		
			AR	1			EK0	DG4,		[3.46/3.59]
								DGQ		
		4799 819AC-	AR	1			EZ0	DGQ		[3.61/3.74]
			AR	6			EZ0	DGQ		[3.61/3.74]
			AR	6			EV0	DGQ		[3.61/3.74]
			AR	1			EV0	DG4,		[3.61/3.74]
								DGQ		
			AR	1			EK0	DG4,		[3.61/3.74]
								DGQ		
		4799 843AC-	AR	1			EZ0	DGQ		[3.01/3.14]
			AR	6			EZ0	DGQ		[3.01/3.14]
			AR	6			EV0	DGQ		[3.01/3.14]
			AR	1			EV0	DG4,		[3.01/3.14]
								DGQ		
			AR	1			EK0	DG4,		[3.01/3.14]
								DGQ		

DODGE RAM 1500 (DR)-SERIES LINE H = SLTL = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB)42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB)

EXA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 FFV EWC = 8.3L V10 SFI 62 = Reg. Cab (140.5 WB)

**ENGINE** 

# Group – 48RE Automatic Transmission 4 Speed [DG8]




48RE-100	48RE-200	<b>48RE-300</b>	48RE-400
Transmission Assembly	Case and Extension	Oil Pump	Gear Train
			0.0000 0.0000
48RE-500	48RE-700	48RE–1000	48RE-1200
Bands, Reverse and Kickdown	Valve Body	Overdrive Gear Train	Gearshift Controls

#### **GROUP 48RE - Automatic Transmission 4 Speed [DG8]**

Illustration Title	Group-Fig. No.
Transmission Assembly Transmission Assembly [48RE] [DG8]	Fig. 48RE-110
Case and Extension Case and Related Parts [48RE] [DG8]	Fig. 48RE-210 Fig. 48RE-220
Oil Pump Pump, Oil With Reaction Shaft [48RE] [DG8]	Fig. 48RE-310
Gear Train Clutch, Front and Rear With Gear Train [48RE] [DG8]	Fig. 48RE-410 Fig. 48RE-420 Fig. 48RE-430
Bands, Reverse and Kickdown Bands, Reverse and Kickdown [48RE] [DG8]	Fig. 48RE-510
Valve Body Valve Body [48RE] [DG8]	Fig. 48RE-710
Overdrive Gear Train Clutch, Overdrive [48RE] [DG8]	Fig. 48RE-1010
Gearshift Controls Gearshift Controls	Fig. 48RE-1210

#### **Transmission Assembly [48RE] [DG8]** Figure 48RE-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: S	Sales Codes								
[DG8]=4 S	Speed Automa	tic Trar	smission						
[EWC]= 8	.3 L V 10 SFI								
1	5142 998AA	1	1			EWC	DG8		TRANSMISSION PACKAGE,
									52854240AA[ Package Contains
									52854240AA Transmission,
									52118506AB Converter,K6033439
									Screw]
2	52854 215AA	1	1			EWC	DG8		OVERDRIVE





DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Case and Related Parts [48RE] [DG8] Figure 48RE-210





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	5093 524AA-	1	1			EWC	DG8		OVERHAUL PACKAGE,
									Transmission
-2	5093 523AA-	1	1			EWC	DG8		SEAL AND GASKET PACKAGE,
									Transmission
3	5211 7614	1				EW0	DG8		COVER, Transmission Case
4	53032 630AC	1					DG8		TUBE, Transmission Oil Filler
5	52118 629AB	1					DG8		SEAL, Oil Filler Tube
6	53032 605AB	1					DG8		INDICATOR, Transmission Fluid
									Level
7	3681 601	1	1			EWC	DG8		MAGNET, Transmission
8	2464 324AC	1	1			EWC	DG8		GASKET, Oil Pan
9	52118 780AD	1	1			EWC	DG8		PAN, Transmission Oil
10	6036 402AA	14	1			EWC	DG8		SCREW
11	4428 472	1					DG8		COVER, Transmission Dust
12	0154 596	3					DG8		SCREW
13	6036 115AA	1	1			EWC	DG8		SCREW
14	56045 489AC	1	1			EWC	DG8		SWITCH, Neutral, Safety, Back Up
15	5019 705AA	1	1			EWC			O RING
16	6028 095	1	1			EWC	DG8		PLUG, Pressure Check
17	52854 225AA	1	1			EWC	DG8		CASE, Transmission
18	4800 879	1	1			EWC	DG8		SENSOR, Transmission Output
									Speed
19	6501 658AB	1	1			EWC	DG8		O RING, Trans Speed Sensor
20	5211 8181	2	1			EWC	DG8		CLIP

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Extension [48RE] [DG8] Figure 48RE-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5143 635AA	1	1			EWC	DG8		EXTENSION, Transmission
2	52854 126AA	1	1			EWC	DG8		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not
									Serviced)
4	2466 957	1	1			EWC	DG8		COVER, Transmission Converter
5	2801 398	1	1			EWC	DG8		GASKET, Transmission
6	4471 565	1	1			EWC	DG8		GASKET, Overdrive Piston Retainer
7	6036 046AA	7	1			EWC	DG8		SCREW, Hex Flange Head, .375-
									16x1.38
									·




DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Pump, Oil With Reaction Shaft [48RE] [DG8] Figure 48RE-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Sales Codes								
	Speed Automa	tic Tran	smission						
	8.3 L V 10 SFI								
-1	5093 554AA-	1	1			EWC	DG8		GASKET AND SEAL PACKAGE,
									Transmission Oil Pump
2	4531 225	1	1			EWC	DG8		SEAL, Impeller Hub, 57.25mm OD
3	1942 021	1	1			EWC	DG8		SEAL, Front Pump Housing
4									HOUSING, Pump, (NOT SERVICED)
									(Not Serviced)
5									ROTOR, Oil Pump, (NOT
									SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT
									SERVICED) (Not Serviced)
7									SHAFT, Oil Pump, (NOT
									SERVICED) (Not Serviced)
8									BUSHING, (NOT SERVICED) (Not
									Serviced)
9									BUSHING, (NOT SERVICED) (Not
									Serviced)
10	0179 815	6	1			EWC	DG8		SCREW, Hex Head, .312-18x.687
11	4028 377	1	1			EWC	DG8		GASKET, Transmission Oil Pump
12	3420 087	1	1			EWC	DG8		BAFFLE PACKAGE, Pump
13	4617 161	1	1			EWC	DG8		THRUST WASHER, Front Clutch
14	3743 689	2	1			EWC	DG8		SEAL, Reaction Shaft
15	6023 943	7	1			EWC	DG8		SCREW AND WASHER, Hex Flange
									Head, .312-18x1.375
-16	6036 402AA-	14	1			EWC	DG8		SCREW
17	0104 918	2	1			EWC	DG8		BALL, Valve Body Check
18	0147 486	3	1			EWC	DG8		BALL, .625 Diameter
19	52854 025AA	1	1			EWC	DG8		SEAL, Reaction Shaft

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-				-				
NOTES:	Sales Codes								
[DG8]=4	Speed Automat	tic Tran	smission						
[EWC]= 8	3.3 L V 10 SFI								
-1	4637 078AB-	1	1			EWC	DG8		SEAL PACKAGE, Transmission
									Clutch
2	52854 151AA	1	1			EWC	DG8		RETAINER, Clutch
3	4058 647	7	1			EWC	DG8		BUSHING, Front Clutch
-4	0147 483	7	1			EWC	DG8		CHECK BALL, Dia187
5	52852 922AA	7	1			EWC	DG8		SEAL, Front Clutch Piston
6	52852 924AA	7	1			EWC	DG8		SEAL, Front Piston Clutch
7	2464 651AB	7	1			EWC	DG8		PISTON, Clutch
-8	0147 483	7	1			EWC	DG8		CHECK BALL, Dia187
9	2801 243	9	1			EWC	DG8		SPRING, Front Clutch
10	2801 949	7	1			EWC	DG8		RETAINER, Transmission
-11	0147 483	7	1			EWC	DG8		CHECK BALL, Dia187
12	2124 824	7	1			EWC	DG8		SNAP RING
13	52118 812AA	3	1			EWC	DG8		PLATE, Clutch Separator
14	3410 570	7	1			EWC	DG8		SNAP RING
15	4617 567	7	1			EWC	DG8		PLATE, Transmission Clutch
									Reaction
16	4617 201AB	5	1			EWC	DG8		DISC, Direct Clutch
17	3743 624AB	1	1			EWC	DG8		PISTON, Clutch
-18	0147 483	1	1			EWC	DG8		CHECK BALL, Dia187
19	1942 054	1	1			EWC	DG8		SEAL, Rear Clutch Piston
20	2124 835	1	1			EWC	DG8		SEAL, Rear Clutch Piston
21	4505 186	1	1			EWC	DG8		THRUST WASHER, Output Sha
									Red .068
22	4617 855AB	1	1			EWC	DG8		RETAINER, Transmission
-23	4058 443	1	1			EWC	DG8		SEAL, Rear Clutch Retainer
24	4617 161	1	1			EWC	DG8		THRUST WASHER, Front Clutch
25	4617 396	7	1			EWC	DG8		INPUT SHAFT, Transmission
26	1942 063	1	1			EWC	DG8		SNAP RING
27	4617 418AC	2	1			EWC	DG8		SEAL, Input Shaft
28	52854 149AA	1	1			EWC	DG8		RETAINER, Rear Clutch
29	52854 030AA	4	1			EWC	DG8		DISC, Clutch
30	3743 621AB	1	1			EWC	DG8		SPRING, Rear Clutch Piston
31	3515 077	1	1			EWC	DG8		SPACER, Rear Clutch Piston
32	2466 806	1	1			EWC	DG8		SPRING, Rear Clutch
33	2466 803	1	1			EWC	DG8		PLATE, Clutch Pressure
34	52118 812AA	3	1			EWC	DG8		PLATE, Clutch Separator
									•

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410

PART



ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

62 = Reg. Cab (140.5 WB)

TRIM

**SNAP RING** 

[.060/.063]


[.074/.076]

[.088/.090]

[.103/.108]

DESCRIPTION

#### Gear Train and Intermediate Shaft [48RE] [DG8] Figure 48RE-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Sales Codes								
[DG8]=4	Speed Automa	tic Tran	smission						
[EWC]=	8.3 L V 10 SFI								
1	6024 312	1	1			EWC	DG8		SNAP RING, 1.108 Free Diameter
2	52854 137AA	1	1			EWC	DG8		CARRIER, Planetary Pinion
3	52854 039AA	1	1			EWC	DG8		THRUST WASHER, Planetary
									Carrier
4	52854 038AA	1	1			EWC	DG8		BUSHING, Support Case
5	52854 043AA	1	1			EWC	DG8		GEAR, Front Annulus
6	4618 000	1	1			EWC	DG8		WASHER
7	1736 521	2	1			EWC	DG8		SNAP RING, Sun Gear
8	52854 048AA	1	1			EWC	DG8		GEAR, Sun
9	52854 056AA	1	1			EWC	DG8		SHELL, Sun Gear
10	4617 611	1	1			EWC	DG8		INTERMEDIATE SHAFT,
									Transmission
11	4505 188	1	1			EWC	DG8		PLATE, Transmission Module
12	52854 101AA	1	1			EWC	DG8		PLATE, Sun Gear Driving Shell
13	1736 521	2	1			EWC	DG8		SNAP RING, Sun Gear
14	52854 039AA	1	1			EWC	DG8		THRUST WASHER, Planetary
									Carrier
15	52854 137AA	1	1			EWC	DG8		CARRIER, Planetary Pinion
16	4740 774	1	1			EWC	DG8		PLATE PACKAGE, Transmission
									Module
-17	52854 039AA	- 1	1			EWC	DG8		THRUST WASHER, Planetary
									Carrier
18	52854 074AA	1	1			EWC	DG8		GEAR, Rear Annulus
19	1942 063AB	1	1			EWC	DG8		SNAP RING
20	52854 076AA	2	1			EWC	DG8		WASHER, Thrust
21	5211 8057	1	1			EWC	DG8		DRUM, Automatic Transmission
22	5211 8059	1	1			EWC	DG8		THRUST WASHER, Reverse Drun
23	2204 649	12	1			EWC	DG8		THRUST WASHER, Planet Pinion
24	3743 664	138	1			EWC	DG8		ROLLER, Front and Rear Pinion
25	2400 667	6	1			EWC	DG8		PINION, Transmission Planetary
26	4428 223	6	1			EWC	DG8		SHAFT, Planetary
27	6024 666	6	1			EWC	DG8		DOWEL, .108x1.00
28	4471 473	1	1			EWC	DG8		CAM, Overrunning Clutch
29	4617 199	1	1			EWC	DG8		CLUTCH, Overrunning

DODGE RAM 1500 (DR)-SERIES LINE

H = SLTL = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Output Shaft [48RE] [DG8] Figure 48RE-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4.1					1		
NOTES:	Sales Codes								
[DG8]=4	Speed Automa	tic Trar	nsmission						
[EWC]= 8	3.3 L V 10 SFI	n							
1	5003 233AA	1	1			EWC	DG8		OUTPUT SHAFT, Transmission
2									BUSHING, (NOT REQUIRED)
3									BUSHING, (NOT REQUIRED)
4	4461 008	1	1			EWC	DG8		BEARING, Output Shaft
5	4461 068	1	1			EWC	DG8		SNAP RING
6	4461 057	1	1			EWC	DG8		SNAP RING




DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Bands, Reverse and Kickdown [48RE] [DG8] Figure 48RE-510







KICKDOWN BAND

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Sales Codes								
[DG8]=4	Speed Automa	tic Tran	smission						
[EWC]=	8.3 L V 10 SFI								
1	6030 657	2	1			EWC	DG8		O RING, Steering Gear
2	4531 181	1	1			EWC	DG8		SHAFT, Band Lever
3	0114 942	1	1			EWC	DG8		NUT, Hex, .375-24
4	4531 226AB	1	1			EWC	DG8		LEVER, Reverse Band
5	4531 231	1	1			EWC	DG8		BAND, Reverse
6	2538 472	1	1			EWC	DG8		SCREW, Trans Reverse Band
									Adjusting, .375-24-1.88
7	52854 077AA	1	1			EWC	DG8		LEVER, Kickdown
8	4531 181	1	1			EWC	DG8		SHAFT, Band Lever
9	52854 181AA	1	1			EWC	DG8		STRUT, Kickdown Band
10	3743 338	1	1			EWC	DG8		ANCHOR, Kickdown Band
11	6036 115AA	1	1			EWC	DG8		SCREW
12	52854 253AA	1	1			EWC	DG8		BAND, Kickdown
13	0124 934	1	1			EWC	DG8		NUT, Hex Jam, .50-20

DODGE RAM 1500 (DR)-SERIES LINE


H = SLTL = ST

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Valve Body [48RE] [DG8] **Figure 48RE-710**

**PART** 



### Valve Body [48RE] [DG8] Figure 48RE-710




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	4723 549	1	1			EWC	DG8		O RING PACKAGE, Valve Body,
									Transmission
30	4617 210	1	1			EWC	DG8		SOLENOID, Transmission Governor
-31	3878 313	1	1			EWC	DG8		SCREEN, Transmission Regulator
									Valve
-32	52854 134AA	- 1	1			EWC	DG8		PLATE, Transmission Valve Body
-33	4130 169AB-	1	1			EWC	DG8		VALVE, Regulator
34	5211 8262	1	1			EWC	DG8		BALL, Check
-35	0179 798	3	1			EWC	DG8		BOLT, .25-20

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Clutch, Overdrive [48RE] [DG8] Figure 48RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	HOHIDEK	ا نها	LINE	OLIVIES	1 5051	LINGINE	INANO	LINIW	DEGGRIF HON
NOTES:	Sales Codes								
	Speed Automa	tic Tran	smission						
_	8.3 L V 10 SFI	illo IIai	101111001011						
1	4740 774	1	1			EWC	DG8		PLATE PACKAGE, Transmission
•	17 10 77 1	•	•			_,,,	200		Module
2									BEARING, (NOT SERVICED) (Not
_									Serviced)
3	5015 107AA	1	1			EWC	DG8		GEAR, Overdrive Sun
4	0010 107701	•	•			_,,,	200		BUSHING, (NOT SERVICED) (Not
•									Serviced)
5	5093 158AA	1	1			EWC	DG8		CARRIER, O/Drive Planet Pinion
6	4461 124	1	1			EWC	DG8		RACE, Overrunning Clutch
7	4461 014	1	1			EWC	DG8		THRUST BEARING, Ovedrive Third
•	1101 011	•	•						Position
8	4461 015	1	1			EWC	DG8		CLUTCH, Overdrive Overrunning
9	5093 157AA	1	1			EWC	DG8		GEAR, Overdrive Annulus
10	4461 059	1	1			EWC	DG8		SNAP RING, 5.25 OD
11	4461 060	2	<del>'</del>			EWC	DG8		SNAP RING, 6.00 OD
12	4461 089	1	1			EWC	DG8		DRUM, Automatic Transmission
13	4461 063	1	1			EWC	DG8		SNAP RING, 2.1875 OD
14	4461 032	1	1			EWC	DG8		SPRING, Direct Clutch
15	4461 072	<u>·</u> 1	<u>·</u> 1			EWC	DG8		HUB, Direct Clutch
16	4446 724	1	1			EWC	DG8		THRUST BEARING, Overdrive
17	4461 030	1	1			EWC	DG8		PLATE, Transmission Clutch
		·	•				200		Reaction
18	5093 167AA	12	1			EWC	DG8		DISC, Direct Clutch
19	5093 168AA	11	1			EWC	DG8		DISC, Direct Clutch
20	4461 183	1	1			EWC	DG8		PLATE, Pressure
21	4461 032	1	1			EWC	DG8		SPRING, Direct Clutch
22	4461 064	1	1			EWC	DG8		SNAP RING, 1.875" OD
23	4412 583	1	1			EWC	DG8		FILTER, Overdrive Clutch
24	5211 7975	1	1			EWC	DG8		RETAINER, Transmission O/Drive
									Clutch Piston
25	5211 8599	1	1			EWC	DG8		PISTON, Overdrive Clutch
26	0152 796	6	1			EWC	DG8		SCREW, .25-20
27	4431 697	1	1			EWC	DG8		SEAL, Overdrive Clutch Piston
28									SEAL, Overdrive Clutch Piston
	4431 697	1	1			EWC	DG8		Inner
	4617 352	1	1			EWC	DG8		Outer
29									PLATE, Transmission O/Drive Cluto
	4431 585	1	1			EWC	DG8		[.123'125': Thick]

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Clutch, Overdrive [48RE] [DG8] Figure 48RE-1010



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 586	1	1			EWC	DG8		[.153'-315': Thick]
	4431 587	1	1			EWC	DG8		[.183'185': Thick]
	4431 588	1	1			EWC	DG8		[.213'215': Thick]
	4431 590	1	1			EWC	DG8		[.243'245': Thick]
	4431 731	1	1			EWC	DG8		[.138'140': Thick]
	4431 732	1	1			EWC	DG8		[.168'170': Thick]
	4431 733	1	1			EWC	DG8		[.198'200': Thick]
	4431 734	1	1			EWC	DG8		[.288'230': Thick]
	4431 735	1	1			EWC	DG8		[.108'110': Thick]
30	4431 916	1	1			EWC	DG8		SPACER, Intermediate Shaft, 1.
									58mm
-31	4431 917	1	1			EWC	DG8		SPACER, Intermediate Shaft, .175
-32	4431 918	1	1			EWC	DG8		SPACER, Intermediate Shaft, .193
-33	4431 919	1	1			EWC	DG8		SPACER, Intermediate Shaft, .211
34	4461 082	1	1			EWC	DG8		SNAP RING, Overdrive Clutch
35	4461 030	1	1			EWC	DG8		PLATE, Transmission Clutch
									Reaction
36	4461 181	5	1			EWC	DG8		DISC, Direct Clutch
37	4461 047	5	1			EWC	DG8		PLATE, Transmission Clutch
									Reaction
38	4461 032	1	1			EWC	DG8		SPRING, Direct Clutch
39	4461 065	1	1			EWC	DG8		SNAP RING, 6.50 OD

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Gearshift Controls Figure 48RE-1210**

7

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Sales Codes								
[DG8] =	Four Speed Au	tomatic	Transmiss	ion [48RE	]				
1	52107 846AG	1					DG8		CABLE, Shift
2	52107 845AC	1					DG8		BRACKET, Shift Cable
3	0154 261	1					DG8		BOLT
4	6502 697	2	1, 2, 3, 6						NUT, Hex Flange Lock, M12x1.75
5	52107 678AB	1					DG8		LEVER, Manual Control
6	6022 245	1					DG8		SCREW AND WASHER
7									PLUG, Body, 1.75 Diameter, (NOT
									SERVICED) (Not Serviced)


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Group – GET238

### **Getrag Manual Transmission 6 Speed**





GET238–100 Transmission Assembly	GET238–200 Case and Extension	GET238-400 Gear Train	GET238-900 Fork and Rails
		9.000 9.000	The state of the s
GET238-1200 Gearshift Controls			


#### **GROUP GET238 - Getrag Manual Transmission 6 Speed**

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly [DEJ]	Fig. GET238-110
Transmission Mounting [DEJ]	Fig. GET238-120
Structural Collar [DEJ]	Fig. GET238-130
Case and Extension	
Transmission Case, Extension & Related Parts [DEJ]	Fig. GET238-210
Gear Train	
Input & Output Shaft [DEJ]	Fig. GET238-410
Counter Shaft	Fig. GET238-420
Reverse Idler Gear	Fig. GET238-430
Fork and Rails	
Shift Tower, Fork & Rails	Fig. GET238-910
Gearshift Controls	
Gearshift Control	Fig. GFT238-1210

### **Transmission Assembly [DEJ]** Figure GET238-110







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Cod		_		0001					
	peed Manual 3.7L V-6 Engi		ission - [G	-238]					
	1.7L V-6 Engi 1.7L V-8 Engi								
1	i.i.e v o Engi	1100							TRANSMISSION, 6 speed
	52104 710AB	1	1			EK0,	DEJ		,
						EV0			
	52104 711AB	1	6			EK0,	DEJ		
						EV0			
•									

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Transmission Mounting [DEJ]** Figure GET238-120

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Co	odos:								
	Speed Manual	Transm	ission - [G	:-2381					
	I 3.7L V-6 Eng		11331011 - [C	i-230j					
_	I 4.7L V-8 Eng								
1	2 7 5 2.1.9								SCREW, [.437-14X3.50], (NOT
									SERVICED) (Not Serviced)
2	6028 758	2				EKG,	DBB		WASHER, Coned, .480x.885x.121
						EV0			, ,
3	1122 532	2				EK0,			DOWEL, Block To Clutch Housing
						EV0			
4	6022 266	4				EKO,	DBB		SCREW, Hex Head, .375-16x1.5
						EV0			

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Structural Collar [DEJ]** Figure GET238-130

Trace Collins
3
(4) (5)

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEIVI	NOWBER	QII	LINE	SERIES	ВООТ	ENGINE	IRANS	I KIIWI	DESCRIPTION
NOTE:									
Sales Co	dos:								
	Speed Manual	Transm	niesion - [G	-2381					
	3.7L V-6 Engi		11331011 - [C	1-200]					
	4.7L V-8 Engi								
<u>[⊏ ₹ 0]—</u> ; (ii)	52107 753AC					EKG,	DBB		COVER, Transmission Case
•	02101 100/10	•				EV0			oo varx, manerineeren oaee
2	6023 092	1				EKG,	DBB		SCREW AND WASHER, Hex Head
_		-				EVA			.25-20x.50
3	6506 860AA	2	1			EKG,	DEJ		SCREW AND WASHER, Hex Head
						EV0			M10x1.5x50
4	6101 985	6				EK0,	DBB		SCREW AND WASHER, M10x1.
						EV0			50x45.00
5	5302 0974	1				EV0	DBB		COVER, Bedplate
6	53021 283AA	1				EK0	DBB		COVER, Engine


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Transmission Case, Extension & Related Parts [DEJ]** Figure GET238-210


**PART** 




### Transmission Case, Extension & Related Parts [DEJ] Figure GET238-210




### Transmission Case, Extension & Related Parts [DEJ] Figure GET238-210



### Transmission Case, Extension & Related Parts [DEJ] Figure GET238-210



### **Transmission Case, Extension & Related Parts [DEJ]** Figure GET238-210




		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	1			EK0,	DEJ		
_							EV0			
	34									PIN
		5143 842AA	2	6			EK0,	DEJ		
							EV0			
			2	1			EK0,	DEJ		
							EV0			
	35									SEAL, Oil
		5143 845AA	1	6			EK0,	DEJ		
							EV0			
			1	1			EK0,	DEJ		
							EV0			
_	36	5143 933AA	1	6			EK0,	DEJ		NUT, Flange
							EV0			
	37	5143 932AA	1	1			EK0,	DEJ		SCREW
							EV0			
	38									SCREW, Hex Head, M8
		5143 839AA	13	6			EK0,	DEJ		
							EV0			
			13	1			EK0,	DEJ		
							EV0			
	39	5143 931AA	1	1			EK0,	DEJ		FLANGE, Output
							EV0			

DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							•		
NOTE:									
Sales Co									
	Speed Manual		nission - [G	i-238]					
	3.7L V-6 Engi								
	4.7L V-8 Engi	nes							
1									SEAL, Oil
	5143 832AA	1	1			EK0,	DEJ		
			•			EV0	55.		
		1	6			EK0,	DEJ		
_						EV0			
2	5440 0504A					E140	55.		SNAP RING
	5143 852AA	1	1			EK0,	DEJ		
						EV0	DEI		
		1	6			EK0,	DEJ		
3						EV0			DEADING Dall
3	5143 604AA	4	4			EK0,	DEJ		BEARING, Ball
	5143 604AA	1	1			EV0,	DEJ		
		1	6			EKO,	DEJ		
		'	U			EV0,	DEJ		
4						LVU			PLATE
	5143 605AA	1	1			EK0,	DEJ		1 2/112
	0.10 000/11	•	•			EV0	220		
		1	6			EK0,	DEJ		
						EV0			
5									SCREW
	5143 606AA	12	1			EK0,	DEJ		
						EV0			
		12	6			EK0,	DEJ		
						EV0			
6									SHAFT, Input
	5143 849AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
7									BEARING, Pilot
	5143 851AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
8									CLUTCH

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	ITEM	PART	ОТУ	LINE	SEDIES	BODY	ENCINE	TRANC	TDIM	DESCRIPTION
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5143 850AA	1	1			EK0,	DEJ		
		0110 000701	<u> </u>				EV0	DLO		
			1	6			EK0,	DEJ		
							EV0			
	9									SNAP RING
		5143 869AA	1	1			EK0,	DEJ		
				•			EV0	DE I		
			1	6			EK0, EV0	DEJ		
	10						EVU			CLUTCH
		5143 862AA	1	1			EK0,	DEJ		0201011
		0.1000=/21	·	•			EV0			
			1	6			EK0,	DEJ		
							EV0			
	11									SYNCHRONIZER, Fifth and Sixth
		5143 923AA	1	1			EK0,	DEJ		
							EV0			
			1	6			EK0,	DEJ		
	40						EV0			CEAD Civel
	12	5143 857AA	1	1			EK0,	DEJ		GEAR, Sixth
		3143 037 AA					EV0	DLJ		
			1	6			EKO,	DEJ		
							EV0			
	13									BEARING, BEARING-NEEDLE
-		5143 866AA	1	1			EK0,	DEJ		
							EV0			
			1	6			EK0,	DEJ		
	4.4						EV0			OLIVET O 4 4
	14	5143 871AA	4	4			FKO	חרו		SHAFT, Output
		5143 871AA	1	1			EK0, EV0	DEJ		
		5143 872AA	1	6			EKO,	DEJ		
		0140 072701	'				EV0	DLO		
	15									BEARING
		5143 920AA	1	1			EK0,	DEJ		
							EV0			
			1	6			EK0,	DEJ		
							EV0			
	16									BEARING, BEARING-NEEDLE

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5143 863AA	2	1			EK0,	DEJ		
	3143 003AA					EV0	DLJ		
		2	6			EK0,	DEJ		
						EV0			
17									GEAR, Second
	5143 858AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
40						EV0			OVAIOUDONIIZED E
18	E142 024 A A	4	4			FKO	DET		SYNCHRONIZER, First and Second
	5143 924AA	1	1			EK0, EV0	DEJ		
		1	6			EKO,	DEJ		
		'				EV0	DLU		
19									SNAP RING
	5143 870AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
20									BEARING, BEARING-NEEDLE
	5143 864AA	1	1			EK0,	DEJ		
		4	0			EV0	DET		
		1	6			EK0, EV0	DEJ		
21						EVU			GEAR, First
۷۱	5143 859AA	1	1			EK0,	DEJ		GLAIX, Filst
	0.10 000/1/	•	•			EV0	220		
		1	6			EK0,	DEJ		
						EV0			
22									RING
	5143 930AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
23	54.40.004.A.A					FIG	DE I		GEAR, Reverse
	5143 861AA	1	1			EK0,	DEJ		
		1	6			EV0 EK0,	DEJ		
		ı	U			EVO,	DEJ		
24						LVO			SYNCHRONIZER, Reverse
4									OTTOTIKONIZEK, KOVCISC

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5143 925AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
25									BEARING, Ball
	5143 843AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Counter Shaft** Figure GET238-420

2 3 14 15 16 18 17	
19 17	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales Codes:								
DEJ]=6	Speed Manual	Transm	nission - [G	i-238]					
EK0]=Al	l 3.7L V-6 Engi	nes							
EV0]=AI	l 4.7L V-8 Engi	nes							
1									BEARING, Ball
	5143 607AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
2									PLATE
	5143 609AA	2	1			EK0,	DEJ		
		_				EV0			
		2	6			EK0,	DEJ		
•						EV0			CODEW
3	E4.40.000.4.4	40	4			FIG	DEI		SCREW
	5143 606AA	12	1			EK0,	DEJ		
		40				EV0	DET		
		12	6			EK0,	DEJ		
4						EV0			PLUG
4	5143 929AA	1	1			EK0,	DEJ		PLUG
	3143 929AA	'	ı			EV0	DEJ		
		1	6			EKO,	DEJ		
		'	U			EV0	DLJ		
5						LVO			GEAR
	5143 928AA	1	1			EK0,	DEJ		<u>GE/III</u>
	0110020701	•	•			EV0	DLO		
		1	6			EK0,	DEJ		
		•	· ·			EV0			
6									GEAR, Sixth
	5143 927AA	1	1			EK0,	DEJ		•
						EV0			
		1	6			EK0,	DEJ		
						EV0			
7									BEARING, BEARING-NEEDLE
	5143 867AA	1	1			EK0,	DEJ		[42X47X34MM]
						EV0			-
		1	6			EK0,	DEJ		[42X47X34MM]
						EV0			
8									GEAR, Third

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Counter Shaft** Figure GET238-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5143 856AA	1	11			EK0,	DEJ		
			_			EV0			
		1	6			EK0,	DEJ		
9						EV0			SNAP RING
9	5143 868AA	1	1			EK0,	DEJ		SNAF KING
	3143 000/7/	•				EV0	DLO		
		1	6			EK0,	DEJ		
			-			EV0			
10									SYNCHRONIZER, Third and Fourth
	5143 922AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
11									GEAR, Fourth
	5143 855AA	1	1			EK0,	DEJ		
		1	6			EV0	DEJ		
		Į	0			EK0, EV0	DEJ		
12						LVO			BEARING, BEARING-NEEDLE
12	5143 854AA	1	1			EK0,	DEJ		[45x50x37MM]
		•	<u>-</u>			EV0			[]
		1	6			EK0,	DEJ		[45x50x37MM]
						EV0			
13									SHIELD, Transmission
	5143 836AA	1	6			EK0,	DEJ		
						EV0			
		1	1			EK0,	DEJ		
14						EV0			PLATE
14	5143 938AA	2	6			EKO,	DEJ		PLATE
	3143 936AA	2	O			EV0,	DEJ		
		2	1			EKO,	DEJ		
			•			EV0	<u> </u>		
15									ROD
	5143 946AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
16									SCREW

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



### **Counter Shaft** Figure GET238-420

2 3 4 5 6 7 8 9 9 10 10 10 10 10 10 10 10 10 10	
11 13 18 17	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5143 876AA	2	1			EK0,	DEJ		
						EV0			
		2	6			EK0,	DEJ		
						EV0			
17						=1/2			SCREW, Hex Head, M8
	5143 838AA	3	1			EKO,	DEJ		
						EV0	DE I		
		3	6			EK0, EV0	DEJ		
18						EVU			BOLT
10	5143 837AA	2	1			EKO,	DEJ		BOLI
	31 <del>4</del> 3 037 AA	2	'			EV0	DLJ		
		2	6			EKO,	DEJ		
						EV0			
19									BEARING
	5143 920AA	1	1			EK0,	DEJ		
						EV0			
	5143 921AA	1	6			EK0,	DEJ		
						EV0			
20									COUNTERSHAFT
	5143 853AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			2217
21	54.40.005A.A					FIG	DE !		COVER
	5143 835AA	1	6			EK0,	DEJ		
		4	4			EV0	DEJ		
		1	1			EK0, EV0	DEJ		
						EVU			

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		ission - [C	G-238]					
4.7L V-8 Engi	nes							CUDDODT
E142 026 A A		6			- FKO	DET		SUPPORT
5143 920AA	'	0				DEJ		
	4	4				DET		
	ı	1				DEJ		
					EVU			SCREW, Hex Head, M8
51/2 Q75AA	1	6			EKO	DET		SCREW, Flex Flead, IVIO
3143 073AA	'	U				DLJ		
	1	1				DE.I		
						DLU		
					200			SHAFT, SHAFT-REVERSE IDLE
								GEAR
5143 873AA	1	6			EK0,	DEJ		
					EV0			
	1	1			EK0,	DEJ		
					EV0			
								GEAR, Reverse Idler
5143 860AA	1	6			EK0,	DEJ		
					EV0			
	1	1			EK0,	DEJ		
					EV0			
								BEARING, BEARING-NEEDLE
5143 865AA	1	6			EK0,	DEJ		
					EV0			
	1	1			EK0,	DEJ		
					EV0			
	NUMBER  Ales Codes: Speed Manual 3.7L V-6 Engi 4.7L V-8 Engi 5143 926AA  5143 875AA  5143 873AA	NUMBER QTY  Ales Codes:  Speed Manual Transm 3.7L V-6 Engines 4.7L V-8 Engines 5143 926AA 1 1 5143 875AA 1 1 5143 873AA 1 1 5143 860AA 1 1	NUMBER         QTY         LINE           Ales Codes:         Speed Manual Transmission - [GI 3.7L V-6 Engines 4.7L V-8 Engines           5143 926AA         1         6           1         1           5143 875AA         1         6           1         1           5143 873AA         1         6           1         1           5143 860AA         1         6           1         1           5143 865AA         1         6           1         1	NUMBER QTY LINE SERIES  RIES Codes:  Speed Manual Transmission - [G-238] 3.7L V-6 Engines 4.7L V-8 Engines  5143 926AA 1 6 1 1  5143 875AA 1 6 1 1  5143 8860AA 1 6 1 1  5143 860AA 1 6 1 1	NUMBER         QTY         LINE         SERIES         BODY           ales Codes:         Speed Manual Transmission - [G-238]           3.7L V-6 Engines         4.7L V-8 Engines           5143 926AA         1         6           1         1           5143 875AA         1         6           1         1           5143 873AA         1         6           1         1           5143 860AA         1         6           1         1           5143 865AA         1         6	NUMBER	NUMBER   QTY   LINE   SERIES   BODY   ENGINE   TRANS	NUMBER



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Shift Tower, Fork & Rails Figure GET238-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales Codes:								
DEJ]=6	Speed Manual	Transm	nission - [G	6-238]					
	3.7L V-6 Engi								
EV0]=Al	4.7L V-8 Engi	nes							
1									SHIFTER, Tower
	5143 944AA	1	1			EK0,	DEJ		
						EV0			
		1	6			EK0,	DEJ		
						EV0			
2									SCREW, Hex Head
	5143 878AA	4	6			EK0,	DEJ		
						EV0			
		4	1			EK0,	DEJ		
						EV0			000574444
3	5440.0474.4	_	•			F1/0	DE I		SCREW, Hex Head
	5143 847AA	5	6			EK0,	DEJ		
						EV0	DEI		
		5	1			EK0,	DEJ		
4						EV0			DIATE DIATE COVED
4	5143 846AA	1	6			EK0,	DEJ		PLATE, PLATE-COVER
	5143 640AA	'	0			EV0	DEJ		
		1	1			EKO,	DEJ		
		'	· ·			EV0	DLJ		
5						LVO			SEAL
	5143 965AA	1	6			EK0,	DEJ		<u>GEAL</u>
	01.10.0007.01	•	Ū			EV0	520		
		1	1			EK0,	DEJ		
		-	•			EV0			
6						-			PLUG
	5143 936AA	1	6			EK0,	DEJ		
						EV0			
		1	1			EK0,	DEJ		
						EV0			
7									PIN
	5143 874AA	1	6			EK0,	DEJ		
						EV0			
		1	1			EK0,	DEJ		
						EV0			
8									SPRING, Compression

 DODGE RAM 1500 (DR)

 SERIES
 LINE


 H = SLT
 1, 6 = 1500

 L = ST
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Shift Tower, Fork & Rails Figure GET238-910



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		5143 877AA	1	6			EK0,	DEJ		
				4			EV0	DET		
			1	1			EK0, EV0	DEJ		
	9						EVU			SHAFT, Shift Lever
-		5143 940AA	1	1			EK0,	DEJ		OTHER T, OTHER LEVEL
			-	-			EV0			
			1	6			EK0,	DEJ		
							EV0			
_	10									RAIL, Shift
		5143 954AA	1	6			EK0,	DEJ		
							EV0			
_			1	1			EK0,	DEJ		
	4.4						EV0			DOLT.
	11	E142 042 A A	4	6			EK0	DEJ		BOLT
		5143 942AA	4	6			EK0, EV0	DEJ		
-			4	1			EK0,	DEJ		
			•	•			EV0	220		
	12									RAIL, Shift
		5143 957AA	1	6			EK0,	DEJ		·
_							EV0			
			1	1			EK0,	DEJ		
							EV0			
_	13									FORK, FORK-SHIFT
		5161 120AA	1	6			EK0,	DEJ		
			4	4			EV0	DET		
			1	1			EK0, EV0	DEJ		
-	14						LVU			FORK, FORK-SHIFT
		5161 411AA	1	6			EK0,	DEJ		
			•	-			EV0	•		
			1	1			EK0,	DEJ		
-							EV0			
	15									FORK, FORK-SHIFT
		5143 961AA	1	6			EK0,	DEJ		
_							EV0			
			1	1			EK0,	DEJ		
	10						EV0			DINI
	16									PIN
_										

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



### Shift Tower, Fork & Rails Figure GET238-910



	PART								
ITEM	I NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5143 948AA	2	6			EK0,	DEJ		
						EV0			
		2	1			EK0,	DEJ		
						EV0			
17									RAIL, Shift
	5143 958AA	1	6			EK0,	DEJ		
						EV0			
		1	1			EK0,	DEJ		
						EV0			
18									RAIL, Shift
	5143 959AA	1	6			EKO,	DEJ		
						EV0			
		1	1			EK0,	DEJ		
4.0						EV0			FORK FORK OUTET
19			•			E1/0	55.		FORK, FORK-SHIFT
	5143 962AA	1	6			EK0,	DEJ		
		1	1			EV0	DEJ		
		'	ı			EK0, EV0	DEJ		
20						EVU			COUPLER, Shifter
20	5161 542AA	1	6			EK0,	DEJ		COUPLER, SIIIIlei
	3101 342AA	1	- 0			EV0	DLJ		
		1	1			EKO,	DEJ		
		,	'			EV0	DLO		
						LVO			

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Gearshift Control Figure GET238-1210**

ITEM

PART NUMBER


QTY

LINE

SERIES

NOTE:Sa	ales Codes:						
[DEJ]=6	Speed Manual	Transm	nission - [G	G-238]			
[EK0]=Al	l 3.7L V-6 Engir	nes					
[EV0]=Al	l 4.7L V-8 Engir	nes					
1							SCREW, .190-16 X .750, (NO
							SERVICED) (Not Serviced)
2	55366 062AA	1				DEJ	BOOT, Gear Shift Lever
3	52107 787AA	1				DEJ	LEVER, Gearshift
4	52059 645AA	1				DEJ	INSERT, Transmission Shift K
5	6502 556	1				DBB	NUT, Hex, M10-1.5
6	5210 4174	1				DEJ	KNOB, Gearshift
7	55366 042AA	1				DEJ	BOOT, Gear Shift Lever
8							CONSOLE, Floor
	5GT26 1DVAC	1				DEJ	[DV]
	5GT26 1L5AC	1				DEJ	[L5 ]

BODY ENGINE TRANS TRIM



DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

DESCRIPTION

# Group - T56 Manual Transmission 6 Speed




T56–100 Transmission	T56–200 Case & Extension	T56–400 Gear Train	T56–900 Forks and Rails
		00000	2000
T56-1200 Gear Shift Controls			

#### **GROUP T56 - Manual Transmission 6 Speed**

Illustration Title	Group-Fig. No.
Transmission	
Transmission Assembly [DEC]	Fig. T56-110
Case & Extension	
Case & Extension [DEC]	Fig. T56-210
Gear Train	
Input Shaft, Mainshaft & Countershaft [DEC]	Fig. T56-410
Countershaft Extension [DEC]	Fig. T56-420
Reverse Idler & Driven Gears [DEC]	Fig. T56-430
Forks and Rails	
Shift Forks & Rails [DEC]	Fig. T56-910
Gear Shift Controls	
Gearshift Control [DEC]	Fig. T56-1210

### **Transmission Assembly [DEC]** Figure T56-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ervice Transmis	sion Do	oes Not Ind	clude Clutc	h Housing.				
Sales Co	ode:								
[DEC]=6	Speed Manual	Transn	nission						
1	5037 432AB	1	1			EWC	DEC		TRANSMISSION
2	0153 371	4				EWC	DBB		BOLT, Hex Head, .375-16x2.25
3	0154 927AA	4				EWC	DBB		SCREW
4	0181 148	2				EWC	DBB		SCREW, Hex Head, .437-14x2.7
	9417 838	2				EWC	DBB		WASHER, Flat



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Case & Extension [DEC] **Figure T56-210**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales Code:								
	Speed Manual	Transn	nission						
	3.3IL V 10 SFI								
1	4626 462	1	1			EWC	DEC		CUP
2	4626 460	1	1			EWC	DEC		CASE, Transmission
-3	4626 573	1	1			EWC	DEC		BREATHER, Transmission Case
4	4626 591	1	1			EWC	DEC		PLUG, Oil Fill
5	4626 593	1	1			EWC	DEC		SWITCH, Back Up Lamp
6	4626 572	1	1			EWC	DEC		SOLENOID, Transmission Skip Sh
7	3681 601	1	1			EWC	DG8		MAGNET, Transmission
8	4626 508	1	1			EWC	DEC		BOLT, Shift Lever Guide
9	4626 569	1	1			EWC	DEC		PLATE, Transmission Shifter
10	4626 571	1	1			EWC	DEC		BOLT, Shifter Cover
11	4626 592	1	1			EWC	DEC		VENT, Transmission Pipe
12	4626 570	1	1			EWC	DEC		CLIP, Vent Tube
13	4626 577	1	1			EWC	DEC		DETENT, Gearshift
14	4626 526	1	1			EWC	DEC		BALL, Check
15	4626 521	1	1			EWC	DEC		PLATE, Transmission Shifter
16	4626 527	2	1			EWC	DEC		BOLT
17	4626 523	1	1			EWC	DEC		SPRING, Detent Offset
18	4626 513	2	1			EWC	DEC		DOWEL, Transmission Case
19	4626 512	1	1			EWC	DEC		BUSHING, Shift Rail
20	4626 579	1	1			EWC	DEC		LEVER, Offset
21	4626 493	2	1			EWC	DEC		PIN, Roll
22	5174 631AA	1	1			EWC	DEC		EXTENSION, Transmission
-23	4626 461	2	1			EWC	DEC		STUD
24	4626 520	6	1			EWC	DEC		BOLT, Transmission Case
-25	4626 568	1	1			EWC	DEC		NUT, Transmission Case
26	4762 005	1	1			EWC	DEC		HOUSING, reverse lockout
27	4746 271	1	1			EWC	DEC		SOLENOID, Transmission
-28	4762 004	1	1			EWC	DEC		O RING
29	4762 008	1	1			EWC	DEC		BOLT
30	4762 004	1	1			EWC	DEC		O RING
31	5093 271AA	1	1			EWC	DEC		LEVER, Offset
32	4626 493	1	1			EWC	DEC		PIN, Roll
33	5161 428AA	1	1			EWC	DEC		LEVER, Gearshift
34	4626 571	1	1			EWC	DEC		BOLT, Shifter Cover
35	4626 520	8	1			EWC	DEC		BOLT, Transmission Case
36	5166 053AA	1	1			EWC	DEC		SEAL, Output Shaft
		•	•				DEC		,


DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Input Shaft, Mainshaft & Countershaft [DEC] **Figure T56-410**




	PART	1							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
	t Contains All Th	ne Shim	ns Require	d For Com	plete Trans	smission R	epair.		
Sales Co	odes:								
DEC]=6	Speed Manual	Transr	nission						
EWC]=	8.3IL V 10 SFI								
1	5093 265AA	1	1			EWC	DEC		ADAPTER, Transmission
2	4626 513	2	1			EWC	DEC		DOWEL, Transmission Case
3	4626 520	11	1			EWC	DEC		BOLT, Transmission Case
4	4626 512	1	1			EWC	DEC		BUSHING, Shift Rail
5	4626 514	2	1			EWC	DEC		DOWEL, Transmission Case
6	5139 857AA	1	1			EWC	DEC		SEAL, Input Shaft
7	5018 856AA	1	1			EWC	DEC		SHIM KIT, Transmission
8	4626 490	1	1			EWC	DEC		CUP
9	4626 510	1	1			EWC	DEC		CONE, Input Shaft
10	4626 737	1	1			EWC	DEC		BEARING PACKAGE, Input Shaft
11	5139 854AA	1	1			EWC	DEC		INPUT SHAFT, Transmission
12	4626 519	1	1			EWC	DEC		CUP
13	4626 465	1	1			EWC	DEC		BEARING
14	5139 853AA	1	1			EWC	DEC		COUNTERSHAFT
15	4626 466	1	1			EWC	DEC		BEARING
16	4626 517	1	1			EWC	DEC		CUP
17	4626 476	2	1			EWC	DEC		STOP RING, Synchronizer
18									SNAP RING
	1942 063	1	1			EWC	DG8		
	4626 487	1	1			EWC	DEC		
19	5018 859AA	1	1			EWC	DEC		SYNCHRONIZER, Third and Fourth
20	4626 471	1	1			EWC	DEC		GEAR, Third
21	5093 261AA	1	1			EWC	DEC		SPACER, Third Gear
22	4626 469	2	11			EWC	DEC		NEEDLE BEARING
23	4626 563	1	1			EWC	DEC		BEARING
24	4626 467	1	1			EWC	DEC		MAINSHAFT, Transmission
25	4626 469	2	1			EWC	DEC		NEEDLE BEARING
26	4626 478	1	1			EWC	DEC		GEAR, Second
27	4626 486	2	1			EWC	DEC		THRUST WASHER, First And
									Second Gear
28	4626 484	2	1			EWC	DEC		CONE, Inner
29	5093 262AA	2	1			EWC	DEC		FRICTION CONE, Second Gear
									Inner
30	4626 483	2	1			EWC	DEC		RING, 1st and 2nd Speed Blocker
31	5018 860AA	1	1			EWC	DEC		SYNCHRONIZER, First and Second
32	4626 484	1	1			EWC	DEC		CONE, Inner

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Input Shaft, Mainshaft & Countershaft [DEC] **Figure T56-410**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
33	4626 486	1	1			EWC	DEC		THRUST WASHER, First And
									Second Gear
34	4626 536	1	1			EWC	DEC		SNAP RING
35	4626 488	1	1			EWC	DEC		NEEDLE BEARING, First Gear
36	4626 489	1	1			EWC	DEC		GEAR, First
37	4626 490	1	1			EWC	DEC		CUP
38	4626 463	1	1			EWC	DEC		CUP

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Countershaft Extension [DEC] Figure T56-420**

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



Shim Kit Contains All The Shims Required For Complete Transmission Repair

Internal Parts For Synchronizers Are Not Servived.

Sales Codes:

[DEC]=6 Speed Manual Transmission

[EWC]= 8.3IL V 10 SI	F

1						CASE, Transmission, See Illustration 210, (NOT SERVICED) (Not Serviced)
2	4626 462	1	1	EWC	DEC	CUP
3	4626 541	1	1	EWC	DEC	THRUST WASHER, Sixth Gear
4	5093 272AA	1	1	EWC	DEC	GEAR, Sixth
5	4626 538	1	1	EWC	DEC	BEARING, Sixth Gear
6	4626 496	1	1	EWC	DEC	PAD, Shift Fork
7	4626 553	1	1	EWC	DEC	FORK, Transmission
8	4626 561	1	1	EWC	DEC	SNAP RING, Shift Fork
9	4626 535	1	1	EWC	DEC	STOP RING, Synchronizer
10	4626 537	1	1	EWC	DEC	SPACER, Sixth Gear
11	4626 536	1	1	EWC	DEC	SNAP RING
12	5018 863AA	1	1	EWC	DEC	SYNCHRONIZER, Fifth and Sixth
13	5093 273AA	1	1	EWC	DEC	GEAR, Fifth
14	4626 530	1	1	EWC	DEC	NEEDLE BEARING, Fifth Gear
15	4626 540	1	1	EWC	DEC	FORK, Fifth Shift
16	4626 542	1	1	EWC	DEC	SNAP RING, Shift Fork
17	4626 496	2	1	EWC	DEC	PAD, Shift Fork
18	4626 529	1	1	EWC	DEC	COUNTERSHAFT, Extension
19	4626 468	1	1	EWC	DEC	BEARING
20	4626 544	1	1	EWC	DEC	CUP
21	5018 856AA	1	1	EWC	DEC	SHIM KIT, Transmission
22	4626 545	1	1	EWC	DEC	FUNNEL, Counter Shaft
23						EXTENSION, Transmission, See
						Illustration 210, (NOT SERVICED)
						(Not Serviced)

DODGE RAM 1500 (DR)-SERIES LINE

1, 6 = 1500 H = SLTL = ST


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Reverse Idler & Driven Gears [DEC] Figure T56-430**

NOTE:

Internal Parts For Synchronizers Are Not Servived.

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



Sales C	odes:					
	6 Speed Manual	Transm	nission			
[EWC]=	8.3IL V 10 SFI					
1						CASE, Transmission, See Illustration
						210, (NOT SERVICED) (Not
						Serviced)
2	4626 552	1	1	EWC	DEC	GEAR, Fifth
3	5018 865AA	1	1	EWC	DEC	SYNCHRONIZER, Reverse
4	4626 555	1	1	EWC	DEC	WASHER, Reverse Thrust
5	4626 536	1	1	EWC	DEC	SNAP RING
6	4626 557	1	1	EWC	DEC	RING, Reverse Blocker
7	4626 556	1	1	EWC	DEC	WASHER, Reverse Wave
8	4626 558	1	1	EWC	DEC	NEEDLE BEARING, Reverse Gear
9	5093 287AA	1	1	EWC	DEC	GEAR, Reverse
10	4626 560	1	1	EWC	DEC	WASHER, Reverse Thrust
11	4626 562	2	1	EWC	DEC	WASHER, Mainshaft
12	4626 563	1	1	EWC	DEC	BEARING
13	4626 562	2	1	EWC	DEC	WASHER, Mainshaft
14	4626 564	1	1	EWC	DEC	SNAP RING, Mainshaft
15	4626 463	1	1	EWC	DEC	CUP
16	4626 527	1	1	EWC	DEC	BOLT
17	4626 551	1	1	EWC	DEC	BRACKET, Reverse Idler Shaft
18	5093 289AA	1	1	EWC	DEC	SNAP RING
19	4626 548	1	1	EWC	DEC	GEAR, Reverse Idler
20	4626 549	1	1	EWC	DEC	BEARING CONE, Idler Gear
21	4626 547	1	1	EWC	DEC	IDLER SHAFT, Transmission
22	4626 555	1	1	EWC	DEC	WASHER, Reverse Thrust
23						EXTENSION, Transmission, See
						Illustration 210, (NOT SERVICED)
						(Not Serviced)

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Shift Forks & Rails [DEC] Figure T56-910

9 (3)	11 8 11 7 6 5 12


	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
NOTE:										
No Service Parts For 5/6 & Reverse Shift Rail										
Sales Cod	des:									
[DEC]=6	Speed Manual	Transn	nission							
	.3IL V 10 SFI									
1	5018 861AA	1	1			EWC	DEC		RAIL, Reverse Shift	
-2	4626 496	2	1			EWC	DEC		PAD, Shift Fork	
3	4626 498	1	1			EWC	DEC		RAIL, Top	
4	4626 502	2	1			EWC	DEC		PAD, Shift Fork	
5	5018 862AA	1	1			EWC	DEC		FORK, Third and Fourth	
6	4626 507	1	1			EWC	DEC		PLATE, interlock	
7	4626 506	1	1			EWC	DEC		ARM, Gearshift Selector	
8	5093 271AA	1	1			EWC	DEC		LEVER, Offset	
9	4626 505	1	1			EWC	DEC		FORK, First and Second	
10	4626 502	2	1			EWC	DEC		PAD, Shift Fork	
11	4626 493	1	1			EWC	DEC		PIN, Roll	
12	4626 503	1	1			EWC	DEC		LINK, Shift	
-13	4886 342AA-	1	1			EWC	DEC		CLIP	
-14	4626 587	1	1			EWC	DEC		O RING, Reverse Inhibitor, Manual	
									Transmission	
-15	4626 586	1	1			EWC	DEC		SNAP RING, Reverse Inhibitor	

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Gearshift Control [DEC]** Figure T56-1210




	PART	O.T.Y		050150	Denv.				DECODIDE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE:									
ales C									
4CC]=0	Commemorative	Edition	n Group						
1									KNOB, Gearshift
	5037 433AA	1					DEC		
	5037 433AB	1					DEC		With [ACC] Sales Codes
2	5093 230AA	1					DEC		RING
3									BOOT, Gear Shift Lever
	YN73 1DVAA	1					DEC		
	YN73 1B5AA	1					DEC		With [ACC]
	YN73 1Y3AA	1					DEC		With [AGK]
4	5037 436AB	1					DEC		LEVER, Gearshift
5	5029 493AA	1					DEC		BOOT, Gear Shift Lever
6									SCREW, (NOT SERVICED) (Not
									Serviced)

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 241 Transfer Case Model 241 [DHE]



241–100 Transfer Case Assembly	241–200 Case and Related Parts	<b>241–400</b> Gear Train	241–900 Fork and Rails
		00000000000000000000000000000000000000	
241–1200 Gearshift Controls			


### **GROUP 241 - Transfer Case Model 241 [DHE]**

Illustration Title	Group-Fig. No.
Transfer Case Assembly Transfer Case (DHE) Manual Shift on the Fly	Fig. 241-110
Case and Related Parts Case, Transfer And Related Parts (DHE) Manual Shift on the Fly	Fig. 241-210
Gear Train Gear Train (DHE) Manual Shift on the Fly	Fig. 241-410
Fork and Rails Forks (DHE) Manual Shift on the Fly	Fig. 241-910
Gearshift Controls Controls (DHE) Manual Shift on the Fly	Fig. 241-1210

## Transfer Case (DHE) Manual Shift on the Fly Figure 241-110

	1		-				ı		
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES									
	Sales Codes 52853 059AC	1	6						TRANSFER CASE, NP241
•	2_000 000/10	•	J						
									_
DODGE RAM	1500 (DR)		)ODV		ENG	DINE			TRANSMISSION
DODGE RAM SERIES H = SLT L = ST	LINE 1, 6 = 1500	B 41 =	BODY Quad Cab ( Quad Cab ( Reg. Cab (1 Reg. Cab (1	140.5 WB)	ENG EZA=5.7	GINE 7L HEMI Ma 3.7L Magnur 4.7L Magnur 4.7L Magnur 8.3L V10 SF	gnum V8SM	1PI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
L = ST		42 = 61 =	Quad Cab ( Reg. Cab (1	160.5 WB) 120.5 WB)	EKG = 3 EVA = 4	3.7L Magnur 4.7L Magnun	n V6 MPI n V8		DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
		62 =	Reg. Cab (1	140.5 WB)	EVD = 4 EWC = 8	4.7L Magnur 8.3L V10 SF	n V8 FFV Fl		•
					_				

### Case, Transfer And Related Parts (DHE) Manual Shift on the Fly Figure 241-210




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
	1	5080 154AA	1	6						CASE, Front
-	2	4505 365	6	6						STUD
		4219 065	1	6						SNAP RING, Annulus Gear
	4	5080 221AA	1	6						CASE, Transfer Case Rear
	5	5080 859AA	1	6						BOLT, Hex Flange Head
-	6	5080 859AA	1	6						BOLT, Hex Flange Head
	7	6501 371	6	6						BOLT, Retainer
	8	6033 172	6	6						NUT AND WASHER, Hex, .375-24
	9	5019 026AA	1	6						SEAL, Output Shaft
_	10	4796 910	1	6						VENT, Transfer Case
	11	6502 081	1	6						CLAMP, Oil Cooler Line
	12	HFV00 516AE	3 1	6						HOSE, Fuel And Vapor, 25 Foot Roll
										5/16"
_	13	4213 328	1	6						VENT, Cap
	14	5012 326AA	1	6						FILTER, Transfer Case Oil
	15	5012 327AA	1	6						CONNECTOR, Oil Tube Pickup
	16	5080 223AA	1	6						TUBE, Oil Pickup
_	17	5013 016AB	1	6						SEAL, Transfer Case
	18	5080 218AA	1	6						MAGNET
	19	4856 641	2	6						PLUG, Oil Fill
	20	4886 473AA	1	6						SCREW
	21	5300 8217	1	6						PLUNGER
	22	5080 386AA	1	6						EXTENSION, Transfer Case
	23	5222 757	2	6						DOWEL
	24	4798 122	1	6						CLAMP, Boot
_	25	5080 236AA	1	6						CLAMP, Boot
	26	5080 231AA	1	6						BOOT, Output Shaft, None
	27	4638 497	1	6						SPRING, Shift Detent
	28	5134 375AA	1	6						SWITCH, Transfer Case
	29	4338 956	1	6						SEAL, Vacuum Switch

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Gear Train (DHE) Manual Shift on the Fly Figure 241-410



	PART	ОТУ	LIME	OFFICE	DODY	ENGINE	TDANO	TDIM	DECODIDEION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5072 460AA	1	6						SNAP RING
2	5072 459AA	2	6						SNAP RING
3	5072 458AA	1	6						BEARING, Input Gear, Front
4	4338 908	2	6						THRUST WASHER, Planetary
•	.000 000	_							Carrier
5	5072 464AA	1	6						GEAR, Input
6	5080 499AA	1	6						BEARING, Input Gear
7	4796 903AB	1	6						PLANETARY, Transfer Case
8	5086 104AA	1	6						SLEEVE, Shift Range
9	5080 503AA	2	6						SNAP RING, Clutch Gear
10	5080 207AA	1	6						SLEEVE, Mode Synchronizer
11	5159 999AA	1	6						GEAR, Clutch Drive
12	5080 503AA	1	6						SNAP RING, Clutch Gear
13	5080 504AA	1	6						HUB, Synchronizer
14	5135 692AA	1	6						CHAIN, Transfer Case
15	5080 504AA	1	6						HUB, Synchronizer
16	5080 180AA	1	6						MAINSHAFT, Transfer Case
17	5101 858AA	6	6						BOLT, Retainer
18	5101 878AA	1	6						HOUSING, Pump
19	5101 879AA	1	6						ROTOR, Inner
20	5101 880AA	1	6						ROTOR, Outer
21	4897 981AA	1	6						BEARING, Output Shaft, Front
22	6025 755	1	6						SNAP RING, 1.28 ID
23	4269 189	1	6						BEARING, Output Shaft
24	5159 998AA	1	6						SPROCKET, Transfer Case
25	5080 211AA	1	6						OUTPUT SHAFT, Transfer Case
26	5080 229AA	1	6						SLINGER, Oil
27	4897 981AA	1	6						BEARING, Output Shaft
28	0893 31A	2	6						SNAP RING
29	5080 155AA	1	6						SEAL, Output, Front
30	5019 020AA	1	6						SEAL, Input Gear

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Forks (DHE) Manual Shift on the Fly **Figure 241-910**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4798 136	1	6						FORK, Range
2	5080 158AA	1	6						FORK, Transfer Case Mode Shift
3	4167 969	2	6						PAD, Shift Fork
4	4219 073	1	6						PAD, Shift Fork
5	8350 3515	1	6						CUP, Shift Fork Spring
6	0013 816	1	6						SPRING, Mode Fork
7	5134 374AA	1	6						SECTOR, Transfer Case
8	S243 6163	1	6						WASHER, Flat
9	5014 046AA	1	6						SEAL, Sector Shaft
10	5080 761AA	1	6						SEAL, Gearshift Lever
11	5137 798AA	1	6						LEVER, Transfer Case
12	6030 310	1	6						NUT
13	5080 760AA	1	6						SUPPORT, Gearshift Lever
14	5159 100AA	2	6						BEARING, Shift Lever Linkage


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Controls (DHE) Manual Shift on the Fly Figure 241-1210

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[DBB] =	All Manual Trar	smissio	ons						
[DD0] =	All 5 Speed Ma	nual Tr	ansmissior	าร					
[DGQ] =	5 Speed Autom	natic Tr	ansmissior	1 45RFE					
[DG4] =	Multi Speed Au	tomatic	Transmiss	sion					
1	52105 551AB	1	6						SHIFTER, Transfer Case
2									PLATE, Transfer Case Shifter
	52105 582AA	1	1			EK0,			
						EV0,			
						EZ0			
	5029 730AA	1	1			EWC	DEC		
3	6102 141AA	4	6						SCREW, M6x1x25
4	6505 622AA	1	6						SCREW, Hex Head
5	52105 550AA	1	6						LEVER, Transfer Case
6	55366 043AA	1	6						BOOT, Gearshift
7	5210 4174	1	6						KNOB, Gearshift
8	6502 556	1					DBB		NUT, Hex, M10-1.5
9	5210 5001	1	6						INSERT, Gearshift Knob
10	55366 066AA	1	6						ROD, Gear Shift Control, Transfer
									Case
11	J018 0077	1	6						BOLT, Hex Head, .312-18x.75
12									CLAMP, Shift Rod
	5210 5212	1	6				DD0		
		1	6				DG8		
		1	6				DGQ		
		1	6				DG4		
13	52022 048AC	1	6						SKID PLATE, Front
14	6502 282	1	1, 6						SCREW, Hex Head, M8x1.25x30

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 243 Transfer Case Model 243 [DH5]



243–100 Transfer Case Assembly	243-200 Case and Related Parts	243–400 Gear Train	243–900 Fork and Rails
		000000000000000000000000000000000000000	
243–1200 Gearshift Controls			


### **GROUP 243 - Transfer Case Model 243 [DH5]**

Illustration Title	Group-Fig. No.
Transfer Case Assembly Transfer Case (DH5) Electric Shift on The Fly Part Time	Fig. 243-110
Case and Related Parts Case, and Related Parts (DH5) Electric Shift on the Fly Part Time	Fig. 243-210
Gear Train Gear Train (DH5) Electric Shift on the Fly Part Time	Fig. 243-410
Fork and Rails Forks (DH5) Electric Shift on the Fly Part Time	Fig. 243-910
Gearshift Controls Gearmotor and Skid Plate	Fig. 243-1210

## Transfer Case (DH5) Electric Shift on The Fly Part Time Figure 243-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY I	ENGINE	TRANS	TRIM	DESCRIPTION
1	52105 980AE	: 1	6		-				TRANSFER CASE, NV243, [DH5]
	32103 980AL	. 1	0					·	TRANSPER GASE, NV243, [DIIS]
									_
DODGE RAM SERIES H = SLT L = ST	I <b>1500 (DR)</b> ——— LINE 1, 6 = 1500	41 =	BODY = Quad Cab	(140.5 WB)	ENGI EZA=5.7l	INE 'L HEMI Mag	gnum V8SMI	Pl	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
L = ST		42 = 61 = 62 =	BODY = Quad Cab = Quad Cab = Reg. Cab ( = Reg. Cab (	(160.5 WB) 120.5 WB) 140.5 WB)	EKG = 3. EVA = 4. EVD = 4.	INE L HEMI Mag J.7L Magnum J.7L Magnum J.7L Magnum J.3L V10 SFI	n V6 MPI n V8 n V8 FFV		DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
			- '	,	EWC = 8	3.3L V10 SFI	I		

### Case, and Related Parts (DH5) Electric Shift on the Fly Part Time Figure 243-210




PART	PART								
NUMBER	UMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
80 303AA	303AA	1	6						CASE, Transfer Front
13 013AA	3 013AA	17	6						BOLT, Hex Flange Head
19 065	9 065	1	6						SNAP RING, Annulus Gear
80 221AA	) 221AA	1	6						CASE, Transfer Case Rear
22 757	2 757	2	6						DOWEL
33 172	3 172	6	6						NUT AND WASHER, Hex, .375-24
19 026AA	026AA	1	6						SEAL, Output Shaft
96 910	910	1	6						VENT, Transfer Case
02 081	2 081	1	6						CLAMP, Oil Cooler Line
V00 516AE	00 516AB	1	6						HOSE, Fuel And Vapor, 25 Foot Roll
									5/16"
13 328	3 328	1	6						VENT, Cap
12 326AA	2 326AA	1	6						FILTER, Transfer Case Oil
12 327AA	2 327AA	1	6						CONNECTOR, Oil Tube Pickup
80 223AA	223AA	1	6						TUBE, Oil Pickup
13 016AB	3 016AB	1	6						SEAL, Transfer Case
80 218AA	218AA	1	6						MAGNET
56 641	6 641	2	6						PLUG, Oil Fill
86 473AA	6 473AA	1	6						SCREW
38 956	3 956	1	6						SEAL, Vacuum Switch
19 538AA	9 538AA	1	6						SPRING, Poppet Plunger
00 8217	8217	1	6						PLUNGER
50 3512	3512	1	6						WASHER, Flat
13 013AA	3 013AA	17	6						BOLT, Hex Flange Head
05 365	365	6	6						STUD
80 386AA	386AA	1	6						EXTENSION, Transfer Case
80 859AA	859AA	1	6						BOLT, Hex Flange Head
80 231AA	231AA	1	6						BOOT, Output Shaft, None
98 122	3 122	1	6						CLAMP, Boot
80 236AA	236AA	1	6						CLAMP, Boot
01 371	1 371	6	6						BOLT, Retainer
98 122 80 236	3 122 ) 236	AA	1 AA 1	1 6 AA 1 6					

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Gear Train (DH5) Electric Shift on the Fly Part Time Figure 243-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5019 020AA	1	6						SEAL, Input Gear
2	3821 558	1	6						SNAP RING
3	5019 579AA	1	6						PLATE
4	5072 458AA	1	6						BEARING, Input Gear
5	4338 910	1	6						SNAP RING
6	4338 908	2	6						THRUST WASHER, Planetary
									Carrier
7	5072 464AA	1	6						GEAR, Input
8	5066 692AA	1	6						SLEEVE, Range Fork
9	5072 458AA	1	6						BEARING, Input Gear
10	4796 903AB	1	6						PLANETARY, Transfer Case
11	5066 692AA	1	6						SLEEVE, Range Fork
12	4798 130	1	6						SNAP RING
13	5080 207AA	1	6						SLEEVE, Mode Synchronizer
14	5159 999AA	1	6						GEAR, Clutch Drive
15	5135 692AA	1	6						CHAIN, Transfer Case
16	5080 180AA	1	6						MAINSHAFT, Transfer Case
17	5080 503AA	2	6						SNAP RING, Clutch Gear
18	4897 981AA	1	6						BEARING, Output Shaft
19	5080 503AA	1	6						SNAP RING, Clutch Gear
20	4269 189	1	6						BEARING, Output Shaft
21	5159 998AA	1	6						SPROCKET, Transfer Case
22	5080 211AA	1	6						OUTPUT SHAFT, Transfer Case
23	6025 755	1	6						SNAP RING, 1.28 ID
24	4897 981AA	1	6						BEARING, Output Shaft
25	5080 155AA	1	6						SEAL, Output
26	5080 504AA	1	6						HUB, Synchronizer
27	5080 229AA	1	6						SLINGER, Oil


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Forks (DH5) Electric Shift on the Fly Part Time Figure 243-910




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 321AA	1	6						FORK, Range
-2	5066 980AA-	1	6						SHIM
3	5080 325AA	1	6						PAD, Shift Fork
4	5080 327AA	2	6						PAD, Shift Fork
5	5019 582AB	1	6						BRACKET
6	5019 580AB	1	6						SPRING
7	5080 158AA	1	6						FORK, Transfer Case Mode Shift
8	4167 969	2	6						PAD, Shift Fork
9	4219 073	1	6						PAD, Shift Fork
10	8350 3515	1	6						CUP, Shift Fork Spring
11	0013 816	1	6						SPRING, Mode Fork
12	5019 031AB	1	6						SECTOR, Transfer Case
13	4167 963	1	6						SEAL, O-Ring
14	4167 963	1	6						SEAL, O-Ring

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Gearmotor and Skid Plate** Figure 243-1210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52105 582AA	1	6						PLATE, Transfer Case Shifter
2	6102 141AA	4	6						SCREW, M6x1x25
3	52022 047AB	1	6						SKID PLATE, Transfer Case
4	6507 342AA	8	6						SCREW, M8x1.25x30
5	5086 345AA	1	6						GEAR MOTOR, Transfer Case
6	5019 465AA	3	6						BOLT




DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 244 Transfer Case Model 244 [DHU]



244–100 Transfer Case Assembly	244–200 Case and Related Parts	244–400 Gear Train	244–900 Fork and Rails
		00000000000000000000000000000000000000	
244–1200 Gearshift Controls			


### **GROUP 244 - Transfer Case Model 244 [DHU]**

Illustration Title	Group-Fig. No.
Transfer Case Assembly Transfer Case (DHU) Electric Shift on The Fly Part Time	Fig. 244-110
Case and Related Parts Case, and Related Parts (DHU) Electric Shift on the Fly Part Time	Fig. 244-210
Gear Train Gear Train (DHU) Electric Shift on the Fly Part Time	Fig. 244-410
Fork and Rails Forks (DHU) Electric Shift on the Fly Part Time	Fig. 244-910
Gearshift Controls Gearmotor and Skid Plate	Fig. 244-1210

## Transfer Case (DHU) Electric Shift on The Fly Part Time Figure 244-110

			1 1			Ī	1			
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	52853 107AB	1	6						TRANSFER CASE, NV244
(1)										
	DODGE RAM SERIES H = SLT L = ST	1 <b>1500 (DR)</b> LINE		BODY		ENG	GINE			TRANSMISSION
	H = SLT L = ST	1, 6 = 1500	41 = 42 =	Quad Cab Quad Cab	(140.5 WB) (160.5 WB) 120.5 WB) 140.5 WB)	EZA=5. EKG =	GINE .7L HEMI Ma 3.7L Magnur 4.7L Magnur 4.7L Magnur 8.3L V10 SF	agnum V8SM m V6 MPI	1PI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual
			61 = 62 =	Reg. Cab ( Reg. Cab (	120.5 WB) 140.5 WB)	EVA = EVD =	4.7L Magnur	m V8 m V8 FFV		DEC, DEJ = 6 Spd. Manual
						EWC =	8.3L V10 SF	H		

### Case, and Related Parts (DHU) Electric Shift on the Fly Part Time Figure 244-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 303AA	1	6						CASE, Transfer Front
2	5013 013AA	1	6						BOLT, Hex Flange Head
3	4219 065	1	6						SNAP RING, Annulus Gear
4	5080 221AA	1	6						CASE, Transfer Case Rear
5	5222 757	2	6						DOWEL
6	6033 172	6	6						NUT AND WASHER, Hex, .375-24
7	5019 026AA	1	6						SEAL, Output Shaft
8	4796 910	1	6						VENT, Transfer Case
9	6502 081	1	6						CLAMP, Oil Cooler Line
10	HFV00 516AE	3 1	6						HOSE, Fuel And Vapor, 25 Foot Roll
									5/16"
11	4213 328	1	6						VENT, Cap
12	5012 326AA	1	6						FILTER, Transfer Case Oil
13	5012 327AA	1	6						CONNECTOR, Oil Tube Pickup
14	5080 223AA	1	6						TUBE, Oil Pickup
15	5013 016AB	1	6						SEAL, Transfer Case
16	5080 218AA	1	6						MAGNET
17	4856 641	1	6						PLUG, Oil Fill
18	4886 473AA	1	6						SCREW
19	4338 956	1	6						SEAL, Vacuum Switch
20	5019 538AA	1	6						SPRING, Poppet Plunger
21	5300 8217	1	6						PLUNGER
22	8350 3512	1	6						WASHER, Flat
23	5080 859AA	1	6						BOLT, Hex Flange Head
24	4505 365	6	6						STUD
25	5080 386AA	1	6						EXTENSION, Transfer Case
26	5013 013AA	1	6						BOLT, Hex Flange Head
27	5080 231AA	1	6						BOOT, Output Shaft, None
28	4798 122	1	6						CLAMP, Boot
29	5080 236AA	1	6						CLAMP, Boot
30	6501 371	6	6						BOLT, Retainer

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Gear Train (DHU) Electric Shift on the Fly Part Time Figure 244-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5019 020AA	1	6						SEAL, Input Gear
2	3821 558	1	6						SNAP RING
3	5019 579AA	1	6						PLATE
4	5072 458AA	1	6						BEARING, Input Gear
5	4338 910	1	6						SNAP RING
6	4338 908	2	6						THRUST WASHER, Planetary
									Carrier
7	5072 464AA	1	6						GEAR, Input
8	5103 298AA	1	6						SLEEVE, Range Fork
9	5080 499AA	1	6						BEARING, Input Gear
10	4796 903AB	1	6						PLANETARY, Transfer Case
11	5103 298AA	1	6						SLEEVE, Range Fork
12	5103 269AA	1	6						SLEEVE, Mode Synchronizer
13	5003 453AA	1	6						CHAIN, Transfer Case
14	5103 303AA	1	6						MAINSHAFT, Transfer Case
15	5080 503AA	1	6						SNAP RING, Clutch Gear
16	4897 981AA	1	6						BEARING, Output Shaft
17	5080 503AA	1	6						SNAP RING, Clutch Gear
18	4897 981AA	1	6						BEARING, Output Shaft
19	5003 451AA	1	6						SPROCKET, Transfer Case
20	5103 271AA	1	6						OUTPUT SHAFT, Transfer Case
21	6025 755	2	6						SNAP RING, 1.28 ID
22	4897 981AA	1	6						BEARING, Output Shaft
23	5080 155AA	1	6						SEAL, Output
24	5080 229AA	1	6						SLINGER, Oil
25	5080 503AA	1	6						SNAP RING, Clutch Gear
26	8350 3540	1	6						SNAP RING
-27	5103 212AA-	3	6						GEAR, Planetary


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Forks (DHU) Electric Shift on the Fly Part Time Figure 244-910




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5103 300AB	1	6						FORK, Range
2	5103 305AB	1	6						FORK, Transfer Case Mode Shift
3	5015 832AA	1	6						PAD, Shift Fork
4	5080 325AA	1	6						PAD, Shift Fork
5	8350 3515	1	6						CUP, Shift Fork Spring
6	0013 816	1	6						SPRING, Mode Fork
7	5133 179AA	1	6						SECTOR, Transfer Case
8	4167 963	1	6						SEAL, O-Ring
9	4167 963	1	6						SEAL, O-Ring
10	5015 832AA	1	6						PAD, Shift Fork
11	5080 327AA	2	6						PAD, Shift Fork
12	5019 582AB	1	6						BRACKET
-13	5066 980AA-	1	6						SHIM, Range Fork


DODGE RAM 1500 (DR)— SERIES LINE

H = SLT 1, 6 = 1500 L = ST BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Gearmotor and Skid Plate** Figure 244-1210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52105 582AA	1	6						PLATE, Transfer Case Shifter
2	6102 141AA	4	6						SCREW, M6x1x25
3	52022 047AB	1	6						SKID PLATE, Transfer Case
4	6502 282	1	1, 6						SCREW, Hex Head, M8x1.25x30
5	5086 345AA	1	6						GEAR MOTOR, Transfer Case
6	5019 465AA	3	6						BOLT





DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


# Group – 022 Wheels, Covers and Jacks





### **GROUP 22 - Wheels, Covers and Jacks**

Illustration Title	Group-Fig. No
Wheels and Hardware	
Wheels And Hardware	Fig. 022-130
Jack Stowage	
Jack And Stowage	Fig. 022-340
Spare Tire Stowage	
Wheel, Spare Underslung Mounting	Fig. 022-430



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
	305/40R22 Black								
	805/40R22 Black		vali Perfori	mance					
	Pirelli Brand Tire		oolo						
	17X8.0 Aluminu Steel Spare Who		eeis						
	17X8.0 Steel Ch			al.					
	20X9.0 Aluminu								
	17X8.0 Aluminu								
	20' Steel Spare			t wileei					
	All Steel Wheels		<b>,</b> 1						
	Chrome Center								
	22X10.0 Alumir		achined W	'heel					
1	2.2 3								WHEEL, Steel
	XJ45 S4AAA	4							[WEA]
	52110 456AB	1							[WGA]
	52110 457AB	1							[WF1]
	52113 265AC	4							[WF2]
	5290 568AA	1	1		41, 61				[WGA+TBT]
2									WHEEL, Aluminum
	55366 234AA	4	1		61				[WPZ]
	52110 166AD	4			41, 61				[WF3]
	52110 356AC	4			41, 61,				[WPG]
					62				
	5HK22 PAKAF	4							[WF4]
	5HW99 PAKA	C 4							[WFV]
	1BV70 PAKAA	. 4	1		61				[WPM]
		4	1		41				[WPM]
3	6036 433AA	20							NUT, Wheel
4	2073 355	4							STEM, Wheel Valve
5									CAP, Wheel Center
	5290 814AA	4							[WPZ,WF3]
	52110 398AA	4			41, 61,				[WPG]
					62				
	52110 444AA	4							[WEA]
	52106 536AC	4							[WF2]
	5290 814AA	4							[WFV,WF4,WMJ]
6	5HC16 S4AAC	4							CAP, Wheel Center, Argent, [WEA
7									WEIGHT, Balance, Perf Part, (NOT
									SERVICED) (Not Serviced)

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


	PART	'							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	52021 646AA-	۸- 1	1, 6						WRENCH, Wheel Lug Nut
2	6506 759AA	2							SCREW, Jack
3	5093 163AA	1							EXTENSION KIT, JACK HANDLE,
									Scissor Type
4	6507 666AA	1							WINGSCREW, M6X1.25X65.00
5	5093 791AA	1							JACK ASSEMBLY
-6	6035 073	4							RIVET, Blind, .190x.670, Fire
									Extinguisher Bracket to Body
-7	52110 304AA-	۸- 1	1, 6						BAG, Jack Tool Storage
-8	6500 664	2							SCREW AND WASHER, Hex Head,
									M8x1.25x35, Fire Extinguisher
									Bracket to Driver Riser
-9	55352 852AA-	۸- 1							TOOL SET

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Wheel, Spare Underslung Mounting Figure 022-430



022-430									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52020 568AC	1							WINCH, Spare Tire Carrier
2	6102 153AA	2							SCREW, Tapping, M8x20
3	52021 669AB	1							GROMMET, Spare Tire Winch Tube
4									PIN, [.625 SHAFT 2.50], (NOT
	50000 57044								SERVICED) (Not Serviced)
5 6	52020 572AA 52021 649AA								TUBE, Winch Actuator
б	52021 649AA	1							GROMMET, Spare Tire Winch Tube
-									

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Group – 23D

## Wiper/Lock Cylinder and Keys






### **GROUP 23D - Wiper/Lock Cylinder and Keys**

Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-230

### **Lock Cylinders and Components Figure 23D-110**



**DESCRIPTION** 

TUMBLER, Door and Deck Number

TUMBLER, Ignition Number 1,

TUMBLER, Ignition Number 2,

TUMBLER, Ignition Number 3,

TUMBLER, Ignition Number 4,

SPRING, Ignition Tumbler, Sidebar

SPRING, Door and Deck Tumbler

Key Master without Theft Deterrent

Key Master with Theft Deterrent

SHUTTER, Lock Cylinder, Serviced with Key Cylinder & Service Repair

CAP, Door Lock Cylinder, Bright, Serviced with Key Cylinder &

System (Sentry)

Service Repair Kit

LEVER, Door Lock Cylinder

RECEIVER, Keyless Entry

BATTERY, Transmitter

RETAINER, Lock Rod

With Sentry

Without Sentry

**TRANSMISSION** 

DG8 = 4 Spd. Auto.(48RE)

DEC, DEJ = 6 Spd. Manual

DGQ, DG4 = Multi-Speed Auto(45RFE)

TRANSMITTER, Keyless Entry

CYLINDER, Ignition Lock CYLINDER, Door Lock

Left

Right

1, Wide

2, Wide

3, Wide

4, Wide

Sidebar


Sidebar

Sidebar

Sidebar

KEY, Blank

### **Lock Cylinders and Components Figure 23D-110**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-21	6035 412	2							SCREW, Door Lock Cylinder to
									Handle Attaching
-22									KEY, Tonneau Cover, (NOT
									SERVICED) (Not Serviced)
-23	5018 117AA-	1			41, 61				KEY & CYLINDER SET, KEY &
									CYLINDER SET-LOCK
-24	5018 343AA-	1			41, 61				KEY, Master
-25	4886 374AA-	1							TRANSMITTER, Alarm or Keyless
-26	4886 260AB-	1							SENSOR, Shock, With Terminals


DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY

41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Windshield Wiper & Washer **Figure 23D-230**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BLADE, Wiper
	55077 100AB	1							Left
		1							Right
2									ARM, Wiper
	55077 132AC	1							Left
	55077 133AC	1							Right
3	55077 098AH	1							MODULE, Wiper
4									SCREW AND WASHER, (NOT
									SERVICED) (Not Serviced)
5	55077 476AC	1							RESERVOIR, Washer
6	55077 261AA	1							CAP, Washer Reservoir
7	5103 452AA	1							PUMP, Washer, Windshield
8	55077 351AA	1							SENSOR, Washer Fluid Level
9	55056 006AE	1							PANEL, Cowl Top
10	6505 411AA	6							PIN, Push
11	6034 912	4							SCREW, Pan Head, .19-16x.75
-12									CONNECTOR, Washer Hose, In
									Line, (NOT SERVICED) (Not
									Serviced)
-13	5011 809AA-	1							GROMMET, Windshield Washer
									Pump
-14									GROMMET, Washer Reservoir,
									(NOT SERVICED) (Not Serviced)
-15	55077 248AA-	1							HOSE AND NOZZLE, WINDSHIELD
-16	55077 255AB-	2							NOZZLE, Washer, Windshield
-17	6502 982	1	1						SCREW AND WASHER, Hex Head,
									M6x1x25
-18	HFV00 516AB	- 1							HOSE, Fuel And Vapor, 25 Foot Rol
									5/16"

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – 024 Air Conditioning & Heater




024-100	024–200	024–300	024–400
Air Conditioner and Heater Units	Air Conditioner and Heater Plumbing	Air Conditioner and Heater Controls	Air Conditioning Compressor
HI THE			
024–500 Air Conditioning Compressor Mounting	024–600 Air Ducts and Outlets		

### **GROUP 24 - Air Conditioning & Heater**

Illustration Title	Group-Fig. No.
Air Conditioner and Heater Units	
Air Conditioner And Heater Unit [HAA]	Fig. 024-110
Air Conditioner And Heater Unit [HAD]	Fig. 024-120
Air Conditioner and Heater Plumbing	
Plumbing Air Conditioning	Fig. 024-220
Air Conditioning Condenser and Fan	Fig. 024-230
Plumbing, Heater 3.7 and 4.7L Engines	Fig. 024-250
Plumbing, Heater 5.7L Engine	Fig. 024-255
Plumbing, Heater 8.3L Engine	Fig. 024-270
Air Conditioner and Heater Controls	
Controls Heater and Air Conditioning	Fig. 024-310
Air Conditioning Compressor	
Compressor	Fig. 024-410
Air Conditioning Compressor Mounting	
Mounting, Compressor 3.7 and 4.7L Engine	Fig. 024-505
Mounting, Compressor 5.7L Engine	Fig. 024-510
Mounting, Compressor 8.3L Engine	Fig. 024-530
Air Ducts and Outlets	
Air Ducts	Fig. 024-630

### Air Conditioner And Heater Unit [HAA] Figure 024-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 955AB	1							CASE, Heater And A/C Unit
2	5127 758AA	1							CASE, Heater And A/C Unit
3	5073 957AA	2							CASE, Heater And A/C Unit
4	5073 958AA	1							CASE, Heater And A/C Unit
5	5073 959AA	1							COVER, A/C and Heater
6	5086 718AA	1							DOOR KIT, A/C And Heater,
									Includes items 7-10
7	5073 960AB	1							CASE, Heater And A/C Unit
8	5073 963AA	1							DOOR, Panel
-9	5086 921AA-	2							SPRING
10	5019 632AA	3							COUPLING, Servo
11	5073 961AA	1							DUCT, A/C And Heater
12	5073 992AA	2							DOOR
13	4746 573	2							SEAL, Blower Motor
14	5073 962AA	1							DOOR, Recirculation
15	5073 964AA	1							DOOR, Defroster
16	4720 029	2							CLIP, Fresh Air Door
17	5073 965AA	1							CLIP, Motor
18	5073 966AA	1							SHAFT
19	5073 967AA	1							CLIP, Link
20	5142 321AA	1							PACKING
21	5142 326AA	1							PACKING
22	5019 631AA	4							SERVO, A/C Temperature Door
23	5096 255AA	1							MOTOR, Blower, With Wheel
24	4720 278	1							RESISTOR, Blower Motor
25	5073 994AA	1							HARNESS
26	4720 032	2							STUD, A/C Heater Housing
27	4720 533	46							SCREW, Heater Housing
28	5140 726AA	1							EVAPORATOR, Air Conditioning
-29	5140 727AA-	1							SENSOR, Evaporator Fin Probe
30	5073 969AA	1							INSULATOR
31	5073 971AA	1							CORE, Heater
32	5073 972AA	1							CLAMP, Heater Core
33	5073 973AA	1							PACKING
34	5073 974AA	1							PACKING
35	5073 975AA	1							PACKING
36	5073 976AA	1							PACKING
37	5073 978AA	1							PACKING
38	4746 573	2							SEAL, Blower Motor
39	6101 442	1							U-NUT, M6 x 1.00, M6x1.00
40	5073 979AA	2							PACKING

 DODGE RAM 1500 (DR)

 SERIES
 LINE


 H = SLT
 1, 6 = 1500

 L = ST


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Air Conditioner And Heater Unit [HAD] Figure 024-120




### Air Conditioner And Heater Unit [HAD] Figure 024-120




### **Plumbing Air Conditioning** Figure 024-220


**PART** 



## Plumbing Air Conditioning Figure 024-220



## Plumbing Air Conditioning Figure 024-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-26	5073 614AA-	1				EK0,			VALVE CORE, High Flow
						EV0,			
						EZ0			
27	55056 248AB	1				EKO,			COVER
						EV0,			
	-					EZ0			

DODGE RAM 1500 (DR)-SERIES LINE

SERIES H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Air Conditioning Condenser and Fan Figure 024-230

3
5
7


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONDENSER, A/C
	5072 993AA	1				EK0,			
						EV0,			
						EZ0			
	5290 385AB	1	1			EWC			
2									SHROUD, Condenser
	5127 666AA	1				EK0,			Fan Assy.
						EV0,			
						EZ0			
	5103 464AA	4				EK0,			Shroud Only
						EV0,			
						EZ0			
3									SCREW, Hex Head, M8x1.25x55,
									(NOT SERVICED) (Not Serviced
4									SCREW, Hex Flange Head, M8x1
									25x23, (NOT SERVICED) (Not
									Serviced)
5	5103 465AA	1				EK0,			MOTOR, Condenser Fan
						EV0,			
						EZ0			
6	5104 787AA	1				EK0,			FAN, Condenser
						EV0,			
						EZ0			
7	55055 958AA	1				EK0,			BRACKET
						EV0,			
						EZ0			

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Plumbing, Heater 3.7 and 4.7L Engines Figure 024-250



		PART								
ITE	М	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:	Sale	s Code EK0 =	= 3.7L E	Engine						
	Note: Sales Code EV0 = 4.7L Engine									
1										HOSE, Heater
		55056 231AC	1				EV0			
		55056 233AC	1				EK0			
	2									HOSE, Heater
		55057 236AD	1				EZ0			
		55057 266AA	1				EK0			
3	3	6032 277	1				EK0,			CLAMP, Radiator
							EV0,			
							EZ0			
4	1	55056 233AC	1				EK0			HOSE, Heater
5	5									HOSE, Heater
		55057 236AD	1				EZ0			
		55057 266AA	1				EK0			
-6	3									BRACKET, A/C and Heater Hose,
										05080539aa, (NOT SERVICED)
										(Not Serviced)

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Plumbing, Heater 5.7L Engine Figure 024-255

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-							
	1	55057 236AC	1				EZ0			HOSE, Heater
_	2	55057 237AC	1				EZ0			HOSE, Heater



 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Plumbing, Heater 8.3L Engine Figure 024-270

		QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 529	90 329AC	1				EWC			TUBE AND HOSE, Supply
2 529	90 449AA	1				EWC			CLIP, Heater Hose
3 529	90 449AA	1				EWC			CLIP, Heater Hose
4									HOSE, Heater Supply and Return
									(NOT SERVICED) (Not Service



DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Controls Heater and Air Conditioning** Figure 024-310

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, Air Conditioning
	55056 321AD	1							[HAA+GVB]
	55056 322AD	1							[HAA-GVB]
	55056 323AD	1							[HAD]
2	5013 815AA	1							BULB AND SOCKET, Heater ar
									A/C Control
3									KNOB, A/C And Heater Control
									Rotary, 05080539aa, (NOT
									SERVICED) (Not Serviced)
-4	6101 945	4							SCREW



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Compressor Figure 024-410





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sal	es Code:								
EV0 = Al	4.7L 8 Cyl Ga	s Engir	nes						
EM0 = Al	I 5.9L 8 Cyl Ga	as Engi	nes						
EK0 = Al	3.7L 6 Cyl Ga	s Engir	nes						
1									COMPRESSOR, Air Conditioning,
									With Clutch
	55056 336AB	1				EZ0			
	55056 444AC	1				EK0,			
						EV0			
2	5016 127AB	1				EK0,			CLUTCH, A/C Compressor
						EV0			
-3	6505 487AA-	1				EK0,			SCREW AND WASHER, M10x1.
						EV0			5x45, Mounting
-4	5093 485AA-	1	1			EWC			PULLEY HUB KIT, A/C Compressor
-5	5003 681AA-	1	1			EWC			COIL, Air Conditioning Clutch
-6									CLUTCH OVERHAUL KIT, A/C
									Compressor
	5066 228AA-	1	1			EWC			Kit Consists of washers and snap
									rings
	5135 972AA-	1				EZ0			Kit Consists of washers and snap
									rings
		1				EK0,			Kit Consists of washers and snap
						EV0			rings
-7	5264 454	1	1			EWC			SNAP RING KIT, A/C Clutch
-8	5127 373AA-	1	1			EK0			GASKET, A/C Compressor


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Mounting, Compressor 3.7 and 4.7L Engine Figure 024-505

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	les Code EV0 =	4.7 L	Engine						
Note: Sa	les Code EK0 =	3.7L (	Gas Engine	<del>)</del>					
1	6504 344	1				EK0,			SCREW AND WASHER, Hex Head
						EV0			
2	6505 487AA	1				EK0,			SCREW AND WASHER, M10x1.
						EV0			5x45
3	6102 047AA	6				EV0			SCREW, Hex Head, M8x1.25x50
4	55056 444AC	1				EK0,			COMPRESSOR, Air Conditioning
						EV0			
5	6504 441	1				EK0,			SCREW AND WASHER, [M24x2.
						EV0			0x40.0]

DODGE RAM 1500 (DR)-SERIES LINE

SERIES H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Mounting, Compressor 5.7L Engine Figure 024-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW AND WASHER, Hex He
									M8x1.25x35, (NOT SERVICED)
									(Not Serviced)
2	6506 688AA	1				EZ0 EZ0			SCREW AND WASHER, Hex STUD, Double Ended
-3	6506 723AA-	1				EZU			STOD, Double Ended
		-							

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Mounting, Compressor 8.3L Engine Figure 024-530



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Cale	- C- d-								
Note: Sale	8.3L Gas En	gines							
EM0 = AII	5.9L 8 Cyl G	as Engi	nes						
	8.0L Gas En	gines							CODEW (NOT CEDVICED) (Not
1									SCREW, (NOT SERVICED) (Not Serviced)
2									SCREW, (NOT SERVICED) (Not
3									Serviced) SCREW, (NOT SERVICED) (Not
									Serviced)
4									SCREW, (NOT SERVICED) (Not Serviced)
5	5037 348AC	1				EWC			BRACKET, A/C Compressor

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Air Ducts** Figure 024-630





	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
1							COVER, Instrument Panel					
	5GT31 WL8A	A 1							[L5]			
	5GT31 XDVA	A 1							[DV]			
2									OUTLET, Air			
	WP33 WL5AA	. 1							[L5]			
	WP33 XDVAA	. 1							[DV]			
-3									CLIP, Hood, 06504067, (NOT			
									SERVICED) (Not Serviced)			
4									OUTLET, Air			
	WP34 1DVAA	. 1							[DV]			
	WP34 1L5AA	1							[L5]			
	WP34 1YHAA	. 1							[DV,AGK] 'S' Series			
	WP34 XZAAA	. 1	1						[JBM] 'S' Series			
5									DUCT, Demister			
	5080 598AA	1							Right			
	5080 599AA	1							Left			
6									GRILLE, Demister			
	WL88 1DVAA	1							[DV], Right			
	WL89 1DVAA	1							[DV], Left			
	WL88 1L5AA	1							[L5], Right			
	WL89 1L5AA	1							[L5], Left			
	WL88 1YHAA	1							[DV,AGK] 'S' Series, Right			
	WL89 1YHAA	1							[DV,AGK] 'S' Series, Left			
	WL88 XDVAA	. 1							[DV] 'S' Series, Right			
	WL89 XDVAA	. 1							[DV] 'S' Series, Left			
7									OUTLET, Air			
	WP36 1DVAA	. 1							[DV], Right			
	WP37 1DVAA	. 1							[DV], Left			
	WP36 1L5AA	1							[L5], Right			
	WP37 1L5AA	1							[L5], Left			
	WP36 VYHAA	. 1	1						[AGK] 'S' Series, Right			
	WP37 VYHAA	. 1	1						[AGK] 'S' Series, Left			
	WP36 XZAAA	. 1	1						[JBM] 'S' Series, Right			
	WP37 XZAAA	. 1	1						[JBM] 'S' Series, Left			
8	55055 978AA	1							ADAPTER, A/C And Heater Unit			
9	55056 045AA	1							ADAPTER, Defroster Duct			
-10	5080 590AA-	1							DUCT, Defroster			
-11									PACKING			
	5142 321AA-	1							Upper			
	5142 326AA-	1							Lower			
12	6101 945	4							SCREW			

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


# Group – 025 Emission Systems





#### **GROUP 25 - Emission Systems**

Illustration Title	Group-Fig. No
EGR Systems	
EGR System	Fig. 025-205
Vacuum Canister	
Vacuum Canister and Leak Detection Pump All Engines	Fig. 025-310
<b>Emission Harness</b>	
Emission Control	Fig. 025-410
Emission control Harness	Fig. 025-415
Leak Detection Pump	Fia. 025-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				!					
1									GASKET, EGR Valve
	53030 976AC	1				EVA			, , , , , , , , , , , , , , , , , , , ,
	53032 212AA					EZ0			
2									VALVE, EGR
	53032 776AD	1				EVA			•
	53032 509AF	1				EZ0			
-3	6504 793AA-	2				EZ0			SCREW, Hex Flange Head, M8x1.
									25x28.00, EGR Valve to Cylinder
									Head
4									TUBE, EGR
	53032 778AB	1				EVA			
	53032 511AF	1				EZ0			
-5	6508 380AA-	2				EVA			SCREW, Hex Flange Head, EGR
									Tube to Cylinder Head
6									SCREW, Hex Flange Head
	6504 829AA	2				EVA			
		2				EZ0			
7									SEAL, EGR Tube
	4591 250	1				EVA			
		1				EZ0			
8									GASKET, EGR Tube Flange
	5277 928	1				EVA			
		1				EZ0			
-9	4591 251AB-	1				EZ0			CLIP, Emission, EGR Tube to Intak
									Manifold
-10									BOLT, M8x1.25x30
	6502 555	2				EVA			EGR to Cylinder Head
		2				EZ0			EGR to Cylinder Head


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Vacuum Canister and Leak Detection Pump All Engines** Figure 025-310

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	les Codes								
[EK0]= A	II 3.7L, 6 Cylind	der Gas	Engines						
[EV0]= A	II 4.7L, 8 Cylind	der Gas	Engines						
[EZO]=A	ll 5.7L Gas								
[EWO]=A	II 8.0 Gas								
1									COVER, Vapor Canister
	52113 724AB	1	1		41	EK0,			
						EV0,			
						EZA			
		1	1		42, 62	EK0,			
						EV0,			
						EZA			
2									BRACKET, Vapor Canister
	52113 869AB	1				EK0,			
						EV0,			
						EZA			
		1	1			EWC			
3	6501 979	2				EK0,			SCREW AND WASHER, Hex Hex
						EV0,			M6x1x17
						EZ0			
4									CANISTER, Vapor
	4891 567AC	1			42, 62	EK0,			
						EV0,			
						EZA			
		1			41	EK0,			
						EV0,			
						EZA			
5									CANISTER, Vapor
	5290 428AC	1	1			EWC			
	52110 232AC	1				EK0,			
						EV0,			
						EZA			
6	4891 524AA	1				EK0,			DETECTOR, Natural Vacuum Lea
						EV0,			Detection



DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

4891 416AB

9

6036 039AA- 3

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

EZA

**EWC** 

**EWC** 

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

PUMP, Leak Detection

SCREW, .190-16x.542, Leak Detection Pump to Bracket

HOSE, Vapor Canister Pass Thru

#### **Vacuum Canister and Leak Detection Pump All Engines** Figure 025-310

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

**ENGINE** 

			52110 233AB	1		42, 62	EK0,	
							EV0,	
							EZA	
				1		41	EK0,	
							EV0,	
							EZA	
		40					EZA	LICOT Filter to Consisten
		10					-1.46	HOSE, Filter to Canister
			52110 273AB	1			EK0,	
							EV0,	
							EZA	
			5290 427AD	1	1		EWC	
		11	5290 424AC	2			EWC	HOSE, Canister to LDP
		12	55366 063AA	1			EK0,	SHIELD, Heat
			00000 0007 11 1	•			EV0,	OTHEED, Float
	$\Psi$						EZ0	
		4.0					EZU	ODOLUJET
	هر ما	13						GROMMET
(4)			4669 177	2		41, 61	EK0,	
~_/							EV0,	
(9)							EZA	
				4		42, 62	EK0,	
	$\sim \langle x', x' \rangle $ (4) $\sim$						EV0,	
	$(2) \qquad (11)$						EZA	
	(10)			2	1	61	EWC	
(13)		14		_	•	01	LVVO	NUT, Hex, M6x1.00
		14	0400 040	0		4.4	EI/O	NOT, Hex, MOX1.00
$\binom{2}{2}$			6100 048	2		41	EK0,	
							EV0,	
							EZ0	
				1	1		EWC	
		15						FILTER, Leak Detection Pump
			4891 561AA	1			EK0,	
	9						EV0,	
							EZ0	
	5076		5085 164AA	1	1		EWC	
				1			LVVC	NUT AND WACHED Hay Not Corned
6	15 7	16	6101 445	TI .				NUT AND WASHER, Hex Nut-Coned
(12)								Washer, M8 x 1.25
	$\frac{12}{3}$	-17	4885 827AA-	1			EK0,	SEAL, Canister and NVLD Mounting
(15)	3 (12)						EV0,	
							EZA	
		-18	55366 625AA-	1			EK0,	CAP, Bolt Cover, M10 Bolt
							EV0,	
							EZ0	

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRIM


DESCRIPTION

TRANS



### **Vacuum Canister and Leak Detection Pump All Engines** Figure 025-310

	PARI								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19	4669 475AB-	1				EWC			SOLENOID, Duty Cycle Purge
-20	5303 0987	1				EWC			BUSHING, Isolator





DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Emission Control** Figure 025-410





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 463AA	1				EWC			SOLENOID AND BRACKET, Duty
									Purge Cycle
-2	4669 475AB-	1				EWC			SOLENOID, Duty Cycle Purge
3	5303 0987	1				EWC			BUSHING, Isolator
4	5029 496AD	1				EWC			HARNESS, Vapor Purge
5									HARNESS, Vacuum Emission
	53032 053AC	1				EK0			
	53032 054AC	1				EV0			
-6	5290 534AA-	1				EWC			HOSE, Vacuum
7									HARNESS, Vapor Purge
	52110 270AC	1				EK0,			
						EV0			
	5029 496AD	1				EWC			
-8	6035 625	2				EK0,			SCREW
						EV0,			
						EW0,			
						EZ0			
-9	4669 569	1				EK0,			SOLENOID, Proportional Purge
						EV0,			
						EZ0			
-10	4669 657	1				EV0			CAP, Vacuum Port
-11	52121 114AA	- 1				EK0,			BRACKET, Proportional Purge
						EV0,			Solenoid
						EZ0			
-12	5037 671AA-	1				EWC			HARNESS, CCV To Air Cleaner
-13	52121 115AB	- 1				EK0,			HARNESS, Proportional Purge
						EV0,			Solenoid
						EZ0			

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Emission control Harness** Figure 025-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52121 035AG	1				EZ0			HARNESS, Vacuum Emission
2	52110 290AC	1				EZA			HARNESS, Vapor Purge
3	55366 863AA	1				EZ0			CLIP, Vacuum Harness
4	4669 569	1				EK0,			SOLENOID, Proportional Purge
						EV0,			
						EZ0			
-5	52121 114AA	- 1				EKO,			BRACKET, Proportional Purge
						EV0,			Solenoid
						EZ0			
-6	52121 115AB	- 1				EK0,			HARNESS, Proportional Purge
						EV0,			Solenoid
						EZ0			
-7	5037 306AE-	1				EWC			HARNESS, PCV

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Leak Detection Pump Figure 025-420


(12)
------


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1112181	HOMBER	Q(11	LINE	OLIVIEO	ВОВТ	LINGINE	IIIAIIO	1131111	DESCRIPTION
1									NUT, Hex, M6x1.00
	6100 048	1				EK0,			
						EV0,			
						EZ0			
		1	1			EWC			
2									NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
	6101 445	1	1			EWC			
		1				EK0,			
						EV0,			
						EZA			
3									BRACKET, Natural Vacuum Leak Detection
	52110 314AB	1				EK0,			
						EV0,			
						EZA			
		1	1			EWC			
4									CANISTER, Vapor
	5290 428AC	1	1			EWC			
	52110 232AD	1				EK0,			
						EV0,			
_	1000 177					EZA			00011157
5	4669 177	1				EK0			GROMMET
6	52113 869AB	1				EKO,			BRACKET, Vapor Canister
	52113 609AB	ı ı				EV0,			
						EZA			
		1	1			EWC			
7	4891 524AA	1	•			EK0,			DETECTOR, Natural Vacuum Leak
-		•				EV0,			Detection
						EZA			
8	0153 634	2							SCREW, LDP TO VAPOR
									CANISTER BRKT
9	4885 827AA	1				EK0,			SEAL, Canister and NVLD Mounting
						EV0,			
						EZA			
-10	4891 416AB-	1				EWC			PUMP, Leak Detection
-11	5290 423AB-	1				EWC			BRACKET, Leak Detection Pump
12	5290 424AC	2				EWC			HOSE, Canister to LDP
-13	4669 865	1				EWC			VALVE, Vent
-14	5290 534AA-	1				EWC			HOSE, Vacuum

DODGE RA	M 1500 (DR)			
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA=5.7L HEMI Magnum V8SMPI	DGQ, DG4 = Multi-Speed Auto(45RFE)
L = ST		42 = Quad Cab (160.5 WB)	EKG = 3.7L Magnum V6 MPI	DG8 = 4 Spd. Auto.(48RE)
		61 = Reg. Cab (120.5 WB)	EVA = 4.7L Magnum V8	DEC, DEJ = 6 Spd. Manual
		62 = Reg. Cab (140.5 WB)	EVD = 4.7L Magnum V8 FFV	,
		<b>0</b>	FWC = 8.3L V10 SFL	

## **Group – DDR**

### **Doors and Related Parts**






#### **GROUP DDR - Doors and Related Parts**

illustration little	Group-Fig. No.
Front Door	
Door, Front Shell And Hinges	Fig. DDR-110
Door, Front Glass And Regulator	Fig. DDR-120
Door, Front Lock And Controls	Fig. DDR-130
Rear Door	
Door, Rear Shell And Hinges	Fig. DDR-210
Door, Rear Glass And Regulator	Fig. DDR-220
Door, Rear Lock And Controls	Fig. DDR-230
Exterior Mirror	
Mirrors, Exterior	Fig. DDR-510
Weatherstrips and Seals	
Weatherstrips, Door Conventional Cab	Fig. DDR-610
Weatherstrips Door Quad Cab	Fig. DDR-620

### Door, Front Shell And Hinges Figure DDR-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55275 852AG	1			41, 42				Right
	55275 853AG	1			41, 42				Left
	55276 054AG	1			61, 62				Right
	55276 055AG	1			61, 62				Left
2									PANEL, Front Door Outer Repair
	55275 856AB	1			41, 42				Right
	55275 857AB	1			41, 42				Left
	55276 056AC	1			61, 62				Right
	55276 057AC	1			61, 62				Left
3									HINGE, Door
	55275 630AB	1							Right,Upper
	55275 631AB	1							Left,Upper
4	55275 634AA	2							HINGE, Door, Lower
5	6101 809	1							NUT AND WASHER, Hex, M8x1.25
6	6503 538	12							SCREW AND WASHER, Hex Head,
									M8x1.25x30
7	6505 269AA	4							SCREW AND WASHER, Head Head
									Lock, M8-1.25x30.00
8	55256 920AC	4							WASHER, Flat
9	6504 804	4							STUD, M8-1.25x46

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Door, Front Glass And Regulator Figure DDR-120



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									DECLINATOR E AR MEL
1	55070 000AD								REGULATOR, Front Door Window
	55276 206AD	1							[-JPD], Right
	55276 207AD	1							[-JPD], Left
	55275 598AC	1							[JPD], Right
	55275 599AC	1							[JPD], Left
2	6504 055	4							SCREW, Hex Head, M6x1x16
3									NUT, M6X1.00, (NOT SERVICED)
									(Not Serviced)
-4	5HK37 DX9AB	- 2							HANDLE, Window Regulator
5									CHANNEL, Front Door Glass Lower
	55275 942AC	1			41, 42				Right
	55275 943AC	1			41, 42				Left
	55276 836AB	1			61, 62				Right
	55276 837AB	1			61, 62				Left
6									CHANNEL, Front Door Glass Lower
	55276 128AD	1			41, 42				Right
	55276 129AD	1			41, 42				Left
	55276 444AD	1			61, 62				Long, Right
	55276 445AD	1			61, 62				Long, Left
7									GLASS, Front Door
	55276 602AC	1			41, 42				Right
	55276 603AC	1			41, 42				Left
	55276 600AD	1			61, 62				Right
	55276 601AD	1			61, 62				Left
8	6504 987AA	4			41, 42				SCREW AND WASHER, Tapping,
					, -				M6-1.0x20.0

DODGE RAM 1500 (DR)-SERIES LINE 1, 6 = 1500


SERIES H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Door, Front Lock And Controls** Figure DDR-130

PART



### **Door, Front Lock And Controls** Figure DDR-130



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	11									SCREW, Oval Head, SCREW, (NOT
										SERVICED) (Not Serviced)
	12									KNOB AND LINK, Door Lock
		5GT66 DX9A	A 2			41, 42				Right & Left
		5029 748AA	1			61, 62				[GXL], Right
		5029 749AA	1			61, 62				[GXL], Left
		5HB51 DX9A	A 1			61, 62				[-GXL], Right
		5HB52 DX9A	A 1			61, 62				[-GXL], Left
		5029 863AA	2			41, 42				[GXL]
_		5029 868AA	1			41, 42				[GXL] Long, Right
		5029 869AA	1			41, 42				[GXL] Long, Left

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Door, Rear Shell And Hinges Figure DDR-210



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									DOOR, Rear
_		55276 118AH	1			41, 42				Right
		55276 119AH	1			41, 42				Left
	2									PANEL, Door Outer
		55276 120AB	1			41, 42				Right
		55276 121AB	1			41, 42				Left
	3									HINGE, Door Half
		5029 864AA	1		S	41, 42				Right,Upper
		5029 865AA	1		S	41, 42				Left,Upper
		55276 106AB	1		H, L	41, 42				Right,Upper
		55276 107AB	1		H, L	41, 42				Left,Upper
	4									HINGE, Door Half
_		5029 866AA	1		S	41, 42				Lower,Right
		5029 867AA	1		S	41, 42				Lower,Left
		55276 416AA	1		H, L	41, 42				Lower,Right
		55276 417AA	1		H, L	41, 42				Lower,Left
_	5									SCREW, M8X1.25X33.32, (NOT
										SERVICED) (Not Serviced)
	6	6101 809	1							NUT AND WASHER, Hex, M8x1.25
	7	6503 538	12			41, 42				SCREW AND WASHER, Hex Head,
_										M8x1.25x30
	8	6505 269AA	4			41, 42				SCREW AND WASHER, Head Head
										Lock, M8-1.25x30.00
	9	55256 920AC	4			41, 42				WASHER, Flat
_	10	6504 804	4							STUD, M8-1.25x46
	11	5056 072AA	2			41, 42				LABEL, Child Protection Lock,
										English

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Door, Rear Glass And Regulator Figure DDR-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Rear Door Window
	55276 116AC	1			41, 42				[-JPD], Right
	55276 117AC	1			41, 42				[-JPD], Left
	55276 102AC	1			41, 42				[JPD], Right
	55276 103AC	1			41, 42				[JPD], Left
2	6504 055	4			41, 42				SCREW, Hex Head, M6x1x16
3									NUT, M6X1.00, (NOT SERVICED)
									(Not Serviced)
4									CHANNEL, Rear Door Front
	55276 112AD	1			41, 42				Right
	55276 113AD	1			41, 42				Left
5									CHANNEL, Rear Door Glass
	55276 114AD	1			41, 42				Right
	55276 115AD	1			41, 42				Left
6									GLASS, Rear Door
	55276 108AC	1			41, 42				Right
	55276 109AC	1			41, 42				Left
7	6504 987AA	4			41, 42				SCREW AND WASHER, Tapping,
									M6-1.0x20.0

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Door, Rear Lock And Controls** Figure DDR-230




<b>ТЕМ</b>	NUMBER	QTY	LINE	055150					
1				SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									
									LATCH, Rear Door
	55276 796AB	1			41, 42				[-JPB], Right
	55276 797AB	1			41, 42				[-JPB], Left
	55276 794AC	1			41, 42				[JPB], Right
	55276 795AC	1			41, 42				[JPB], Left
2									LINK AND SLEEVE, Rear Door
									Inside Remote to Latch
	55276 146AC	1			41, 42				Right
	55276 147AC	1			41, 42				Left
3	6507 121AA	6			41, 42				SCREW
4									TAPE, (NOT SERVICED) (Not
									Serviced)
5									HANDLE, Exterior Door
	55275 684AB	1			41, 42				Right
	55275 685AB	1			41, 42				Left
6									LINK, Outside Handle To Latch,
									Front Door
	55276 334AA	1			41, 42				Right
	55276 335AA	1			41, 42				Left
7									LINK AND SLEEVE, INSIDE
									REMOTE
	55276 148AC	1			41, 42				Right
	55276 149AC	1			41, 42				Left
8	4673 358	2			41, 42				CLIP, Anti Rattle
9									KNOB AND LINK, Door Lock
	5GT74 DX9AA	. 1			41, 42				Right
	5GT75 DX9AA	. 1			41, 42				Left
10	55276 150AA	2			41, 42				BELLCRANK, Outside Door Handle
11									HOUSING, Door Remote Control
	55276 350AA	1			41, 42				Right
	55276 351AA	1			41, 42				Left
12	4780 259	2			41, 42				STRIKER, Door
13									SCREW, Oval Head, SCREW, (NOT
									SERVICED) (Not Serviced)
14	5HK37 DX9AB	2			41, 42				HANDLE, Window Regulator
15									HANDLE, Inside Release
	55276 126AB	1			41, 42				Right
	55276 127AB	1			41, 42				Left
16	6101 443	4			41, 42				NUT AND WASHER, Hex, M5x.80
17									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Door, Rear Lock And Controls** Figure DDR-230



	PART								
ЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5008 292AB	2			41, 42				SEAL, Child Lock Lever
19	5257 081	4			41, 42				PLUG, Door
_									

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

ITEM

**PART** 

NUMBER

QTY

LINE

SERIES

BODY


**ENGINE** 

NOTES: Sales Codes:		
[ABD] = Middle East Equ	pment Group	
[GPD] = Folding Trailer T	ow Mirrors	
[GPG] = Folding Power 7	railer Tow Mirrors	
[GPU] = Manual 6X9 Bla	ck Mirrors	
[GTS] = Fold-Away Powe	r Heated Mirrors	
[GVA] = All Vehicles With	out Power Mirrors	
[GVB] = All Vehicles With	Power Mirrors	
1		MIRROR, Outside Rearview, Manua
55077 492AG	1	[GPD], Right
55077 493AG	1	[GPD], Left
55077 922AA	1	[GPU], Right
55077 923AA	1	[GPU], Left
2		MIRROR, Outside Rearview, Power
55077 924AA	1	[GTS-ABD], Right
55077 925AA	1	[GTS], Left
55077 928AA	1	[GTS+ABD], Right
55077 444AH	1	[GPG], Right
55077 445AH	1	[GPG], Left
3		NUT AND WASHER, Hex Nut-Cone
		Washer, M6 x 1.00, (NOT
		SERVICED) (Not Serviced)
-4		GLASS, Mirror Replacement
5161 008AA-	1	[GPD], Right
5161 009AA-	1	[GPD], Left
5161 010AA-	1	[GPG] Attaches by Three Metal
		Prongs, Right
5161 011AA-	1	[GPG] Attaches by Three Metal
		Prongs, Left
5086 218AA-	1	[GPG] Attaches by a Round Sprir
		Band, Right
5086 219AA-	1	[GPG] Attaches by a Round Sprir
		Band, Left
5086 216AA-	1	[GPU], Right
5086 217AA-	1	[GPU], Left
5086 220AA-	1	[GTS], Right
5086 221AA-	1	[GTS], Left
55078 058AA-	1	[GPU+ABD], Right
55078 092AA-	1	[GTS+ABD], Left
		<del>.</del>

TRIM

DESCRIPTION

TRANS




DODGE RAM 1500 (DR)-SERIES LINE ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) H = SLT1, 6 = 1500 DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual L = ST62 = Reg. Cab (140.5 WB)

6101 447

NUT, [GVA=GVB]

### Weatherstrips, Door Conventional Cab Figure DDR-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					
1	55276 957AB	2							SEAL, Body Side
2	00270 007712								RETAINER, Bodyside Seal
_	55276 466AA	1							Right
	55276 467AA	1							Left
3									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
	55276 200AC	1			61, 62				Right
	55276 201AC	1			61, 62				Left
4									SCREW
	6507 595AA	26			41, 42				
		20			61, 62				
5									SEAL, Body Side
	55276 941AA	2			41, 42				
	55276 944AA	2			61, 62				
6									WEATHERSTRIP, Door Opening
	55275 609AD	2			41, 42				
	55275 611AF	2			61, 62				
7									SEAL, Glass Run, Front
	55276 180AD	1			41, 42				Right
	55276 181AD	1			41, 42				Left
	55275 612AF	1			61, 62				Right
	55275 613AE	1			61, 62				Left
8									SEAL
	55277 214AA	1			61, 62				Right
	55277 215AA	1			61, 62				Left
	55277 216AA	1			41, 42				Right
	55277 217AA	1			41, 42				Left
9									WEATHERSTRIP, Door Belt
	55276 896AD	2			41, 42				
	55276 897AC	2			61, 62				
10									WEATHERSTRIP, Door Belt
	55276 202AC	1			41, 42				Right
	55276 203AC	1			41, 42				Left
	55276 942AA	1			61, 62				Right
	55276 943AA	1			61, 62				Left
11									WATERSHIELD, Front Door
	55276 172AH	1			41, 42				Right
	55276 173AH	1			41, 42				Left
	55276 174AI	1			61, 62				Right
	55276 175AI	1			61, 62				Left

 DODGE RAM 1500 (DR)

 SERIES
 LINE


 H = SLT
 1, 6 = 1500

 L = ST


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Weatherstrips, Door Conventional Cab** Figure DDR-610



### Weatherstrips, Door Quad Cab Figure DDR-620




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55276 593AD	2			61, 62				SEAL, B-Pillar
2	55276 895AD				41, 42				SEAL, Rear Door
3	002.0000.12	_			,				SEAL, B-Pillar
Ü	55276 438AC	1			41, 42				Right
	55276 439AC				41, 42				Left
4	33210 43370	'			71, 72				SCREW, Tapping, .19-16x.625,
7									(NOT SERVICED) (Not Serviced)
5									WATERSHIELD, Rear Door
5	55276 170AE	1			44 42				
		1			41, 42				Right
•	55276 171AE	1			41, 42				Left
6	55276 896AC	2			41, 42				WEATHERSTRIP, Door Belt
7									SEAL, Foam, (NOT SERVICED) (N
									Serviced)
8									WATERSHIELD, Front Door
	55276 172AH				41, 42				Right
	55276 173AH				41, 42				Left
9	55276 941AA	2			41, 42				SEAL, Body Side
10									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
11									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
12	6036 548AA	1							SCREW
13	55276 941AA	2			41, 42				SEAL, Body Side
14	55275 609AD				41, 42				WEATHERSTRIP, Door Opening,
					,				Front
15	55275 608AE	2			41, 42				WEATHERSTRIP, Door Opening,
		_			,				Rear
16									SEAL, Rear Door
.0	55276 164AD	1			41, 42				Right
	55276 165AD				41, 42				Left
17	00270 100ND	•			71, 72				WEATHERSTRIP, Door Belt
- ' '	55276 958AA	1			41, 42				Right
	55276 959AA	1			41, 42				Left
18	33210 939AA	'			41, 42				SCREW, M4X.7X10.0, (NOT
10									· · · · · · · · · · · · · · · · · · ·
40	55050 00044				44 40				SERVICED) (Not Serviced)
19	55359 868AA	2			41, 42				SEAL
20		_							WEATHERSTRIP, Door Belt
	55276 202AC	1			41, 42				Right
	55276 203AC	1			41, 42				Left
21									SEAL, Glass Run, Front
GE PA	.M 1500 (DR)								
GE KA IES	LINE		BODY			IGINE			TRANSMISSION

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) SERIES H = SLT L = ST LINE 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


### Weatherstrips, Door Quad Cab Figure DDR-620




	PART			050150	Dony		<b>TD 4110</b>		DECODURTION			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
	55276 180AD	) 1			41, 42			Right				
	55276 181AD	) 1			41, 42				Left			
OGE RAN	1500 (DR)——											
RIES SLT ST	LINE 1, 6 = 1500	41 = 42 = 61 =	BODY = Quad Cab ( = Quad Cab ( = Reg. Cab ( = Reg. Cab (	(160.5 WB) 120.5 WB)	EZA=5 EKG = EVA =	NGINE 5.7L HEMI Ma = 3.7L Magnu = 4.7L Magnu = 4.7L Magnu	ım V6 MPI ım V8	MPI	TRANSMISSION DGQ, DG4 = Multi-Speed Auto(45RFE) DG8 = 4 Spd. Auto.(48RE) DEC, DEJ = 6 Spd. Manual			

## **Group – EDR**

### **Exterior Ornamentation**






#### **GROUP EDR - Exterior Ornamentation**

Illustration Title	Group-Fig. No
Nameplates Nameplates	Fig. EDR-110
Moldings and Ornamentation	
Mouldings and Ornamentation	Fig. EDR-210
Cladding and Sill Moldings, SRT	Fig. EDR-220

### Nameplates Figure EDR-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 718AA	1							NAMEPLATE, Medallion, Ram Head,
<u> </u>		•							[MGA]
2	55077 299AA	1	6						NAMEPLATE, 4x4, [MUS]
3	55077 326AB	1							NAMEPLATE, SLT, [MTD]
4	55077 661AA	2							NAMEPLATE, HEMI, HEMI
5	55077 331AB	2							NAMEPLATE, Ram 2500, RAM 2500
6	55077 336AA	2	1						NAMEPLATE, Door, Ram 1500,
									RAM 1500
7	55077 670AA	1							NAMEPLATE, LARAMIE, [MTE]
8	5029 627AA	2	1						NAMEPLATE, Viper Powered, [MUN]
9	5029 641AB	2	1						NAMEPLATE, RAM SRT-10, RAM
									SRT- 10, [MTZ]
-10									DECAL KIT, Body, Dealer Theme
									Kits
	5159 216AA-	1							Rumble Bee, Box Stripe, Right
	5159 217AA-	1							Rumble Bee, Box Stripe, Left
	5159 228AA-	1							Rumble Bee, Stripe, Right
	5159 218AA-	1							Rumble Bee, Bee, Right
	5159 229AA-	1							Rumble Bee, Stripe, Left
	5159 219AA-	1							Rumble Bee, Bee, Left
	8220 8074	1							Hemi 5.7
	8220 8348	1							ThunderRoad Hemi
	8220 8349	1							Hemi Express, With California
	8220 8437	1							Hemi Express, Without California
-11	8220 8890	1							DECAL KIT, QTR, Hemi Sport One
									Side
12	5029 628AB	1	1						NAMEPLATE, SRT-10, [MUC]
13	55077 672AA	2	6						DECAL, 4 X 4 OFF ROAD, [MZT]
-14	55078 108AA-	- 2							NAMEPLATE, BIG HORN EDITION,
									Front Doors [MYF]
-15	55078 110AA	· 2							NAMEPLATE, LONESTAR EDITION,
									Front Doors [MYG]

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Mouldings and Ornamentation Figure EDR-210



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
1									MOLDING, Front Door			
	55077 170AC	1			61, 62				[K10], Right			
	55077 171AC	1			61, 62				[K10], Left			
	55077 724AA	1			61, 62				[MJB], Right			
	55077 725AA	1			61, 62				[MJB], Left			
	5HC18 AVEA	A 1			61, 62				[K4H], Right			
	5HC18 CDMA	A 1			61, 62				[K4M], Right			
	5HC18 DX8A	A 1			61, 62				[K4X], Right			
	5HC18 GW7A	A 1			61, 62				[K4W], Right			
	5HC18 PR4A	A 1			61, 62				[K4R], Right			
	5HC18 VYHA	A 1			61, 62				[K4Y], Right			
	5HC18 WS2A				61, 62				[K4S], Right			
	5HC18 WSBA	A 1			61, 62				[K4A], Right			
	5HC18 ZBJAA	1			61, 62				[K4C], Right			
	5HC19 AVEA	A 1			61, 62				[K4H], Left			
	5HC19 CDMA	A 1			61, 62				[K4M], Left			
	5HC19 DX8A	A 1			61, 62		[K4X], Left					
	5HC19 GW7A	A 1			61, 62		[K4W], Left [K4R], Left					
	5HC19 PR4A	A 1			61, 62							
	5HC19 VYHA	A 1			61, 62				[K4Y], Left			
	5HC19 WS2A	A 1			61, 62		[K4S], Left					
	5HC19 WSBA	A 1			61, 62				[K4A], Left			
	5HC19 ZBJAA	1			61, 62				[K4C], Left			
2									MOLDING, Cab			
	55077 166AC	1			61, 62				[K10], Right			
	55077 167AC	1			61, 62				[K10], Left			
	55077 726AA	1			61, 62				[MJB], Right			
	55077 727AA	1			61, 62				[MJB], Left			
	5HC46 AVEA	A 1			61, 62				[K4H], Right			
	5HC46 CDMA	A 1			61, 62				[K4M], Right			
	5HC46 DX8A	A 1			61, 62				[K4X], Right			
	5HC46 GW7A				61, 62				[K4W], Right			
	5HC46 PR4A	A 1			61, 62				[K4R], Right			
	5HC46 VYHA				61, 62				[K4Y], Right			
	5HC46 WS2A				61, 62				[K4S], Right			
	5HC46 WSBA				61, 62				[K4A], Right			
	5HC46 ZBJAA	1			61, 62				[K4C], Right			
	5HC47 AVEA	A 1			61, 62				[K4H], Left			
	5HC47 CDMA	A 1			61, 62				[K4M], Left			
	5HC47 DX8A	A 1			61, 62				[K4X], Left			
	5HC47 GW7A	A 1			61, 62				[K4W], Left			

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Mouldings and Ornamentation Figure EDR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1						110.00	1	2_00 110.1
	5HC47 PR4AA	1			61, 62				[K4R], Left
	5HC47 VYHAA	1			61, 62				[K4Y], Left
	5HC47 WS2AA	. 1			61, 62				[K4S], Left
	5HC47 WSBA	١ 1			61, 62				[K4A], Left
	5HC47 ZBJAA	1			61, 62				[K4C], Left
3									MOLDING, Roof Quarter Joint
	55275 794AA	1			61, 62				Right
	55275 795AA	1			61, 62				Left
4									MOLDING, Front Door
	55077 174AD	2			41, 42				[K10]
	55077 728AA	2			41, 42				[MJB]
	5HC48 AVEAA	2			41, 42				[K4H]
	5HC48 CDMAA	. 2			41, 42				[K4M]
	5HC48 DX8AA	2			41, 42				[K4X]
	5HC48 GW7A	. 2			41, 42				[K4W]
	5HC48 PR4AA	2			41, 42				[K4R]
	5HC48 VYHAA	2			41, 42				[K4Y]
	5HC48 WS2AA	. 2			41, 42				[K4S]
	5HC48 WSBAE	3 2			41, 42				[K4A]
	5HC48 ZBJAA	2			41, 42				[K4C]
5									MOLDING, Rear Door
	55077 172AD	2			41, 42				[K10]
	55077 729AA	2			41, 42				[MJB]
	5HC44 CDMAE	3 2			41, 42				[K4M]
	5HC44 DX8AB	2			41, 42				[K4X]
	5HC44 GW7AE	3 2			41, 42				[K4W]
	5HC44 PR4AB	2			41, 42				[K4R]
	5HC44 WS2AA	. 2			41, 42				[K4S]
	5HC44 WSBAE	3 2			41, 42				[K4A]
	5HC44 ZBJAB	2			41, 42				[K4C]
	5HC44 AVEAA	2			41, 42				[K4H]
6									MOLDING, Roof Quarter Joint
	55275 796AA	1			41, 42				Right
	55275 797AA	1			41, 42				Left

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Cladding and Sill Moldings, SRT Figure EDR-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPOILER, Rear Air Dam
	5JR31 TZZAB	1	1						Dealer Paint [-CS7]
	5029 787AA	1	1						Dealer Paint [CS7]
-2	5029 846AA-	1	1		61, 62				TOOL, Nut Driver
3	6101 718	4	1		61, 62				SCREW AND WASHER, Oval Hea
									M6x1x25
4	6102 126AA	2	1						NUT AND WASHER, Hex, M6x1.0
5									SCREW, .190-16x1.00, (NOT
									SERVICED) (Not Serviced)
6									CLADDING, Fender
	YH70 DX8AB	1			41, 61				[K6X], Right
	YH70 PR4AB	1			41, 61				[K6R], Right
	YH70 WS2AB	1			41, 61				[K6S], Right
	YH71 DX8AB	1			41, 61				[K6X], Left
	YH71 PR4AB	1			41, 61				[K6R], Left
	YH71 WS2AB	1			41, 61				[K6S], Left
7									CLADDING, Front Door
	YH66 DX8AF	1			61				[K6X], Right
	YH66 PR4AF	1			61				[K6R], Right
	YH66 WS2AF	1			61				[K6S], Right
	YX66 TZZAA	1			41				[K60], Right
	YH67 DX8AF	1			61				[K6X], Left
	YH67 PR4AF	1			61				[K6R], Left
	YH67 WS2AF	1			61				[K6S], Left
	YX67 TZZAA	1			41				[K60], Left
-8									CLADDING, Front Door, Rear Doo
	YX68 TZZAA-				41				[K60], Right
	YX69 TZZAA-	1			41				[K60], Left
9									CLADDING, Sill
	YH68 DX8AB	1			61				[K6X], Right
	YH68 PR4AB				61				[K6R], Right
	YH68 WS2AB	1			61				[K6S], Right
	YH69 DX8AB	1			61				[K6X], Left
	YH69 PR4AB	1			61				[K6R], Left
	YH69 WS2AB	1			61				[K6S], Left
	YX70 DX8AC	1			41				[K6X], Right
	YX70 PR4AC	1			41				[K6R], Right
	YX70 WS2AC	1			41				[K6S], Right
	YX71 TZZAC	1			41				[K6R], Left
		1			41				[K6S], Left
		1			41				[K6X], Left
10									CLADDING, Quarter Panel

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Cladding and Sill Moldings, SRT Figure EDR-220



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
	YH64 DX8AC	: 1			41, 61				[K6X], Right		
	YH64 PR4AC	1			41, 61				[K6R], Right		
	YH64 WS2AC	1			41, 61		[K6S], Right				
	YH65 DX8AC	: 1			41, 61		[K6X], Left				
	YH65 PR4AC	1			41, 61				[K6R], Left		
	YH65 WS2AC	1			41, 61				[K6S], Left		
11									NUT, Spring, .19-16, 06032031,		
									(NOT SERVICED) (Not Serviced)		


DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# Group – IDR

### **Interior Trim**





# Group – IDR

### **Interior Trim**

DR-900 Rear Storage Compartment		

#### **GROUP IDR - Interior Trim**

Illustration Little	Group-Fig. No
Headliner and Visor	
Headliner, Visors, Coat Hooks	Fig. IDR-110
Moldings, Scuff Plates	
A-Pillar, Cowl and Sills	Fig. IDR-210
Quarter Trim Panel	Fig. IDR-220
Side Air Bag	Fig. IDR-230
Carpet	
Carpets, Mats	Fig. IDR-310
Quad Cab Back Silencer	Fig. IDR-320
Door Trim Panels-Front and Rear	
Door Trim Panels	Fig. IDR-410
Front Seats and Attaching Parts	
Front, Vinyl, Trim Code [TX]	Fig. IDR-510
Front, Cloth, Trim Code [P9]	Fig. IDR-520
Front, Cloth, Trim Code [V9]	Fig. IDR-530
Front, Cloth, Trim Code [M9]	Fig. IDR-540
Front, Leather, Trim Code [QL]	Fig. IDR-550
Front, Leather, Trim Code [VL]	Fig. IDR-560
Front, Leather, Trim Code [DZ]	Fig. IDR-570
Rear Seats- Folding and Quad	
Rear Bench Seat	Fig. IDR-610
Rear, 60/40 Seat	Fig. IDR-620
Load Floor	Fig. IDR-630
Seat Belts-Front and Rear	
Seat Belts, Regular Cab	Fig. IDR-710
Seat Belts, Quad Cab	Fig. IDR-720
Adjusters, Covers, Shields, and Risers	
Adjusters and Miscellaneous Front Seat Attachments	Fig. IDR-810
Rear Storage Compartment	
Rear Trim Panel and Storage	Fig. IDR-910
	.g 010

### **Headliner, Visors, Coat Hooks** Figure IDR-110

<ul><li>5</li><li>3</li></ul>		
2		4
3 5		

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Cod	les:								
	verhead cons	ole with	trip comp	uter					
	verhead cons				rage door	opener			
	luminated mir			J	J	•			
[LCL] = Fr	ont dome lam	p with o	on/off switc	:h					
[GWA] = S	Sunroof								
1									HEADLINER
	1AT53 TL2AA	1			41, 42			O0	With Sunroof [GWA]
	1CS00 TL2A	A 1			41, 42			00	Without Overhead Console [CUS
									or CV2] After 4/11/05 St. Louis
									Built, After 3/16/05 Warren and
									Mexico Built
	1CX60 TL2A	1			41, 42			O0	Without Overhead Console [CUS
									or CV2] Up to 4/11/05 St. Louis
									Built, Up to 3/16/05 Warren and
									Mexico Built
	1CS01 TL2A	1			41, 42			O0	With Overhead Console [CUS] &
									Without Illuminated Visors [GNC],
									After 4/11/05 St. Louis Built
	1CX61 TL2A	<del>1</del> 1			41, 42			00	With Overhead Console [CUS] &
									Without Illuminated Visors [GNC],
									Up to 4/11/05 St. Louis Built
	1CS02 TL2A	<del>1</del> 1			41, 42			00	With Overhead Console [CUS or
									CV2] & Illuminated Visors [GNC],
-									After 3/16/05 Warren Built, After
									4/12/05 Mexico Built
	1CX62 TL2A	<del>1</del> 1			41, 42			00	With Overhead Console [CUS or
									CV2] & Illuminated Visors [GNC],
									Up to 3/16/05 Warren Built, Up to
									4/12/05 Mexico Built
	1CX57 TL2A	<del>1</del> 1			61, 62			00	Without Overhead Console [CUS]
									& Without Illuminated Visors
									[GNC], Up to 4/1/05 St. Louis
									Built, Up to 3/16/05 Mexico Built
	1CX58 TL2A	1			61, 62			O0	With Overhead Console [CUS] &
									Without Illuminated Visors [GNC],
									Up to 4/1/05 St. Louis Built, Up to
									3/16/05 Mexico Built
	1CX59 TL2A	A 1			61, 62			O0	With Overhead Console [CUS or
									CV2] & Illuminated Visors [GNC],
									Up to 4/1/05 St. Louis Built, Up to
									3/16/05 Mexico Built

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Headliner, Visors, Coat Hooks** Figure IDR-110

<ul><li>6</li><li>5</li><li>3</li></ul>			
	0	()	
2			4
3	0	(a)	
6 5	0		

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•	•				
	1CR90 TL2AA	١ 1			61, 62			00	With Overhead Console [CUS or
					,				CV2] & Illuminated Visors [GNC],
									After 4/1/05 St. Louis Built, After
									3/16/05 Mexico Built
	1CR88 TL2AA	1			61, 62			O0	With Overhead Console [CUS] &
									Without Illuminated Visors [GNC],
									After 4/1/05 St. Louis Built, After
									3/16/05 Mexico Built
	1CR86 TL2AA	1			61, 62			00	Without Overhead Console [CUS]
									& Without Illuminated Visors
									[GNC], After 4/1/05 St. Louis
2									Built, After 3/16/05 Mexico Built
2	WF19 TL2AA	2			41, 42			00	SUPPORT, Visor
	WI 19 ILZAA	1			61, 62			00	
3		•			01, 02			00	VISOR
	WF21 TL2AA	1			41, 42			00	Without Overhead Console [CUS
					· · ·				or CV2], Left
	YY77 TL2AA	1			41, 42			00	With Overhead Console [CV2 or
									CUS], Left
	YE64 TL2AA	1			41, 42			O0	Without Overhead Console [CUS
									or CV2], Right
	YE66 TL2AA	1			41, 42			00	With Overhead Console [CUS],
	)0/70 TI 04 4				44 40			0.0	Right
	YY76 TL2AA	1			41, 42			00	With Overhead Console [CUS or
									CV2] and Illuminated Vanity Mirrors [GNC], Right
	YY75 TL2AA	1			61, 62			00	With Overhead Console [CV2 or
	1170 122700	'			01, 02			00	CUS], Left
	YY74 TL2AA	1			61, 62			00	With Overhead Console [CUS or
					,				CV2] and Illuminated Vanity
									Mirrors [GNC], Right
	YE82 TL2AA	1			61, 62			00	With Overhead Console [CUS],
									Right
	YE68 TL2AA	1			61, 62			00	Without Overhead Console [CUS
									or CV2], Right
	XB05 TL2AA	1			61, 62			00	With Overhead Console, Without
4	FUTOE TI OAD							00	[GNC or LCL], Left
4	5HT25 TL2AD	) 2						O0	HOOK, Coat
5	5073 064AA	3			41, 42			00	SCREW
	3073 004AA				<b>⊤</b> 1, <b>+∠</b>				

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Headliner, Visors, Coat Hooks** Figure IDR-110

6 5			
3		(())	<b>₽</b>
2			4
	0	(a)	
6 5			


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
		3			61, 62			00	
6									CLIP, Visor
	5073 065AA	1			41, 42			00	
		1			61, 62			00	
-7									TRIM LACE, Sunroof, Serviced with
									headliner, (NOT SERVICED) (Not
									Serviced)
		_						_	


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### A-Pillar, Cowl and Sills Figure IDR-210





	PART						ĺ		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5GR28 TL2AF	1						O0	Right
	5GR29 TL2AF	1						00	Left
	ZL39 TL2AA	1						00	[SRT-10], Left
2	WQ06 TL2AA	1						00	PLUG, A Pillar Garnish
3									SCREW AND WASHER, M6x1.
									00x25.80, (NOT SERVICED) (Not
									Serviced)
4	6507 161AA	4							NUT
5									PANEL, Scuff
	5GR40 WL5AI	<b>)</b> 1						00	[L5], Right
	5GR40 XDVA	<b>)</b> 1						00	[DV], Right
	5GR41 WL5AI	<b>)</b> 1						00	[L5], Left
	5GR41 XDVA	<del>7</del> 7						O0	[DV], Left
6									PLATE, Scuff
	5GY78 WL5AC	2 1			41, 42			00	[L5], Right
	5GY78 XDVA	2 1			41, 42			00	[DV], Right
	5GY79 WL5A0	2 1			41, 42			O0	[L5], Left
	5GY79 XDVA	2 1			41, 42			00	[DV], Left
7									RETAINER, Scuff Plate
	6506 540AA	14			41, 42				
		10			61, 62				

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Quarter Trim Panel** Figure IDR-220



ITEM	PART	OTV.	LINE	050150	DODY	ENOINE	TRANG		DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co			· · · -						
-	Air Bag Side Wi	ndow C	Surtain, Fro	ont					DANIEL D. D.'II
1	50000 TI 044				04 00			•	PANEL, B Pillar
	5GR30 TL2A0				61, 62			00	Right
	5GR31 TL2A0				61, 62			00	Left
	5JZ22 TL2AA	. 1			61, 62			O0	With [CJ4] Side Air Bag Badge,
	5 1700 TI 04 A				04 00			00	Right
	5JZ23 TL2AA	. 1			61, 62			00	With [CJ4] Side Air Bag Badge,
									Left
2									PANEL, B Pillar
	5HA58 WL5A				61, 62			00	[L5], Right
	5HA58 XDVA				61, 62			00	[DV], Right
	5HA59 WL5A				61, 62			00	[L5], Left
_	5HA59 XDVA	D 1			61, 62			O0	[DV], Left
3									PANEL, B Pillar
	5GV02 TL2A				41, 42			00	Right
	5GV03 TL2AI				41, 42			00	Left
	5JZ24 TL2AA	. 1			41, 42			O0	With [CJ4] Side Air Bag Badge,
									Right
	5JZ25 TL2AA	. 1			41, 42			O0	With [CJ4] Side Air Bag Badge,
									Left
4	WQ02 TL2AA	. 1			41, 42			O0	HANDLE, Roof Grab
5									SCREW AND WASHER, Hex, M6x
									00x20.00, (NOT SERVICED) (No
									Serviced)
6									PLUG, B Pillar
	WQ04 TL2AA				41, 42			00	Upper
	WQ05 TL2AA	. 1			41, 42			00	Lower
7									PANEL, B Pillar
	5GY68 WL5A	C 1			41, 42			00	[L5], Right
	5GY68 XDVA	C 1			41, 42			00	[DV], Right
	5GY69 WL5A				41, 42			00	[L5], Left
	5GY69 XDVA	C 1			41, 42			O0	[DV], Left
8									PANEL, C Pillar
	5GS42 TL2AE				41, 42			00	Right
	5GS43 TL2AE	≣ 1			41, 42			00	Left
9									PANEL, C Pillar
	5HC64 WL5A	E 1			41, 42			O0	[L5], Right
	5HC64 XDVA	E 1			41, 42			O0	[DV], Right
	5HC65 WL5A	E 1			41, 42			00	[L5], Left
	5HC65 XDVA	E 1			41, 42			00	[DV], Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Side Air Bag Figure IDR-230



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									AIR BAG, Side Curtain
	55350 932AF	1			61, 62				Right
	55350 933AF	1			61, 62				Left
2									AIR BAG, Side Curtain
	55350 934AF	1			41, 42				Right
	55350 935AF	1			41, 42				Left
3									SCREW AND WASHER, Hex Head
									M6x1x20, (NOT SERVICED) (Not
									Serviced)
4									NUT, Snap In
	6506 955AA	12			41, 42				
		8			61, 62				
5	6507 161AA	2							NUT



 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	<u> </u>							l	
Sales Co	de: [XE6] = Shif	tor Hi	uret [SRT-1	101					
1	de. [XL0] = Om	ter, rit	uist [Oit i-	10]					CARPET, Floor
•	5GT51 WL8AG	i 1			61, 62			00	[L5]
	5GT51 XDVAG				61, 62			00	[DV]
	ZT34 XDVAC	1			61, 62			00	[DV], With Sales Code [XE6]
2	5GT55 DX9AE	1			61, 62			00	MAT, Floor, Black Vinyl
3	5GS57 DX9AF	1			41, 42			00	MAT, Floor, Black Vinyl
4									CARPET, Floor
	5GT53 WL8AF	1			41, 42			00	[L5]
	5GT53 XDVAF	1			41, 42			O0	[DV]
	1BB38 XDVAA	. 1			41, 42			00	[SRT-10]
5	6501 916	11			41, 42				RETAINER, Push On
-6									CLIP, Floor Mat Retention
	5086 365AA-	1			41, 42			O0	
		1			61, 62			00	
7	1CA99 1Y3AA	1						00	MAT KIT, Floor, Front, [SRT-10]
8									MAT KIT, Floor - Front
	8220 7014	1						00	[L5], With Dodge Logo
	8220 7015	1						O0	[DV], With Dodge Logo
	8220 7017	1							[L5]
	8220 7018	1							[DV]
	8220 7020	1							[L5], Slush Style
	8220 7021	1							[DV], Slush Style

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Quad Cab Back Silencer** Figure IDR-320

ITEM I	NUMBER	QTY	LINE	SERIES	BODY				
-				SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 553	350 923AE	1			41, 42				SILENCER, Panel Inner
2 650	01 916	3			41, 42				RETAINER, Push On
3 650	07 256AA	2			41, 42				RETAINER, Push On



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-		,						
Sales Coo									
	Daytona Edition	-							
	ellow Fever E	dition (	Group						
	Speakers								
	Speakers, Inf	inity							
1									PANEL, Front Door Trim
	5GU83 1DVA				61, 62			DZ	Left
	5GU82 1DVA				61, 62			DZ	Right
	1CC47 1YHAA	<del>1</del> 1			61, 62			DZ	[SRT-10], With Sales Code [AGK
									Left
	1CC46 1YHAA	A 1			61, 62			DZ	[SRT-10], With Sales Code [AGK
									Right
	5JM95 1L5AA				61, 62			M9	[L5], With Infinity, Left
	5JM94 XDVA				61, 62			M9	[DV], With Infinity, Right
	5JM94 1L5AA				61, 62			M9	[L5], With Infinity, Right
	5KK10 1DVAA				61, 62			M9	[DV],Rumble Bee, Right
	5KK11 1DVAA				61, 62			M9	[DV],Rumble Bee, Left
	5KK10 1VEAA				61, 62			M9	[DV], Daytona Edition [ACD], Rig
	5JM95 XDVA				61, 62			M9	[DV], With Infinity, Left
	5KF78 1DVAA	1			61, 62			M9	[DV], With Sales Code [ACD],
									Right
	5KF79 1DVAA				61, 62			M9	[DV], With Sales Code [ACD], Le
	5KK11 1VEAA				61, 62			М9	[DV], Daytona Edition [ACD], Left
	5JM91 XDVA				61, 62			M9	[DV], Without Infinity, Left
	5JM91 1L5AA				61, 62			M9	[L5], Without Infinity, Left
	5JM90 XDVA				61, 62			М9	[DV], Without Infinity, Right
	5JM90 1L5AA				61, 62			М9	[L5], Without Infinity, Right
	5GS63 XDVA				61, 62			P9	[DV], Left
	5GS63 1L5AF				61, 62			P9	[L5], Left
	5GS62 1L5AF				61, 62			P9	[L5], Right
	5GS62 XDVA	F 1			61, 62			P9	[DV], Right
	5GS63 1L5AF				61, 62			TX	[L5], Left
	5GS63 XDVA	F 1			61, 62			TX	[DV], Left
	5GS62 1L5AF				61, 62			TX	[L5], Right
	5GS62 XDVA	F 1			61, 62			TX	[DV], Right
	5KK11 1DVAA	1			61, 62			V9	Rumble Bee, Left
	5KK10 1DVAA	1			61, 62			V9	Rumble Bee, Right
	5JM95 1L5AA	1			61, 62			V9	[L5], With Infinity, Left
	5JM95 XDVA	A 1			61, 62			V9	[DV], With Infinity, Left
	5JM90 1L5AA	. 1			61, 62			V9	[L5], Without Infinity, Right
	5JM90 XDVA	A 1			61, 62			V9	[DV], Without Infinity, Right

 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5JM91 1L5A	A 1			61, 62			V9	[L5], Without Infinity, Left
	5JM91 XDVA	A 1			61, 62			V9	[DV], Without Infinity, Left
	5JM94 1L5A	A 1			61, 62			V9	[L5], With Infinity, Right
	5JM94 XDVA	A 1			61, 62			V9	[DV], With Infinity, Right
	5GU83 1L5A	G 1			61, 62			VL	[L5], With Infinity [RCK], Left
	5KF79 1L5A	<del>\</del> 1			61, 62			VL	[L5], With 4 speakers [RCD], Left
	5KF78 1DVA	A 1			61, 62			VL	[DV], With 4 speakers [RCD], Right
	5KF79 1DVA	A 1			61, 62			VL	[DV], With 4 speakers [RCD], Left
	5GU83 1DVA	.G 1			61, 62			VL	[DV], With Infinity [RCK], Left
	5GU82 1L5A	G 1			61, 62			VL	[L5], With Infinity [RCK], Right
	5GU82 1DVA	.G 1			61, 62			VL	[DV], With Infinity [RCK], Right
	5KF78 1L5A	1			61, 62			VL	[L5], With 4 speakers [RCD], Right
2									PANEL, Front Door Trim
	5GU84 1DVA	G 1			41, 42			DZ	Right
	5GU85 1DVA	G 1			41, 42			DZ	Left
	1CC17 1YHA	A 1			41, 42			DZ	[SRT-10], Left
	1CC16 1YHA	A 1			41, 42			DZ	[SRT-10], Right
	5JM92 XDVA	A 1			41, 42			M9	[DV], Without Infinity, Right
	5JM92 1L5A	A 1			41, 42			M9	[L5], Without Infinity, Right
	5JM93 1L5AA	A 1			41, 42			M9	[L5], Without Infinity, Left
	5JM93 XDVA	A 1			41, 42			M9	[DV], Without Infinity, Left
_	5JM96 XDVA	A 1			41, 42			M9	[DV], With Infinity, Right
	5JM96 1L5A	A 1			41, 42			M9	[L5], With Infinity, Right
	5JM97 XDVA	A 1			41, 42			M9	[DV], With Infinity, Left
	5JM97 1L5A	1			41, 42			M9	[L5], With Infinity, Left
	5GS65 1L5A	F 1			41, 42			P9	[L5], Left
	5GS65 XDVA	F 1			41, 42			P9	[DV], Left
	5GS64 XDVA	F 1			41, 42			P9	[DV], Right
	5GS64 1L5A	F 1			41, 42			P9	[L5], Right
	5JM92 XDVA	A 1			41, 42			QL	[DV], Without Infinity, Right
	5JM92 1L5A	A 1			41, 42			QL	[L5], Without Infinity, Right
	5JM93 XDVA	A 1			41, 42			QL	[DV], Without Infinity, Left
	5JM93 1L5A	1			41, 42			QL	[L5], Without Infinity, Left
	5JM96 1L5A	A 1			41, 42			QL	[L5], With Infinity, Right
	5JM96 XDVA				41, 42			QL	[DV], With Infinity, Right
	5JM97 XDVA				41, 42			QL	[DV], With Infinity, Left
	5JM97 1L5A				41, 42			QL	[L5], With Infinity, Left
	5GS64 1L5AI				41, 42			TX	[L5], Right
	5GS64 XDVA				41, 42			TX	[DV], Right
	5GS65 XDVA				41, 42			TX	[DV], Left
	5GS65 1L5AI	F 1			41, 42			TX	[L5], Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual





		PART								
ITI	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5JM92 XDVA	A 1			41, 42			V9	[DV], Without Infinity, Right
		5JM92 1L5AA	. 1			41, 42			V9	[L5], Without Infinity, Right
		5JM97 1L5AA	. 1			41, 42			V9	[L5], With Infinity, Left
		5JM97 XDVA	A 1			41, 42			V9	[DV], With Infinity, Left
		5JM96 1L5AA	. 1			41, 42			V9	[L5], With Infinity, Right
		5JM96 XDVA	A 1			41, 42			V9	[DV], With Infinity, Right
		5JM93 XDVA	A 1			41, 42			V9	[DV], Without Infinity, Left
		5JM93 1L5AA	. 1			41, 42			V9	[L5], Without Infinity, Left
		5GU85 1DVA	G 1			41, 42			VL	[DV], With Infinity [RCK], Left
		5GU84 1L5A0	3 1			41, 42			VL	[L5], With Infinity [RCK], Right
		5KF80 1DVA	A 1			41, 42			VL	[DV], With 4 Speakers [RCD], Right
		5GU84 1DVA	G 1			41, 42			VL	[DV], With Infinity [RCK], Right
		5KF80 1L5AA	. 1			41, 42			VL	[L5], With 4 Speakers [RCD], Right
		5GU85 1L5A0	<b>3</b> 1			41, 42			VL	[L5], With Infinity [RCK], Left
		5KF81 1DVA	A 1			41, 42			VL	[DV], With 4 Speakers [RCD], Left
		5KF81 1L5AA	. 1			41, 42			VL	[L5], With 4 Speakers [RCD], Left
	3									BEZEL, Lock Knob
		5HD44 WL8A	C 2						00	[L5]
		5HD44 XDVA	C 2						00	[DV]
	4									SCREW, .250-14x.875, (NOT
										SERVICED) (Not Serviced)
	5	6035 821	4							NUT, Plastic Snap In, For .164-15
										Screw
	6									COVER, Door Panel
		UY44 XDVAB	1			61, 62			DZ	Left
		UY45 XDVAB				61, 62			DZ	Right
		UY44 XDVAB	1			61, 62			М9	[DV], Right
		UY44 1L5AB	1			61, 62			М9	[L5], Right
		UY45 XDVAB				61, 62			M9	[DV], Left
		UY45 1L5AB	1			61, 62			M9	[L5], Left
		UY44 XDVAB	1			61, 62			P9	[DV], Right
		UY44 1L5AB	1			61, 62			P9	[L5], Right
		UY45 1L5AB	1			61, 62			P9	[L5], Left
		UY45 XDVAB	_			61, 62			P9	[DV], Left
			1			61, 62			TX	[DV], Left
		UY45 1L5AB	1			61, 62			TX	[L5], Left
		UY44 1L5AB	1			61, 62			TX	[L5], Right
		UY44 XDVAB				61, 62			TX	[DV], Right
			1			61, 62			V9	[DV], Right
		UY44 1L5AB	1			61, 62			V9	[L5], Right
		UY45 XDVAB	1			61, 62			V9	[DV], Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	UY45 1L5AB	1			61, 62			V9	[L5], Left
	UY45 XDVAB	1			61, 62			VL	[DV], Left
	UY45 1L5AB	1			61, 62			VL	[L5], Left
1	UY44 1L5AB	1			61, 62			VL	[L5], Right
	UY44 XDVAB	1			61, 62			VL	[DV], Right
7									REFLECTOR, Door Trim Panel
	5069 030AA	1			41, 42			DZ	
		1			61, 62			DZ	
		1			41, 42			M9	
		1			61, 62			M9	
		1			61, 62			P9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			61, 62			TX	
		1			41, 42			TX	
		1			61, 62			V9	
		1			41, 42			V9	
		1			41, 42			VL	
0		1			61, 62			VL	DANIEL Boor Door Trim
8	ZK30 1DVAA	1			41, 42			DZ	PANEL, Rear Door Trim
	ZK31 1DVAA	1 1			41, 42			DZ	[DV], Right [DV], Left
	YV22 1YHAA	1			41, 42			DZ	Solar Yellow, Right
	YV23 1YHAA	1			41, 42			DZ	Solar Yellow, Left
	UY40 XDVAA	1			41, 42			M9	[DV], Right
	UY40 1L5AA	1			41, 42			M9	[L5], Right
	UY41 XDVAA	1			41, 42			M9	[DV], Left
	UY41 1L5AA	1			41, 42			M9	[L5], Left
	5GS50 XDVAE				41, 42			P9	[DV], Right
	5GS50 1L5AE				41, 42			P9	[L5], Right
;	5GS51 XDVAE	∃ 1			41, 42			P9	[DV], Left
	5GS51 1L5AE				41, 42			P9	[L5], Left
	UY41 1L5AA	1			41, 42			QL	[L5], Left
	UY41 XDVAA	1			41, 42			QL	[DV], Left
	UY40 1L5AA	1			41, 42			QL	[L5], Right
	UY40 XDVAA	1			41, 42			QL	[DV], Right
	5GS50 XDVAE	1			41, 42			TX	[DV], Right
	5GS50 1L5AE	1			41, 42			TX	[L5], Right
	5GS51 XDVAE				41, 42			TX	[DV], Left
	5GS51 1L5AE	1			41, 42			TX	[L5], Left
	UY41 1L5AA	1			41, 42			V9	[L5], Left

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UY41 XDVAA	1			41, 42			V9	[DV], Left
	UY40 1L5AA	1			41, 42			V9	[L5], Right
	UY40 XDVAA	1			41, 42			V9	[DV], Right
	ZK30 1DVAA	1			41, 42			VL	[DV], Right
	ZK31 1L5AA	1			41, 42			VL	[L5], Left
	ZK30 1L5AA	1			41, 42			VL	[L5], Right
	ZK31 1DVAA	1			41, 42			VL	[DV], Left
9									CUP, Door Pull
	UY12 XDVAA	1			41, 42			DZ	Right
	UY13 XDVAA	1			41, 42			DZ	Left
	UY12 XDVAA	1			41, 42			M9	[DV], Right
	UY12 1L5AA	1			41, 42			M9	[L5], Right
	UY13 1L5AA	1			41, 42			M9	[L5], Left
	UY13 XDVAA				41, 42			M9	[DV], Left
	UY12 XDVAA				41, 42			P9	[DV], Right
	UY12 1L5AA	1			41, 42			P9	[L5], Right
	UY13 1L5AA	1			41, 42			P9	[L5], Left
	UY13 XDVAA				41, 42			P9	[DV], Left
	UY12 XDVAA				41, 42			QL	[DV], Right
	UY12 1L5AA	1			41, 42			QL	[L5], Right
	UY13 1L5AA	1			41, 42			QL	[L5], Left
	UY13 XDVAA				41, 42			QL	[DV], Left
	UY12 XDVAA				41, 42			TX	[DV], Right
	UY12 1L5AA	1			41, 42			TX	[L5], Right
	UY13 XDVAA				41, 42			TX	[DV], Left
	UY13 1L5AA UY12 XDVAA	1			41, 42			TX V9	[L5], Left [DV], Right
	UY12 1L5AA	1 1			41, 42 41, 42			V9 V9	[L5], Right
	UY13 XDVAA				41, 42 41, 42			V9 V9	[DV], Left
	UY13 1L5AA	1			41, 42			V9 V9	[L5], Left
	UY12 1L5AA	1			41, 42			VL	[L5], Right
	UY12 1DVAA	1			41, 42			VL	[DV], Right
	UY13 1DVAA	1			41, 42			۷L	[DV], Kight [DV], Left
	UY13 1L5AA	<u>'</u> 1			41, 42			VL	[L5], Left
10	6035 556	2			11, 12			٧_	SCREW, Pan Head Tapping, .19-
	2300 300	_							16x.625
11									HANDLE, Door Interior
	UY49 1DVAA	1			61, 62			DZ	Left
		1			41, 42			DZ	Left
	UY48 1DVAA	1			61, 62			DZ	Right
		1							_
	OTTO IDVAA				41, 42			DZ	Right

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
	UY48 1L5AA	1			41, 42			M9	[L5], Right
	UY48 XDVAA				41, 42			M9	[DV], Right
	UY49 1L5AA	1			41, 42			М9	[L5], Left
	UY49 XDVAA	. 1			41, 42			М9	[DV], Left
	UY47 XDVAA	. 1			61, 62			P9	[DV], Left
	UY46 1L5AA	1			61, 62			P9	[L5], Right
	UY47 1L5AA	1			61, 62			P9	[L5], Left
	UY46 XDVAA	. 1			61, 62			P9	[DV], Right
	UY47 XDVAA	. 1			41, 42			P9	[DV], Left
	UY47 1L5AA	1			41, 42			P9	[L5], Left
	UY46 1L5AA	1			41, 42			P9	[L5], Right
	UY46 XDVAA	. 1			41, 42			P9	[DV], Right
	UY49 XDVAA	. 1			41, 42			QL	[DV], Left
	UY49 1L5AA	1			41, 42			QL	[L5], Left
	UY48 1L5AA	1			41, 42			QL	[L5], Right
	UY48 XDVAA	. 1			41, 42			QL	[DV], Right
	UY46 1L5AA	1			61, 62			TX	[L5], Right
	UY46 XDVAA	. 1			61, 62			TX	[DV], Right
	UY47 1L5AA	1			61, 62			TX	[L5], Left
	UY47 XDVAA	. 1			61, 62			TX	[DV], Left
	UY46 XDVAA	. 1			41, 42			TX	[DV], Right
	UY46 1L5AA	1			41, 42			TX	[L5], Right
	UY47 XDVAA	. 1			41, 42			TX	[DV], Left
	UY47 1L5AA	1			41, 42			TX	[L5], Left
	UY49 1L5AA	1			61, 62			V9	[L5], Left
	UY49 XDVAA	. 1			61, 62			V9	[DV], Left
	UY48 1L5AA	1			61, 62			V9	[L5], Right
	UY48 XDVAA				61, 62			V9	[DV], Right
	UY49 XDVAA				41, 42			V9	[DV], Left
	UY49 1L5AA	1			41, 42			V9	[L5], Left
	UY48 1L5AA	1			41, 42			V9	[L5], Right
	UY48 XDVAA				41, 42			V9	[DV], Right
	UY49 1DVAA				41, 42			VL	[DV], Left
	UY48 1L5AA	1			41, 42			VL	[L5], Right
	UY49 1DVAA				61, 62			VL	[DV], Left
	UY48 1DVAA				61, 62			VL	[DV], Right
		1			41, 42			VL	[DV], Right
	UY48 1L5AA	1			61, 62			VL	[L5], Right
	UY49 1L5AA	1			41, 42			VL	[L5], Left
		1			61, 62			VL	[L5], Left
-12									CLIP, Door Trim, Attaches Pull Cup

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5066 897AA-	1			41, 42			DZ	
		1			41, 42			M9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			41, 42			V9	
		1			41, 42			VL	
-13									NAMEPLATE, Infinity
	55350 962AA	- 1			41, 42			DZ	
		1			61, 62			DZ	
		1			41, 42			M9	
		1			61, 62			М9	
		1			41, 42			QL	
		1			61, 62			V9	
		1			41, 42			V9	
		1			61, 62			VL	
		1			41, 42			VL	
-14									CLIP, Front Door Trim, Infinity Label
		_							Retaining
	6035 492	2			41, 42			DZ	
		2			41, 42			M9	
		2			61, 62			M9	
		2			41, 42			QL V0	
		2			61, 62			V9	
		2			41, 42			V9 VL	
		2			61, 62 41, 42			VL VL	
-15	5159 220AA-	1			41,42			٧L	APPLIQUE KIT, Door, BEE
-10	5159 ZZUAA-	ı							Medallion

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Front, Vinyl, Trim Code [TX] Figure IDR-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver
	1BN55 1DVAA	1			41, 42			TX	[DV]
	1BN55 1L5AA	1			41, 42			TX	[L5]
	1BN53 1DVAA	1			61, 62			TX	[DV]
	1BN53 1L5AA	1			61, 62			TX	[L5]
2									COVER, Front Seat Back, Driver
	1BN81 1DVAA				41, 42			TX	[DV]
	1BN81 1L5AA				41, 42			TX	[L5]
	1BN79 1DVA				61, 62			TX	[DV]
	1BN79 1L5AA	1			61, 62			TX	[L5]
3									SEAT BACK, Front, Passenger
	1BN54 1DVAA				41, 42			TX	[DV]
	1BN54 1L5AA				41, 42			TX	[L5]
	1BN52 1DVAA				61, 62			TX	[DV]
4	1BN52 1L5AA	1			61, 62			TX	[L5] COVER, Front Seat Back, Passenger
4	1BN80 1DVAA	\ 1			41, 42			TX	[DV]
	1BN80 1L5AA				41, 42			TX	[L5]
	1BN78 1DVAA				61, 62			TX	[DV]
	1BN78 1L5AA				61, 62			TX	[L5]
5	151110 120701	•			01, 02			170	FRAME, Front Seat, Driver, Includes
									Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			TX	
	5080 965AA	1			61, 62			TX	
6									PAD, Front Seat Cushion, Driver
	5127 750AA	1			61, 62			TX	
		1			41, 42			TX	
7									COVER, Front Seat Cushion, Driver
	1BP07 1DVAA				41, 42			TX	[DV]
	1BP07 1L5AA				41, 42			TX	[L5]
	1BP05 1DVAA				61, 62			TX	[DV]
	1BP05 1L5AA	1			61, 62			TX	[L5]
8									FRAME, Front Seat, Passenger,
									Includes Recliner and Recliner
	<b>5000 00044</b>				44 40			<b>T</b> ) (	Handle Pivot
	5080 966AA	1			41, 42			TX	
	5086 184AA	1			61, 62			TX	DAD Front Cost Cychica December
9	5107 751 A A	1			61 62			TX	PAD, Front Seat Cushion, Passenger
	5127 751AA	1 1			61, 62 41, 42			TX	
10		'			<del>1</del> 1, 4∠			1.7	COVER, Front Seat Cushion,
10									Passenger
									. 400011901

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Front, Vinyl, Trim Code [TX] Figure IDR-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					
	1BP06 1DVAA	. 1			41, 42			TX	[DV]
	1BP06 1L5AA	1			41, 42			TX	[L5]
	1BP04 1DVAA				61, 62			TX	[DV]
	1BP04 1L5AA				61, 62			TX	[L5]
11					- , -				CUSHION, Front Seat, Center
	1BQ52 1DVAA	. 1			41, 42			TX	[DV]
	1BQ52 1L5AA	1			41, 42			TX	[L5]
	1BQ44 1DVAA	. 1			61, 62			TX	[DV]
	1BQ44 1L5AA	1			61, 62			TX	[L5]
12									COVER, Front Seat Cushion, Center
	1BQ53 1DVAA	. 1			41, 42			TX	[DV]
	1BQ53 1L5AA	1			41, 42			TX	[L5]
	1BQ45 1DVAA	. 1			61, 62			TX	[DV]
	1BQ45 1L5AA	1			61, 62			TX	[L5]
13									HEADREST, Front
	1BN73 1DVAA	. 2			41, 42			TX	[DV]
	1BN73 1L5AA				41, 42			TX	[L5]
	1BN73 1DVAA				61, 62			TX	[DV]
	1BN73 1L5AA	2			61, 62			TX	[L5]
14									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			61, 62			TX	
		1			41, 42			TX	
15									SLEEVE, Headrest, Locking
	5161 065AA	1			41, 42			TX	
		1			61, 62			TX	121222
16	150101514				04.00			<b>T</b> ) (	ARMREST, Seat
	1BQ43 1DVAA				61, 62			TX	[DV]
	1504041544	1			41, 42			TX	[DV]
	1BQ43 1L5AA	<u>1</u> 			61, 62			TX	[L5]
17		1			41, 42			TX	[L5]
17	E000 706 A A	4			41, 42			TX	BRACKET, Arm Rest
	5080 726AA	1 1						TX	
18		<u>'</u>			61, 62			17	COVER, Seat latch
10	5080 728AA	1			41, 42			TX	COVER, Seat later
	3000 720AA	1			61, 62			TX	
19		'			01, 02			17	BRACKET, Arm Rest
	5080 727AA	1			41, 42			TX	Distorier, Amiricot
	2000 . 27701	1			61, 62			TX	
20		•			5., <b>52</b>			.,.	COVER, Seat latch
_0	5080 729AA	1			41, 42			TX	ob. Ert, obat laton
	3000 123AA	<u> </u>			<b>⊤</b> 1, <b>+∠</b>			17	


DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



## Front, Vinyl, Trim Code [TX] Figure IDR-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			TX	
21									BOLT, Armrest Pivot
	5080 731AA	1			41, 42			TX	
		1			61, 62			TX	
22	5080 734AA	1			61, 62			TX	BOLT, Seat
23									INSULATOR, Anti Rattle
	5080 735AA	1			41, 42			TX	
		1			61, 62			TX	
24									BOLT, Seat, Armrest to Center
									Cushion
	5080 738AA	4			41, 42			TX	
		4			61, 62			TX	

DODGE RAM 1500 (DR)-SERIES LINE H = SLT

1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver
	1BN59 1DVAA	. 1			41, 42			P9	[DV]
	1BN59 1L5AA	1			41, 42			P9	[L5]
	1BN57 1DVAA				61, 62			P9	[DV]
	1BN57 1L5AA				61, 62			P9	[L5]
2					•				COVER, Front Seat Back, Driver
	1BN85 1DVAA	. 1			41, 42			P9	[DV]
	1BN85 1L5AA	1			41, 42			P9	[L5]
	1BN83 1DVAA	. 1			61, 62			P9	[DV]
	1BN83 1L5AA	1			61, 62			P9	[L5]
3									SEAT BACK, Front, Passenger
	1BN58 1DVAA	. 1			41, 42			P9	[DV]
	1BN58 1L5AA	1			41, 42			P9	[L5]
	1BN56 1DVAA	. 1			61, 62			P9	[DV]
	1BN56 1L5AA	1			61, 62			P9	[L5]
4									COVER, Front Seat Back, Passenge
	1BN84 1DVAA				41, 42			P9	[DV]
	1BN84 1L5AA	1			41, 42			P9	[L5]
	1BN82 1DVAA				61, 62			P9	[DV]
	1BN82 1L5AA	1			61, 62			P9	[L5]
5									FRAME, Front Seat, Driver, Includes
									Recliner and Recliner Handle Pivo
	5080 967AA	1			41, 42			P9	
	5080 965AA	1			61, 62			P9	
6									PAD, Front Seat Cushion, Driver
	5127 751AA	1			41, 42			P9	
_		1			61, 62			P9	
7									COVER, Front Seat Cushion, Driver
	1BP11 1DVAA				41, 42			P9	[DV]
	1BP11 1L5AA	1			41, 42			P9	[L5]
	1BP09 1DVAA				61, 62			P9	[DV]
•	1BP09 1L5AA	1			61, 62			P9	[L5]
8									FRAME, Front Seat, Passenger,
									Includes Recliner and Recliner
	5000 0CCAA	4			44 40			DO	Handle Pivot
	5080 966AA	1			41, 42			P9	
	5086 184AA	1			61, 62			P9	DAD Front Sout Cuphian December
9	5127 750AA	1			41, 42			P9	PAD, Front Seat Cushion, Passenge
	3121 13UAA	1 1						P9 P9	
10		ı			61, 62			гэ	COVER Front Seat Cushion
10									COVER, Front Seat Cushion, Passenger

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BP10 1DVAA	1			41, 42			P9	[DV]
	1BP10 1L5AA	1			41, 42			P9	[L5]
	1BP08 1DVAA	. 1			61, 62			P9	[DV]
	1BP08 1L5AA	1			61, 62			P9	[L5]
11									CUSHION, Front Seat, Center
	1BQ52 1DVAA	. 1			41, 42			P9	[DV]
	1BQ52 1L5AA	1			41, 42			P9	[L5]
	1BQ44 1DVAA	. 1			61, 62			P9	[DV]
	1BQ44 1L5AA	1			61, 62			P9	[L5]
12									COVER, Front Seat Cushion, Cente
	1BQ53 1DVAA	. 1			41, 42			P9	[DV]
	1BQ53 1L5AA	1			41, 42			P9	[L5]
	1BQ45 1DVAA	. 1			61, 62			P9	[DV]
	1BQ45 1L5AA	1			61, 62			P9	[L5]
13									HEADREST, Front
	1BN73 1DVAA	. 1			41, 42			P9	[DV]
	1BN73 1L5AA				41, 42			P9	[L5]
	1BN73 1DVAA	. 1			61, 62			P9	[DV]
	1BN73 1L5AA	2			61, 62			P9	[L5]
14									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			41, 42			P9	
		1			61, 62			P9	
15									SLEEVE, Headrest, Locking
	5161 065AA	1			41, 42			P9	
		1			61, 62			P9	
16									ARMREST, Seat
	1BQ43 1DVAA	. 1			61, 62			P9	[DV]
		1			41, 42			P9	[DV]
	1BQ43 1L5AA	1			61, 62			P9	[L5]
		1			41, 42			P9	[L5]
17									BRACKET, Arm Rest
	5080 726AA	1			41, 42			P9	Right
		1			61, 62			P9	Right
18									COVER, Seat latch
	5080 728AA	1			61, 62			M9	Right
		1			41, 42			P9	Right
19									BRACKET, Arm Rest
	5080 727AA	1			41, 42			P9	Left
		1			61, 62			P9	Left
20									COVER, Seat latch
	5080 729AA	1			41, 42			P9	Left


DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			P9	Left
21									BOLT, Armrest Pivot
	5080 731AA	1			41, 42			P9	
		1			61, 62			P9	
22									BOLT, Seat, (NOT SERVICED) (N
									Serviced)
23									INSULATOR, Anti Rattle
	5080 735AA	1			41, 42			P9	
		1			61, 62			P9	
24									BOLT, Seat, Armrest to Center
									Cushion
	5080 738AA	4			41, 42			P9	
		1			61, 62			P9	

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	1BN60 1DVA	1			41, 42			V9	[DV], Passenger
	1BN60 1L5AA	. 1			41, 42			V9	[L5], Passenger
	1BN61 1DVA	A 1			61, 62			V9	[DV], Driver
	1BN61 1L5AA	. 1			61, 62			V9	[L5], Driver
	1BN62 1DVAA	1			61, 62			V9	[DV], Passenger
	1BN62 1L5AA	. 1			61, 62			V9	[L5], Passenger
	1CJ77 1DVAA	. 1			41, 42			V9	[DV], Driver
	1CJ77 1L5AA	1			41, 42			V9	[L5], Driver
2									COVER, Front Seat Back
	1BN86 1L5AA	2			41, 42			V9	[L5], Driver and Passenger
	1BN86 1DVA	1 2			41, 42			V9	[DV], Driver and Passenger
	1BN88 1DVAA	1			61, 62			V9	[DV], Passenger
	1BN88 1L5AA				61, 62			V9	[L5], Passenger
	1BN87 1L5AA	. 1			61, 62			V9	[L5], Driver
	1BN87 1DVAA	1			61, 62			V9	[DV], Driver
3									FRAME, Front Seat, Driver, Includes
									Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			V9	
	5080 965AA	1			61, 62			V9	
4									PAD, Front Seat Cushion, Driver
	5127 751AA	1			41, 42			V9	
		1			61, 62			V9	
5									COVER, Front Seat Cushion, Driver
	1BP17 1DVAA				41, 42			V9	[DV]
	1BP17 1L5AA				41, 42			V9	[L5]
	1BP13 1DVAA				61, 62			V9	[DV]
•	1BP13 1L5AA	1			61, 62			V9	[L5]
6									FRAME, Front Seat, Passenger,
									Includes Recliner and Recliner
	5000 000 A A				44 40			١./٥	Handle Pivot
	5080 966AA	1			41, 42			V9 V9	
7	5086 184AA	1			61, 62			V9	DAD Front Soot Cushion Bossons
7	E107 7E0	4			64 60			١/٥	PAD, Front Seat Cushion, Passenge
	5127 750AA	1			61, 62			V9	
0		1			41, 42			V9	COVER, Front Seat Cushion,
8									Passenger
	1BP16 1DVAA	. 1			41, 42			V9	[DV]
	1BP16 1L5AA				41, 42 41, 42			V9 V9	[L5]
	1BP10 1LSAA 1BP12 1DVAA				41, 42 61, 62			V9 V9	
	IDFIZ IDVAA	<b>1</b>			01, 02			٧ઝ	[DV]

DODGE RA	M 1500 (DR)———	
DODGE INA	W 1000 (DIV)	
SERIES	LINE	BODY
	4 0 4500	44 0 101 (440 5 14/5)
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)
L = ST		42 = Quad Cab (160.5 WB)
		61 = Reg. Cab (120.5 WB)
		62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BP12 1L5AA	1			61, 62			V9	[L5]
9		•			0., 02				CUSHION, Front Seat, Center
	1BQ56 1DVAA	1			41, 42			V9	[DV]
	1BQ56 1L5AA				41, 42			V9	[L5]
	1BQ56 1DVAA	. 1			61, 62			V9	[DV]
	1BQ56 1L5AA	1			61, 62			V9	[L5]
10									COVER, Front Seat Cushion, Center
	1BQ57 1DVAA	. 1			41, 42			V9	[DV]
	1BQ57 1L5AA	1			41, 42			V9	[L5]
	1BQ57 1DVAA	1			61, 62			V9	[DV]
	1BQ57 1L5AA	1			61, 62			V9	[L5]
11									HEADREST, Front
	1BN77 1DVAA	2			41, 42			V9	[DV]
	1BN77 1L5AA				41, 42			V9	[L5]
	1BN77 1DVAA				61, 62			V9	[DV]
	1BN77 1L5AA	2			61, 62			V9	[L5]
12									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			41, 42			V9	
		1			61, 62			V9	
13		_							SLEEVE, Headrest, Locking
	5161 065AA	2			41, 42			V9	
		1			61, 62			V9	DAGE A
14	1DOEE 1D\/AA	4			44 40			\/0	BASE, Armrest
	1BQ55 1DVAA				41, 42			V9	[DV]
	1BQ55 1L5AA 1BQ55 1DVAA	11			41, 42 61, 62			V9 V9	[L5]
	1BQ55 1DVAA 1BQ55 1L5AA				61, 62			V9 V9	[DV] [L5]
15	IBQ55 IL5AA	'			01, 02			٧Đ	DIVIDER KIT, Cargo
13	5080 733AA	1			41, 42			V9	DIVIDER RIT, Gargo
	3000 733AA	<del>'</del>			61, 62			V9	
16		•			01, 02			• • •	BRACKET, Arm Rest
10	5080 726AA	1			41, 42			V9	Brotoner, Amir Root
	0000 720701	1			61, 62			V9	
17		<u> </u>			01, 02				COVER, Seat latch
• •	5080 728AA	1			41, 42			V9	Right
		1			61, 62			V9	Right
18					- , <del>-</del>			-	BRACKET, Arm Rest
	5080 727AA	1			41, 42			V9	Left
		1			61, 62			V9	Left
40					•				COVER, Seat latch
19					41, 42			V9	

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			V9	Left
20									BOLT, Armrest Pivot
	5080 731AA	1			41, 42			V9	
		1			61, 62			V9	
21									BOLT, Seat, (NOT SERVICED) (Not
									Serviced)
22									INSULATOR, Anti Rattle
	5080 735AA	1			41, 42			V9	
		1			61, 62			V9	
23									BOLT, Seat, Armrest to Center
									Cushion
	5080 738AA	4			41, 42			V9	
		1			61, 62			V9	
24									LID, Armrest Bin
	WP05 1DVAA	. 1			41, 42			V9	[DV]
	WP05 1L5AA	1			41, 42			V9	[L5]
	WP05 1DVAA	. 1			61, 62			V9	[DV]
	WP05 1L5AA	1			61, 62			V9	[L5]


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART




PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									COVER, Front Seat Cushion,
									Passenger
	1BP16 1DVAA	. 1			41, 42			M9	[DV]
	1BP16 1L5AA	1			41, 42			M9	[L5]
	1BP12 1DVAA	. 1			61, 62			M9	[DV]
	1BP12 1L5AA	1			61, 62			M9	[L5]
11									CONSOLE, Seat, Center
	1BQ59 1DVA	1			41, 42			M9	[DV]
	1BQ59 1L5AA	1			41, 42			M9	[L5]
	1BQ59 1DVA	\ 1			61, 62			M9	[DV]
	1BQ59 1L5AA	1			61, 62			M9	[L5]
12									HEADREST, Front
	1BN77 1DVAA	٠ 2			41, 42			M9	[DV]
	1BN77 1L5AA	2			41, 42			М9	[L5]
	1BN77 1DVAA	1			61, 62			M9	[DV]
	1BN77 1L5AA	2			61, 62			M9	[L5]
13									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			41, 42			М9	
		1			61, 62			M9	
14									SLEEVE, Headrest, Locking
	5161 065AA	1			41, 42			M9	
		1			61, 62			M9	
15									BASE, Armrest
	1BQ58 1DVAA	1			41, 42			M9	[DV]
	1BQ58 1L5AA	1			41, 42			M9	[L5]
	1BQ58 1DVAA	1			61, 62			M9	[DV]
	1BQ58 1L5AA	1			61, 62			M9	[L5]
16									LID, Armrest Bin, Includes Latch,
									Hinge and Inner Bezel
	WP05 1DVAA	1			41, 42			М9	[DV]
	WP05 1L5AA	1			41, 42			М9	[L5]
	WP05 1DVAA	1			61, 62			М9	[DV]
	WP05 1L5AA	1			61, 62			M9	[L5]
17									DIVIDER KIT, Cargo
	5080 733AA	1			41, 42			M9	
		1			61, 62			M9	
18									CAP, Cigar Lighter
	4685 591	1			61, 62			M9	
		1			41, 42			M9	
19									COIN BOX, Console
	5080 638AA	1			41, 42			M9	

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			<u> </u>						
		1			61, 62			M9	
20		•			01, 02			1110	BRACKET, Arm Rest
	5080 726AA	1			61, 62			M9	Right
		1			41, 42			M9	Right
21									COVER, Seat latch
	5080 728AA	1			41, 42			M9	Right
		1			61, 62			M9	Right
22									BRACKET, Arm Rest
	5080 727AA	1			41, 42			M9	Left
		1			61, 62			M9	Left
23									COVER, Seat latch
	5080 729AA	1			41, 42			M9	Left
		1			61, 62			M9	Left
24									BOLT, Armrest Pivot
	5080 731AA	1			41, 42			M9	
		1			61, 62			M9	
25									BOLT, Seat
	5080 734AA	2			41, 42			M9	
00		2			61, 62			M9	INOUT ATOR A C R C
26	5000 705 A A				44 40			N40	INSULATOR, Anti Rattle
	5080 735AA	1			41, 42			M9	
27		1			61, 62			M9	DOWED OUT IT
27	4793 554AB	1			41, 42			M9	POWER OUTLET
	4793 334AD	1			61, 62			M9	
28					01, 02			IVIÐ	HINGE, Storage Compartment
20	5080 722AA	1			41, 42			M9	TimoL, Storage Compartment
	0000 722701	1			61, 62			M9	
29		•			0., 02			0	HINGE, Storage Compartment
	5080 723AA	1			41, 42			M9	CL, Clorago Comparanoni
		1			61, 62			M9	
30					- , <del>-</del>			-	LID, Floor Console Bin
	1BQ60 1DVAA	. 1			41, 42			M9	[DV]
	1BQ60 1L5AA				41, 42			M9	[L5]
	1BQ60 1DVAA				61, 62			M9	[DV]
	1BQ60 1L5AA				61, 62			M9	[L5]
31					•				LATCH, Storage Bin Lid
	5080 724AA	1			41, 42			M9	
		1			61, 62			M9	
32									BOLT, Seat, Armrest to Center
									Cushion

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual





									PART	
	DESCRIPTION	TRIM	TRANS	ENGINE	BODY	SERIES	LINE	QTY	NUMBER	ITEM
		M9			41, 42			4	5080 738AA	
		M9			61, 62			4		
	HANDLE, Lumbar									33
		M9			41, 42			1	ZN27 XXXAA	
		M9			61, 62			1		
	BEZEL									34
	Outer	M9			41, 42			1	ZN28 XXXAA	
	Outer	M9			61, 62			1		
	Inner	M9			41, 42			1	5142 481AA	
	Inner	M9			61, 62			1		
erviced in	LUMBAR, Support, Also Serv									35
	Seat Back									
	Driver Only	M9			41, 42			1	5166 079AA	
	Driver Only	M9			61, 62			1		
_ _ _	BEZEL Outer Outer Inner Inner LUMBAR, Support, Also Se Seat Back Driver Only	M9 M9 M9 M9 M9 M9			61, 62 41, 42 61, 62 41, 42 61, 62 41, 42 61, 62			1 1 1 1 1 1	ZN27 XXXAA ZN28 XXXAA 5142 481AA	33 34 35

DODGE RAM 1500 (DR)-SERIES LINE H = SLT

1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
	1BQ65 1L5AA	. 1			41, 42			QL	[L5]
17	5080 733AA	1			41, 42			QL	DIVIDER KIT, Cargo
18	4685 591	1		H, L				00	CAP, Cigar Lighter
19	5080 638AA	1			41, 42			QL	COIN BOX, Console
20	5080 726AA	1			41, 42			QL	BRACKET, Arm Rest, Right
21	5080 728AA	1			41, 42			QL	COVER, Seat latch, Right
22	5080 727AA	1			41, 42			QL	BRACKET, Arm Rest, Left
23	5080 729AA	1			41, 42			QL	COVER, Seat latch, Left
24	5080 731AA	1			41, 42			QL	BOLT, Armrest Pivot
25	5080 734AA	2			41, 42			QL	BOLT, Seat
26	5080 735AA	1			41, 42			QL	INSULATOR, Anti Rattle
27	4793 554AB	1			41, 42			QL	POWER OUTLET
28	5080 722AA	1			41, 42			QL	HINGE, Storage Compartment
29	5080 723AA	1			41, 42			QL	HINGE, Storage Compartment
30									LID, Floor Console Bin
	1BP81 1DVAA	1			41, 42			QL	[DV]
	1BP81 1L5AA	1			41, 42			QL	[L5]
31	5080 724AA	1			41, 42			QL	LATCH, Storage Bin Lid
32	5080 738AA	4			41, 42			QL	BOLT, Seat, Armrest to Center
									Cushion
33	ZN27 XXXAA	1			41, 42			QL	HANDLE, Lumbar
34	5142 481AA	1			41, 42			QL	BEZEL
35	5166 079AA	1			41, 42			QL	LUMBAR, Support, Also Serviced in Seat Back, Driver Only

DODGE RAM 1500 (DR)-SERIES LINE

H = SLTL = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART

SERIES



**DESCRIPTION** 



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BP23 1L5AA	1			41, 42			VL	[L5]
	1BP21 1DVAA				61, 62			VL	[DV]
	1BP21 1L5AA				61, 62			VL	[L5]
9	IBI ZI ILSAA	'			01, 02			٧L	FRAME, Front Seat, Passenger,
3									Includes Recliner and Recliner
									Handle Pivot
	5086 184AA	1			61, 62			VL	Tanalo Tivot
	5080 966AA	1			41, 42			VL	
10	0000 000/ 11 (	•			,				PAD, Front Seat Cushion, Passenge
	5140 696AA	1			61, 62			VL	,
		1			41, 42			VL	
11									COVER, Front Seat Cushion,
									Passenger
	1BP18 1DVAA	. 1			41, 42			VL	[DV], Power Seat
	1BP18 1L5AA	1			41, 42			VL	[L5], Power Seat
	1BP22 1L5AA	1			41, 42			VL	[L5], Manual Seat
	1BP22 1DVAA	. 1			41, 42			VL	[DV], Manual Seat
	1BP20 1DVAA	. 1			61, 62			VL	[DV]
	1BP20 1L5AA	1			61, 62			VL	[L5]
12									PAD, Heater, Cushion
	5101 764AB	2			41, 42			VL	
		2			61, 62			VL	
13									CONSOLE, Seat, Center
	1BQ61 1DVAA				41, 42			VL	[DV]
	1BQ61 1L5AA				41, 42			VL	[L5]
	1BQ61 1DVAA				61, 62			VL	[DV]
	1BQ61 1L5AA	1			61, 62			VL	[L5]
14		_							HEADREST, Front
	1BN73 1DVAA				41, 42			VL_	[DV]
	1BN73 1L5AA				41, 42			VL	[L5]
	1BN73 1DVAA				61, 62			VL	[DV]
4.5	1BN73 1L5AA	2			61, 62			VL	[L5]
15	5161 064AA				64 60			VL	SLEEVE, Headrest, Non-Locking
	5161 064AA	1			61, 62			VL VL	
16		1			41, 42			۷L	SLEEVE Hoodrost Locking
10	5161 065AA	1			61, 62			VL	SLEEVE, Headrest, Locking
	3101 003AA	1			41, 42			VL	
17		1			<b>⊤</b> 1, <b>+∠</b>			v L	BASE, Armrest
1.7	1BQ63 1DVAA	. 1			41, 42			VL	[DV]
	1BQ63 1L5AA				41, 42			VL	[L5]
	IDQUS ILSAA	1			41,44			V L	[=0]


DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					
	1BQ63 1DVA	A 1			61, 62			VL	[DV]
	1BQ63 1L5AA				61, 62			VL	[L5]
18									LID, Armrest Bin, Includes Latch,
									Hinge and Inner Bezel
	1BQ65 1DVA	4 1			41, 42			VL	[DV]
	1BQ65 1L5AA	. 1			41, 42			VL	[L5]
	1BQ65 1DVA				61, 62			VL	[DV]
	1BQ65 1L5AA	. 1			61, 62			VL	[L5]
19									DIVIDER KIT, Cargo
	5080 733AA	1			61, 62			VL	
		1			41, 42			VL	
20	4685 591	1		H, L				O0	CAP, Cigar Lighter
21	5000 00044				04.00				COIN BOX, Console
	5080 638AA	1			61, 62			VL	
22		1			41, 42			VL	DDACKET Arm Doot
22	5080 726AA	1			41, 42			VL	BRACKET, Arm Rest
	3000 720AA	1			61, 62			VL	
23		ļ			01, 02			٧L	COVER, Seat latch
20	5080 728AA	1			61, 62			VL	OOVER, Odd later
	0000 720701	1			41, 42			VL	
24					,				BRACKET, Arm Rest
	5080 727AA	1			61, 62			VL	,
		1			41, 42			VL	
25									COVER, Seat latch
	5080 729AA	1			61, 62			VL	
		1			41, 42			VL	
26									BOLT, Armrest Pivot
	5080 731AA	1			61, 62			VL	
		1			41, 42			VL	
27									BOLT, Seat
	5080 734AA	2			61, 62			VL	
		2			41, 42			VL	
28									INSULATOR, Anti Rattle
	5080 735AA	1			61, 62			VL	
00		1			41, 42			VL	DOWER OUTLET
29	4702 FF 4 A D				44 40			\/!	POWER OUTLET
	4793 554AB	1			41, 42 61, 62			VL VL	
30		1			61, 62			٧L	HINGE, Storage Compartment
30	5080 722AA	1			61, 62			VL	Timoe, Storage Compartment
	JUOU / ZZAA	1			01, 02			٧L	


DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			VL	
31									HINGE, Storage Compartment
	5080 723AA	1			61, 62			VL	
		1			41, 42			VL	
32									LID, Floor Console Bin
	1BP81 1DVAA				41, 42			VL	[DV]
	1BP81 1L5AA				41, 42			VL	[L5]
	1BP81 1DVAA				61, 62			VL	[DV]
	1BP81 1L5AA	1			61, 62			VL	[L5]
33									LATCH, Storage Bin Lid
	5080 724AA	1			61, 62			VL	
		1			41, 42			VL	
34									BOLT, Seat, Armrest to Center
									Cushion
	5080 738AA	1			61, 62			VL	
		4			41, 42			VL	
35	71107 100///				11 10				HANDLE, Lumbar
	ZN27 XXXAA	2			41, 42			VL	
00		2			61, 62			VL	DE 751
36	54.40.404.A.A				04 00			\ /I	BEZEL
	5142 481AA	1			61, 62			VL	Inner
	7N100 VVV A A	2			41, 42			VL	Inner
	ZN28 XXXAA	2			41, 42			VL VL	Outer
37		1			61, 62			۷L	Outer
31									LUMBAR, Support, Also Serviced in Seat Back
	5166 078AA	1			41, 42			VL	Passenger
	3100 070AA	1			61, 62			۷L VL	Passenger
	5166 079AA	1			41, 42			۷L VL	Driver
	3100 013AA	1			61, 62			VL	Driver
		'			51, 02			v L	5.1101


DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

PART






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									COVER, Front Seat Cushion,
									Passenger
	1AE88 1DVAA		1		61			DZ	
	1AZ40 1DVAA		1		41			DZ	
	1AE88 1Y3AA		1		61			DZ	[SRT-10]
	1AZ40 1Y3AA	. 1	1		41			DZ	[SRT-10]
11									CONSOLE, Seat, Center
	1AE83 1DVAA		1		41			DZ	
		1	1		61			DZ	
	1AE83 1Y3AA		1		61			DZ	[SRT-10]
		1	1		41			DZ	[SRT-10]
12									HEADREST, Front
	1BV13 1DVAA		1		41			DZ	
		2	1		61			DZ	
	1BV13 1Y3AA		1		41			DZ	[SRT-10]
		1	1		61			DZ	[SRT-10]
13									SLEEVE, Headrest, Non-Locking
	5161 064AA	1	1		61			DZ	
		1	1		41			DZ	
14									SLEEVE, Headrest, Locking
	5161 065AA	1	1		61			DZ	
		1	1		41			DZ	
15									BASE, Armrest
	1AE85 1DVAA	1	1		41			DZ	
		1	1		61			DZ	
	1AE85 1Y3AA		1		61			DZ	[SRT-10]
		1	1		41			DZ	[SRT-10]
16									LID, Armrest Bin, Includes Latch,
									Hinge and Inner Bezel
	1AE86 1DVAA	1	1		41			DZ	
		1	1		61			DZ	
	1AE86 1Y3AA	. 1	1		61			DZ	[SRT-10]
		1	1		41			DZ	[SRT-10]
17									DIVIDER KIT, Cargo
	5080 733AA	1	1		41			DZ	
		1			61, 62			M9	
18									CAP, Cigar Lighter
	4685 591	1	1		61			DZ	
		1	1		41			DZ	
19									COIN BOX, Console
	5080 638AA	1	1		61			DZ	

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





	PART								
ITEM	I NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•	•		•
		1	1		41			DZ	
20		<u>'</u>	•		• • • • • • • • • • • • • • • • • • • •				BRACKET, Arm Rest
	5080 726AA	1	1		61			DZ	Right
		1	1		41			DZ	Right
21									COVER, Seat latch
	5080 728AA	1	1		61			DZ	Right
		1	1		41			DZ	Right
22									BRACKET, Arm Rest
	5080 727AA	1	1		61			DZ	Left
		1	1		41			DZ	Left
23									COVER, Seat latch
	5080 729AA	1	1		61			DZ	Left
		1	1		41			DZ	Left
24									BOLT, Armrest Pivot
	5080 731AA	1	1		61			DZ	
		1	1		41			DZ	
25									BOLT, Seat
	5080 734AA	2	1		41			DZ	
		2	1		61			DZ	INC. II ATOD A 11 D 11
26	5000 <b>7</b> 05 A A		4		04			D.7	INSULATOR, Anti Rattle
	5080 735AA	<u>1</u> 1	1		61 41			DZ DZ	
27		1	1		41			DZ	POWER OUTLET
21	4793 554AB	1	1		61			DZ	FOWER OUTLET
	4793 334AB	1	1		41			DZ	
28					71				HINGE, Storage Compartment
20	5080 722AA	1	1		61			DZ	Right
	0000 / 22/ 11 (	1	1		41			DZ	Right
29									HINGE, Storage Compartment
	5080 723AA	1	1		61			DZ	Left
		1	1		41			DZ	Left
30									LID, Floor Console Bin
	1AE84 1DVA	A 1	1		41			DZ	
		1	1		61			DZ	
	1AE84 1Y3AA	. 1	1		61			DZ	[SRT-10]
		1	1		41			DZ	[SRT-10]
31									LATCH, Storage Bin Lid
	5080 724AA	1	1		61			DZ	
		1	1		41			DZ	
32									BOLT, Seat, Armrest to Center
									Cushion

DODGE RAM 1500 (DR)-SERIES LINE H = SLT1, 6 = 1500

L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year










ITEM									
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	1BQ17 1L5AA	1			41, 42			P9	[L5]
	1BQ17 1DVAA	. 1			41, 42			P9	[DV]
	1BQ16 1DVAA	. 1			41, 42			TX	[DV]
	1BQ16 1L5AA	1			41, 42			TX	[L5]
	1BQ18 1L5AA	1			41, 42			V9	[L5]
	1BQ18 1DVAA	. 1			41, 42			V9	[DV]
2									COVER, Rear Seat Back
	1BQ26 1L5AA				41, 42			P9	[L5]
	1BQ26 1DVAA	. 1			41, 42			P9	[DV]
	1BQ19 1DVAA				41, 42			TX	[DV]
	1BQ19 1L5AA				41, 42			TX	[L5]
	1BQ27 1L5AA				41, 42			V9	[L5]
	1BQ27 1DVAA	. 1			41, 42			V9	[DV]
3									CUSHION, Rear Seat
	1AY70 1L5AA	1			41, 42			P9	[L5]
	1AY70 1DVAA				41, 42			P9	[DV]
	1AY61 1DVAA				41, 42			TX	[DV]
	1AY61 1L5AA				41, 42			TX	[L5]
	1AY71 1DVAA				41, 42			V9	[DV]
	1AY71 1L5AA	1			41, 42			V9	[L5]
4									COVER, Rear Seat Cushion
	1BQ35 1L5AA				41, 42			P9	[L5]
	1BQ35 1DVAA				41, 42			P9	[DV]
	1BQ34 1DVAA				41, 42			TX	[DV]
	1BQ34 1L5AA				41, 42			TX	[L5]
	1BQ36 1L5AA				41, 42			V9	[L5]
	1BQ36 1DVAA	. 1			41, 42			V9	[DV]
5									LATCH, Seat, Right
	5142 380AA	1			41, 42			P9	
		1			41, 42			TX	
		1			41, 42			V9	
6									LATCH, Seat, Left
	5142 381AA	1			41, 42			P9	
		1			41, 42			TX	
_		1			41, 42			V9	
7									BOLT, Seat, Attach Rear Seat
	E4.40.000::				44 :=			D.c	Cushion
	5142 386AA	4			41, 42			P9	
		4			41, 42			TX	
		4			41, 42			V9	BOLT, Seat, Attach Rear Seat Ba

DODGE RAM 1500 (DR)-SERIES LINE BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) H = SLT L = ST 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Rear Bench Seat** Figure IDR-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							-		
	5080 730AA	2			41, 42			P9	
		2			41, 42			TX	
		2			41, 42			V9	
9									HEADREST, Rear
	1BP60 1L5AA	. 2			41, 42			P9	[L5]
	1BP60 1DVA	A 2			41, 42			P9	[DV]
		2			41, 42			TX	[DV]
	1BP60 1L5AA	. 2			41, 42			TX	[L5]
	1BP61 1DVA	A 2			41, 42			V9	[DV]
	1BP61 1L5AA	. 2			41, 42			V9	[L5]
10									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			41, 42			P9	
		2			41, 42			TX	
		1			41, 42			V9	
11									SLEEVE, Headrest, Locking
	5161 065AA	1			41, 42			P9	
		2			41, 42			TX	
		2		•	41, 42	•	•	V9	

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

18 19 20 17 13
9 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
16 8 7 10 13

		PART								
ITEM	И	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1										SEAT BACK, Rear, 60%, Right
		1AV84 1DVA	A 1	1		41			DZ	
		1AV84 1Y3A	A 1	1		41			DΖ	[SRT-10]
		1BQ20 1L5A	A 1			41, 42			M9	[L5]
		1BQ20 1DVA	A 1			41, 42			M9	[DV]
		1BQ22 1DVA	A 1			41, 42			QL	[DV]
		1BQ22 1L5A	A 1			41, 42			QL	[L5]
		1BQ24 1L5A				41, 42			VL	[L5]
		1BQ24 1DVA	A 1			41, 42			VL	[DV]
2										COVER, Rear Seat Back, 60%, Right
		1AV86 1DVA	A 1	1		41			DZ	
		1AV86 1Y3A	A 1	1		41			DZ	[SRT-10]
		1BQ28 1L5A	<del>1</del>			41, 42			M9	[L5]
		1BQ28 1DVA	A 1			41, 42			M9	[DV]
		1BQ30 1DVA	A 1			41, 42			QL	[DV]
		1BQ30 1L5A				41, 42			QL	[L5]
		1BQ32 1L5A				41, 42			VL	[L5]
		1BQ32 1DVA	A 1			41, 42			VL	[DV]
3										SEAT BACK, Rear, 40%, Left
		1AV85 1DVA		1		41			DZ	
		1AV85 1Y3A		1		41			DZ	[SRT-10]
		1BQ21 1L5A				41, 42			M9	[L5]
		1BQ21 1DVA				41, 42			M9	[DV]
		1BQ23 1L5A				41, 42			QL	[L5]
		1BQ23 1DVA				41, 42			QL	[DV]
		1BQ25 1L5A				41, 42			VL	[L5]
		1BQ25 1DVA	A 1			41, 42			VL	[DV]
4										COVER, Rear Seat Back, 40%, Left
		1AV87 1DVA		1		41			DZ	
		1AV87 1Y3A		1		41			DZ	[SRT-10]
		1BQ29 1DVA				41, 42			M9	[DV]
		1BQ29 1L5A				41, 42			M9	[L5]
		1BQ31 1L5A				41, 42			QL	[L5]
		1BQ31 1DVA				41, 42			QL	[DV]
		1BQ33 1L5A				41, 42			VL	[L5]
		1BQ33 1DVA	A 1			41, 42			VL	[DV]
5										CUSHION, Rear Seat, 60%, Right
		1AV88 1DVA		1		41			DZ	
		1AV88 1Y3A		1		41			DZ	[SRT-10]
		1AY66 1DVA				41, 42			M9	[DV]
		1AY66 1L5AA	1			41, 42			M9	[L5]

 
 DODGE RAM 1500 (DR)—


 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•		•	•				•	
	1AY68 1L5AA	١ 1			41, 42			QL	[L5]
	1AY68 1DVA				41, 42			QL	[DV]
	17(100 15 77	1			41, 42			VL	[DV]
	1AY68 1L5AA				41, 42			VL	[L5]
6					,				COVER, Rear Seat Cushion, 60%,
									Right
	1AV90 1DVA	A 1	1		41			DZ	
	1AV90 1Y3A	<del>1</del> 1	1		41			DZ	[SRT-10]
	1BQ38 1L5A	1			41, 42			M9	[L5]
	1BQ38 1DVA				41, 42			M9	[DV]
	1BQ40 1DVA				41, 42			QL	[DV]
	1BQ40 1L5A	A 1			41, 42			QL	[L5]
		1			41, 42			VL	[L5]
_	1BQ40 1DVA	A 1			41, 42			VL	[DV]
7	4 A V (00 4 D V (A		4		4.4			D.7	CUSHION, Rear Seat, 40%, Left
	1AV89 1DVA		1		41			DZ	[CDT 40]
	1AV89 1Y3AA		1		41			DZ	[SRT-10]
	1AY67 1L5AA 1AY67 1DVA				41, 42 41, 42			M9 M9	[L5]
	1AY69 1DVA				41, 42 41, 42			QL	[DV] [DV]
	1AY69 1L5AA				41, 42 41, 42			QL	[L5]
	17(100 12070	1			41, 42			VL	[L5]
	1AY69 1DVA	-			41, 42			VL	[20]
8	.,	•			,				COVER, Rear Seat Cushion, 40%,
									Left
	1AV91 1DVA	A 1	1		41			DZ	
	1AV91 1Y3A	A 1	1		41			DZ	[SRT-10]
	1BQ39 1DVA	A 1			41, 42			M9	[DV]
	1BQ39 1L5A	1			41, 42			M9	[L5]
	1BQ41 1L5A				41, 42			QL	[L5]
	1BQ41 1DVA				41, 42			QL	[DV]
	1BQ41 1L5A				41, 42			VL	[L5]
	1BQ41 1DVA	A 1			41, 42			VL	[DV]
9	E4.40.000.4.1				4.4			<b>D</b> -	LATCH, Seat, 60%, Outer
	5142 382AA	1	1		41			DZ	
		1			41, 42			M9	
-		1			41, 42 41, 42			QL VL	
10		ı			<b>41,4∠</b>			٧L	LATCH, Seat, 40%, Outer
10	5142 385AA	1	1		41			DZ	2.1. 311, 35at, 4070, Outer
	01 12 0001 IA	1	'		41, 42			M9	
		'			, 72			1410	

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			QL	
		1			41, 42			VL	
11									LATCH, Seat, 60%, Inner
	5142 383AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
12									LATCH, Seat, 40%, Inner
	5142 384AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
13									BOLT, Seat, Latch to Cushion
	5142 386AA	8	1		41			DZ	
		8			41, 42			M9	
		8			41, 42			QL	
		8			41, 42			VL	
14					,				BOLT, Seat, Latch to Back
	5080 730AA	4	1		41			DZ	,
		4			41, 42			M9	
		4			41, 42			QL	
		4			41, 42			VL	
15		•			,				BASE, Load Floor, 60%, Right
.0	5HH78 DX9AC	: 1	1		41			DZ	27.02, 2000 F1001, 0070, Ftight
	OTHER DATE	1			41, 42			M9	
		<del>'</del>			41, 42			QL	
		1			41, 42			VL	
16		'			71, 72			V L	BASE, Load Floor, 40%, Left
10	5HH79 DX9AC				44 49			MO	BASE, LOAU Floor, 40%, Left
	SHIT'S DASAC	; 1 1			41, 42 41, 42			M9 QL	
47	0507.044.0.0	1			41, 42			VL	CODEW AND WACHED Have head
17	6507 241AA	8			41, 42				SCREW AND WASHER, Hex Head
18	4.000.400.40		4		44				HEADREST, Rear
	1AX99 1DVAA		1		41			DZ	IODT 401
	1AX99 1Y3AA		1		41			DZ	[SRT-10]
	1BP61 1DVAA				41, 42			M9	[DV]
	1BP61 1L5AA				41, 42			M9	[L5]
	1BP60 1DVAA				41, 42			QL	[DV]
	1BP60 1L5AA				41, 42			QL	[L5]
	1BP60 1DVAA				41, 42			VL	[DV]
	1BP60 1L5AA	2			41, 42			VL	[L5]
19									SLEEVE, Headrest, Non-Locking

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI







ЕМ	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	α		OLIVIED	5051	LIVOINE	TRAITO	1	DECOMI NON
	5161 064AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
20									SLEEVE, Headrest, Locking
	5161 065AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT1, 6 = 1500 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


## Load Floor Figure IDR-630



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Thi	s is only used	on a 60	)/40 seat.						
1									BASE, Load Floor, 60%
	5HH78 DX9A	C 1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
2									SUPPORT, Rear Shelf Panel, 60%
	5083 766AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
3									BRACKET, Mounting, 60%
	5083 776AA	1	1		41			DZ	Outboard
		1			41, 42			M9	Outboard
		1			41, 42			QL	Outboard
		1			41, 42			VL	Outboard
4									BRACKET, Mounting, 60%
	5083 777AA	1	1		41			DZ	Inboard
		1			41, 42			М9	Inboard
		1			41, 42			QL	Inboard
		1			41, 42			VL	Inboard
5									BUSHING, Pivot, This is a kit. Orde
									one kit for each side
	5083 781AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
6									BASE, Load Floor, 40%
	5HH79 DX9A	C 1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
7									SUPPORT, Rear Shelf Panel, 40%
	5083 767AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
8									BRACKET, Mounting, 40%
	5083 778AA	1			41, 42			M9	Inboard
		1			41, 42			QL	Inboard
		1			41, 42			VL	Inboard
9									BRACKET, Mounting, 40%
	5083 779AA	1			41, 42			M9	Outboard

DODGE RAI	M 1500 (DR)		
SERIES H = SLT L = ST	LINE 1, 6 = 1500	BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)	ENGINE EZA=5.7L HEMI Magnum V8SMPI EKG = 3.7L Magnum V6 MPI EVA = 4.7L Magnum V8 EVD = 4.7L Magnum V8 EVD = 8.3L V10 SFI

#### **Load Floor** Figure IDR-630




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			QL	Outboard
	5083 777AA	1			41, 42			VL	Outboard
10									KNOB
	5083 750AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
11									PROP, Gas
	5083 749AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
12									PIN, Pivot, Also contains E clip.Prop
	5000 75444	_			4.4			5.7	Attach
	5083 751AA	2	1		41			DZ	
		2			41, 42			M9	
		2			41, 42			QL VL	
40		2			41, 42			٧L	DUMPED Dubban Contains 4
-13									BUMPER, Rubber, Contains 4
	5083 774AA-	1	1		41			DZ	Bumpers
	3003 774AA-	<u>'</u>	<u> </u>		41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
14		•			,				STRAP, Retaining, With Rivets
	5086 255AA	1	1		41			DZ	
		1	-		41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
15	6036 443AA	2			41, 42				SNAP

DODGE RAM 1500 (DR)-SERIES LINE

SERIES H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Seat Belts, Regular Cab Figure IDR-710




		PART								
IT	ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	55350 982AB	2			61, 62				ADJUSTER, Seat Belt Turning Loop
		6035 556	2			- , -				SCREW, Pan Head Tapping, .19-
										16x.625
	3	6036 187AA	2							SCREW, Pan Head
	4	6036 591AA	2							BOLT, Seat Belt
	5	5HF07 TL2AC	2						O0	COVER, Adjustable Turning Loop
	6									SEAT BELT, Front Outer
		5JY30 1DVAD	1			61, 62			00	[DV], Right
		5JY30 1L8AD	1			61, 62			O0	[L5], Right
		5JY31 1DVAD	1			61, 62			00	[DV], Left
		5JY31 1L8AD	1			61, 62			00	[L5], Left
	7	6034 395	2			61, 62				SCREW, Pan Head, .437-20x1.79
	8									BEZEL, Seat Belt
		5HJ46 WL5AB				61, 62			00	[L5]
		5HJ46 XDVAB	1			61, 62			O0	[DV]
	9									SEAT BELT, Front Center
		5HG26 1L8AE				61, 62			00	[L5]
		5HG26 XDVAE				61, 62			O0	[DV]
		6507 057AA	2			61, 62				BOLT, Seat Belt
		6506 600AA	2			61, 62				BOLT, Seat Belt
	12									SEAT BELT, Front Inner, Right,
		50\A(00 4B\/A)				0.4				Buckle
		5GW36 1DVAI	1 <i>ر</i>	1		61			DZ	[DV]
		EOMOO 41.0AE	1			61, 62			M9	[DV]
		5GW36 1L8AD				61, 62			M9	[L5]
		5GW36 1DVAI				61, 62			P9	[DV]
		5GW36 1L8AD				61, 62			P9	[L5]
		EC/M36 4D//AI	1			61, 62			TX	[L5]
		5GW36 1DVAI	1			61, 62			TX V9	[DV]
		5C\N26 11 9 \ F	-			61, 62				[DV]
		5GW36 1L8AD 5GW36 1DVAI				61, 62 61, 62			V9 VL	[L5] [DV]
		5GW36 1L8AD				61, 62			۷L	[L5]
	13	JGWJO ILOAL	, ı			01, 02			V L	SEAT BELT, Front Center, Center
	10									Seat
		5HG32 1X9AD	1	1		61			DZ	Coat
			1			61, 62			M9	[DV, L5]
			1			61, 62			P9	[DV, L5]
			1			61, 62			TX	[DV, L5]
			1			61, 62			V9	[DV, L5]
			1			61, 62			VL	[DV, L5]

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Seat Belts, Regular Cab Figure IDR-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									SEAT BELT, Buckle Half, Center
		_							Seat
	5GW28 1DVA		1		61			DZ	
	5GW28 1L8A0				61, 62			M9	[L5]
	5GW28 1DVA				61, 62			M9	[DV]
	5014/00 41 04/	1			61, 62			P9	[DV]
	5GW28 1L8A0				61, 62			P9	[L5]
	5GW28 1DVA				61, 62			TX	[DV]
	5GW28 1L8A0	1			61, 62			TX	[L5]
	EC/M20 1D//A	-			61, 62			V9	[L5]
	5GW28 1DVA 5GW28 1L8A0				61, 62 61, 62			V9 VL	[DV]
	5GW28 1DVA				61, 62			۷L VL	[L5] [DV]
15	JGWZ6 IDVA				01, 02			V L	SEAT BELT, Front Inner, Left,
13									Buckle
	5GW37 1DVA	D 1	1		61			DZ	[DV]
	000007 12070	1			61, 62			M9	[DV]
	5GW37 1L8AI				61, 62			M9	[L5]
		1			61, 62			P9	[L5]
	5GW37 1DVA				61, 62			P9	[DV]
	5GW37 1L8AI				61, 62			TX	[L5]
	5GW37 1DVA				61, 62			TX	[DV]
	5GW37 1L8AI	D 1			61, 62			V9	[L5]
	5GW37 1DVA	D 1			61, 62			V9	[DV]
		1			61, 62			VL	[DV]
	5GW37 1L8AI	D 1			61, 62			VL	[L5]
16									BOLT, Seat Belt
	5080 637AA	2	1		61			DΖ	
		2			61, 62			M9	
<u></u>		2			61, 62			P9	
		2			61, 62			TX	
		2			61, 62			V9	
		2			61, 62			VL	
17									BOLT, Seat Belt
	5096 259AA	1	1		61			DZ	
		1			61, 62			M9	
		1			61, 62			P9	
		1			61, 62			TX	
		1			61, 62			V9	
4.0		1			61, 62			VL	DUTTON DELT WESSELS
18									BUTTON, BELT WEBBING

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



## Seat Belts, Regular Cab Figure IDR-710

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM		DESCRIPTION	
		5093 280AB	1			61, 62			00	[DV]		
_		5093 282AB	1			61, 62			O0	[L5]		



DODGE RAM 1500 (DR)-SERIES LINE


1, 6 = 1500

H = SLT L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Seat Belts, Quad Cab Figure IDR-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									ADJUSTER, Seat Belt Turning Loop
	55350 984AC	1			41, 42				Right
	55350 985AC	1			41, 42				Left
2	6035 556	2							SCREW, Pan Head Tapping, .19-
									16x.625
3	6036 187AA	2							SCREW, Pan Head
4	6036 591AA	2							BOLT, Seat Belt
5	5HF07 TL2A	C 2						00	COVER, Adjustable Turning Loop
6									SEAT BELT, Front Outer
	5JY32 1DVAI				41, 42			00	[DV], Right
	5JY32 1L8AD				41, 42			00	[L5], Right
	5JY33 1DVAI				41, 42			00	[DV], Left
7	5JY33 1L8AD				41, 42			O0	[L5], Left
8	6506 600AA	2			41, 42				BOLT, Seat Belt SEAT BELT, Front Inner, Right,
O									Buckle
	5GW36 1DV	AD 1	1		41			DZ	[DV]
	300000 1207	1			41, 42			M9	[DV]
	5GW36 1L8A				41, 42			M9	[L5]
	5GW36 1DV				41, 42			P9	[DV]
	5GW36 1L8A				41, 42			P9	[L5]
		1			41, 42			QL	[L5]
	5GW36 1DV	AD 1			41, 42			QL	[DV]
	5GW36 1L8A	D 1			41, 42			TX	[L5]
	5GW36 1DV	AD 1			41, 42			TX	[DV]
		1			41, 42			V9	[DV]
	5GW36 1L8A	D 1			41, 42			V9	[L5]
		1			41, 42			VL	[L5]
	5GW36 1DV	AD 1			41, 42			VL	[DV]
9									SEAT BELT, Buckle Half, Center
									Buckle
	5GW28 1DV		1		41			DZ	[DV]
	5GW28 1L8A				41, 42			M9	[L5]
	5GW28 1DV				41, 42			M9	[DV]
	5GW28 1L8A	1			41, 42 41, 42			P9 P9	[DV]
	5GWZ6 IL6A	1			41, 42 41, 42			QL	[L5] [L5]
-	5GW28 1DV	-			41, 42			QL	[DV]
	50 W 20 1D W	1			41, 42			TX	[DV]
	5GW28 1L8A				41, 42			TX	[L5]
	5GW28 1DV				41, 42			V9	[DV]
					· · , · <b>-</b>			- · •	r .1

 DODGE RAM 1500 (DR)

 SERIES
 LINE


 H = SLT
 1, 6 = 1500

 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Seat Belts, Quad Cab Figure IDR-720




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	5GW28 1L8A	C 1			41, 42			\/0	[1 5]
	5GW28 1DVA				41, 42			V9 VL	[L5] [DV]
	5GW28 1L8A				41, 42			VL	[L5]
10	SOWED TEOM				71, 72			٧L	SEAT BELT, Tip Half, Center
10	5GW30 XDV	AC 1	1		41			DZ	[DV]
		1			41, 42			M9	[DV]
	5GW30 1L8A	C 1			41, 42			M9	[L5]
		1			41, 42			P9	[L5]
	5GW30 XDV	AC 1			41, 42			P9	[DV]
		1			41, 42			QL	[DV]
	5GW30 1L8A	C 1			41, 42			QL	[L5]
	5GW30 XDV	AC 1			41, 42			TX	[DV]
	5GW30 1L8A	C 1			41, 42			TX	[L5]
		1			41, 42			V9	[L5]
	5GW30 XDV				41, 42			V9	[DV]
	5GW30 1L8A				41, 42			VL	[L5]
	5GW30 XDV	AC 1			41, 42			VL	2017.0
11	5000 050 4 4		4		4.4			D.7	BOLT, Seat Belt
	5096 259AA	1	1		41			DZ	
		1			41, 42			M9	
		1			41, 42 41, 42			P9 QL	
		1			41, 42			TX	
		1			41, 42			V9	
		1			41, 42			VL	
12		•			,				SEAT BELT, Front Inner, Left,
									Buckle
	5GW37 1DV	AD 1	1		41			DZ	[DV]
	5GW37 1L8A				41, 42			M9	[L5]
	5GW37 1DV	AD 1			41, 42			M9	[DV]
	5GW37 1L8A	D 1			41, 42			P9	[L5]
	5GW37 1DV	AD 1			41, 42			P9	[DV]
	5GW37 1L8A				41, 42			QL	[L5]
·	5GW37 1DV				41, 42			QL	[DV]
	5GW37 1L8A				41, 42			TX	[L5]
	5GW37 1DV				41, 42			TX	[DV]
		1			41, 42			V9	[DV]
	5GW37 1L8A				41, 42			V9	[L5]
	5GW37 1DVA				41, 42			VL	[DV]
	5GW37 1L8A	ט 1			41, 42			VL	[L5]
13									BOLT, Seat Belt

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI





#### Seat Belts, Quad Cab Figure IDR-720




		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5080 637AA	2	1		41			DZ	
			2			41, 42			M9	
			2			41, 42			P9	
			2			41, 42			QL	
			2			41, 42			TX	
			2			41, 42			V9	
			2			41, 42			VL	
	14	6034 395	2			41, 42				SCREW, Pan Head, .437-20x1.79
	15	5HU37 TL2AC	2			41, 42			O0	COVER, Seat Belt Turning Loop
	16									SEAT BELT, Rear Outer
		5GU98 1DVA				41, 42			00	[DV]
		5GU98 1L8AH	1 2			41, 42			00	[L5]
	17	6035 556	2			41, 42				SCREW, Pan Head Tapping, .19-
										16x.625
	18	6036 187AA	2							SCREW, Pan Head
	19									BEZEL, Seat Belt
_		5HJ47 WL5AI				41, 42			00	[L5]
		5HJ47 XDVA				41, 42			O0	[DV]
	20	55350 959AB				41, 42				COVER, Rear Seat Belt
	21	6507 057AA	2			41, 42				BOLT, Seat Belt
	22	6507 241AA	4							SCREW AND WASHER, Hex Head
	23									SEAT BELT, Retractor
		YZ84 1DVAA	1			41, 42			00	[DV]
		YZ84 1L8AA	1			41, 42			O0	[L5]
	24									SEAT BELT, Rear, Right Seat
		YZ85 1DVAA	1			41, 42			00	[DV]
	0.5	YZ85 1L8AA	1			41, 42			O0	[L5]
	25									SEAT BELT, Rear Inner, Center and
_		50\/00 4D\/A	<u> </u>			44 40				Left Seat
		5GV89 1DVA				41, 42			00	[DV]
	00	5GV89 1L8AD				41, 42			00	[L5]
	26	55350 981AB				41, 42			00	TETHER, Child Seat
	-27	5083 695AA-	AR			41, 42			O0	EXTENDER, Seat Belt
	28	E002 200 A D	4			44 40			00	BUTTON, BELT WEBBING
		5093 280AB	1			41, 42			00	[DV]
		5093 282AB	1			41, 42			O0	[L5]

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
Note: Boo	cliner is service	ad in the	Fromo						
1	siliter is service	ed in the	e riaille.						NUT, Seat, Cushion to Frame
	5080 737AA	10	1		61			DZ	NOT, Seat, Cushion to Frame
	5060 /3/AA		1						
		14	1		41			DZ	
		14			41, 42			M9	
		1			61, 62			M9	
		14			61, 62			P9	
		14			41, 42			P9	
		14			41, 42			QL	
		14			41, 42			TX	
		1			61, 62			TX	
		14			41, 42			V9	
		1			61, 62			V9	
		14			41, 42			VL	
		1			61, 62			VL	
2									BUSHING, Pivot
	4886 477AA	2	1		61			DZ	
		2	1		41			DZ	
		2			41, 42			M9	
		2			61, 62			М9	
		2			41, 42			P9	
		2			61, 62			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			61, 62			TX	
		2			41, 42			V9	
		2			61, 62			V9	
		2			61, 62			VL	
		2			41, 42			VL	
3									ADJUSTER, Manual Seat,
									Passenger Side
	5080 616AA	1	1		61			DΖ	
		1			41, 42			М9	
		1			61, 62			M9	
		1			41, 42			P9	
		1			61, 62			P9	
		1			41, 42			QL	
		1			61, 62			TX	
		1			41, 42			TX	
		1			41, 42			V9	
		1			61, 62			V9	
		•			,				

 DODGE RAM 1500 (DR)


 SERIES
 LINE

 H = SLT
 1, 6 = 1500

 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
		1			61, 62			VL	
		1			41, 42			VL	
4									ADJUSTER, Manual Seat, Drivers
									Side
	5080 629AA	1			61, 62			P9	
		1			41, 42			P9	
		1			61, 62			TX	
		1			41, 42			TX	
		1			61, 62			V9	
_		1			41, 42			V9	TOWEL BAB O . A II
5	5080 617AA	4	4		61			D7	TOWEL BAR, Seat Adjuster Handle
	5080 617AA	1 1	1		61 41, 42			DZ M9	
		1			61, 62			M9	
		1			41, 42			P9	
		1			61, 62			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			61, 62			TX	
		1			61, 62			V9	
		1			41, 42			V9	
		1			41, 42			VL	
		1			61, 62			VL	
6									HANDLE, Recliner
-	WM29 DX9AA		1		61			DZ	
		2	1		41			DZ	
		2 2			41, 42			M9	
		2			61, 62 61, 62			M9 P9	
		2			41, 42			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			61, 62			TX	
		2			41, 42			V9	
		1			61, 62			V9	
		1			61, 62			VL	
		2			41, 42			VL	
7									SCREW, Recliner Handle
	5080 635AA	2	1		61			DZ	
		2	1		41			DZ	
		2			41, 42			M9	

 DODGE RAM 1500 (DR)


 SERIES
 LINE

 H = SLT
 1, 6 = 1500


 L = ST

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•	•	•	•		
		2			61, 62			М9	
		2			61, 62			P9	
		2			41, 42			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			61, 62			TX	
		2			41, 42			V9	
		2			61, 62			V9	
		2			61, 62			VL	
		2			41, 42			VL	
8									BOLT, Seat, Back Pivot
	5086 165AA	4	1		61			DZ	
		4	1		41			DZ	
		4			41, 42			M9	
		4			61, 62			M9 P9	
		4 4			41, 42 61, 62			P9 P9	
		4			41, 42			QL	
		4			41, 42			TX	
		4			61, 62			TX	
		4			61, 62			V9	
		4			41, 42			V9	_
		4			61, 62			VL	
		4			41, 42			VL	
-9									MODULE, Heated Seat Control
	56010 113AA-	· 1			61, 62			VL	
		1			41, 42			VL	
10									ADJUSTER, Power Seat, Passenger
									Side
	5080 614AB	1	1		41			DZ	
		1			41, 42			VL	
11									ADJUSTER, Power Seat, Drivers
	5080 615AB	1	1		61			DZ	Side
	3060 613AB	1	1		41			DZ	
		1	'		41, 42			M9	
		1			61, 62			M9	
-		<u>'</u> 1			41, 42			QL	
		1			61, 62			VL	
		1			41, 42			VL	
12					,				SCREW, Switch Bezel to Bracket
									,

 
 DODGE RAM 1500 (DR)

 SERIES
 LINE


 H = SLT
 1, 6 = 1500


 L = ST
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5080 736AA	4	1		61			DZ	
		4	1		41			DZ	
		4			41, 42			M9	
		4			61, 62			M9	
		4			41, 42			P9	
		4			61, 62			P9	
		4			41, 42			QL	
		4			41, 42			TX	
		4			61, 62			TX	
		4			41, 42			V9	
		4			61, 62			V9	
		4			61, 62			VL	
		4			41, 42			VL	
13	71.04.45\/4.4				0.4				BEZEL, Power Seat Switch
	ZL31 1DVAA	1	1		61			DZ	[DV], Driver
	71.00.45\/4.4	1	1		41			DZ	[DV], Driver
	ZL30 1DVAA	1	1		41			DZ	Passenger
	ZL31 1L5AA	1			61, 62			M9	[L5]
	ZL31 1DVAA	1			41, 42			M9 M9	[L5]
	ZL31 IDVAA	1 1			61, 62 41, 42			M9	[DV] [DV]
	ZL31 1L5AA	1			41, 42			QL	[L5]
	ZL31 1DVAA	1			41, 42			QL	[DV]
	ZL30 1L5AA	1			41, 42			VL	[L5], Passenger
	ZL31 1DVAA	1			61, 62			VL	[DV], Driver
	ZL30 1DVAA	1			41, 42			VL	[DV], Passenger
	ZL31 1L5AA	1			61, 62			VL	[L5], Driver
	ZL31 1DVAA	1			41, 42			VL	[DV]
	ZL31 1L5AA	1			41, 42			VL	[L5]
14									PIN, Roll
	5083 371AA	2	1		61			DZ	
		4	1		41			DZ	
		4			41, 42			M9	
		4		·	61, 62	·		M9	
		4			41, 42			P9	
		4			61, 62			P9	
-		4			41, 42			QL	
		4			41, 42			TX	
		4			61, 62			TX	
		4			61, 62			V9	
		4			41, 42			V9	

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u> </u>	
		4			61, 62			VL	
		4			41, 42			VL	
15	6508 117AA	4							BOLT, Seat
16	6507 241AA	4							SCREW AND WASHER, Hex Hea
17									BRACKET, Switch
	5179 117AA	1			41, 42			M9	Left
		1			61, 62			M9	Left
		1			41, 42			QL	Left
		1			41, 42			VL	Left
	5179 116AA	1			41, 42			VL	Right
	5179 117AA	1			61, 62			VL	Left

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Rear Trim Panel and Storage Figure IDR-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cab Back Trim
	5GR33 WL5A				61, 62			00	[L5]
_	5GR33 XDVA	E 1			61, 62			00	[DV]
2									HOOK, Coat
	5HG29 WL5A				61, 62			00	[L5]
_	5HG29 XDVA				61, 62			00	[DV]
3	55350 937AF	1			61, 62				BIN, Storage
4									SCREW, (NOT SERVICED) (Not
	55050 00444				04.00				Serviced)
5	55350 964AA				61, 62				GROMMET, Floor
6	55350 966AA	1			61, 62				GROMMET, Floor

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI


## **Group – SDR**

### **Body Sheet Metal Except Doors**






# Group – SDR Body Sheet Metal Except Doors



#### **GROUP SDR - Body Sheet Metal Except Doors**

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SDR-210
Floor Box and Panel	Fig. SDR-220
Plugs	
Plugs, Standard Cab	Fig. SDR-310
Plugs, Quad Cab	Fig. SDR-320
Front Fenders	
Front Fender	Fig. SDR-410
Hood & Hood Release	
Hood	Fig. SDR-510
Cowl and Dash Panel	
Cowl and Dash Panel	Fig. SDR-610
Glass and Rear View Mirror	
Windshield, Backlite and Inside Mirror	Fig. SDR-710
Aperture Panel	
Aperture Panel Bodyside, 2 Door	Fig. SDR-810
Aperture Panel Bodyside, 4 Door	Fig. SDR-820
Quarter Panel and Pillar	
Quarter Panel	Fig. SDR-910
Roof Panels	
Roof Panel	Fig. SDR-1110
Sunroof	
Sunroof	Fig. SDR-1210
Tailgate	
Tailgate	Fig. SDR-1310
Tonneau Cover/Bed Liner/Spoiler	
Tonneau Cover, Soft	Fig. SDR-1710
Tonneau Cover, Hard	Fig. SDR-1720
Spoiler	Fig. SDR-1730

#### Floor Pan Figure SDR-210



NUMBER   N		PART								
S5276 027AA	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
S5276 027AA										
S5276 027AA	1									PANEL, Front Floor Pan
PANEL, Rear Floor Pan   S5275 553AA   1		55276 027AA	1			41, 42				
S5275 553AA 1			1			61, 62				
S5275 548AA   1	2									PANEL, Rear Floor Pan
STAPPING PLATE   STAP		55275 553AA	1			41, 42				
S5276 223AA		55275 548AA	1			61, 62				
1	3									TAPPING PLATE
4     55276 410AA     1     41, 42     TAPPING PLATE, Floor Crossmember       5     55276 424AD     1     41, 42     PANEL, Stowage Bin SILL, Body Side       6     55276 042AD     1     41, 42     Right       55276 043AD     1     41, 42     Left       55276 036AB     1     61, 62     Right       55276 037AB     1     61, 62     Right       7     SUPPORT, Underbody Hold Down       55275 765AF     1     Left       8     Right     CROSSMEMBER, Front Seat       8     Retention       55276 340AA     1     41, 42       9     CROSSMEMBER, Front Seat       Retention     Rear Right       55276 412AC     1     Rear Right       55276 413AC     1     Rear Left       10     CROSSMEMBER, Rear Floor       55276 029AD     1     Left       11     SILENCER, Floor Pan Front Tunnel [SRT-10]       55350 992AE     1     Gas Only       12     NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)       13     55350 920AF     1     41, 42       13     55350 920AF     1     41, 42		55276 223AA	1			41, 42				
Crossmember   S   55276 424AD   1			1			61, 62				
5         55276 424AD         1         41, 42         PANEL, Stowage Bin SILL, Body Side           55276 042AD         1         41, 42         Right           55276 043AD         1         41, 42         Left           55276 036AB         1         61, 62         Right           55276 037AB         1         61, 62         Left           7         SUPPORT, Underbody Hold Down           55275 765AF         1         Left           55275 764AE         1         Right           CROSSMEMBER, Front Seat         Retention           55276 340AA         1         41, 42           9         CROSSMEMBER, Front Seat           Retention         Rear Right           55276 412AC         1         Rear Right           55276 413AC         1         Rear Left           CROSSMEMBER, Rear Floor         S5276 028AD         1         Left           10         CROSSMEMBER, Rear Floor         SILENCER, Floor Pan Front Tunnel           55276 029AD         1         Left         SILENCER, Floor Pan Front Tunnel           552350 992AE         1         Gas Only         NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)           13         55350 920AF         1	4	55276 410AA	1			41, 42				TAPPING PLATE, Floor
SILL, Body Side   SILL, Body Side   Size										Crossmember
S5276 042AD	5	55276 424AD	1			41, 42				PANEL, Stowage Bin
S5276 043AD   1	6									SILL, Body Side
S5276 036AB		55276 042AD	1			41, 42				Right
S5276 037AB		55276 043AD	1			41, 42				Left
SUPPORT, Underbody Hold Down   Left   S5275 765AF   1		55276 036AB	1			61, 62				Right
S5275 765AF   1		55276 037AB	1			61, 62				
Sight   Sight   CROSSMEMBER, Front Seat   Retention	7									•
Retention   Retention   S5276 340AA   1										Left
Retention		55275 764AE	1							_
S5276 340AA   1	8									
1   61, 62     CROSSMEMBER, Front Seat   Retention   Rear Right   55276 413AC   1   Rear Left   CROSSMEMBER, Rear Floor   S5276 028AD   1   Right   S5276 029AD   1   Left   SILENCER, Floor Pan Front Tunnel   5029 630AA   1   Gas Only   12   NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)   13   55350 920AF   1   41, 42   SILENCER, Floor Pan, Under Rear   SILENCER, SILEN										Retention
CROSSMEMBER, Front Seat		55276 340AA								
Retention   S5276 412AC   1   Rear Right   Rear Left   CROSSMEMBER, Rear Floor   S5276 028AD   1   SILENCER, Floor Pan Front Tunnel   S029 630AA   1   Gas Only   NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)   SILENCER, Floor Pan, Under Rear   SILENCER, SILENCER			1			61, 62				
55276 412AC       1       Rear Right         55276 413AC       1       Rear Left         10       CROSSMEMBER, Rear Floor         55276 028AD       1       Right         11       Left       SILENCER, Floor Pan Front Tunnel         5029 630AA       1       ISRT-10]         55350 992AE       1       Gas Only         NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)         13       55350 920AF       1       41, 42       SILENCER, Floor Pan, Under Rear	9									
S5276 413AC   1   Rear Left   CROSSMEMBER, Rear Floor     S5276 028AD   1   Right   Left   SILENCER, Floor Pan Front Tunnel     S029 630AA   1   Gas Only   NUT, Push-On Spring, 3, (NOT   SERVICED) (Not Serviced)   13   S5350 920AF   1   41, 42   SILENCER, Floor Pan, Under Rear   SILENCER,		===== 44040								
10   CROSSMEMBER, Rear Floor   55276 028AD   1   Right   Left										
55276 028AD       1       Right         55276 029AD       1       Left         11       SILENCER, Floor Pan Front Tunnel         5029 630AA       1       [SRT-10]         55350 992AE       1       Gas Only         NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)         13       55350 920AF       1       41, 42       SILENCER, Floor Pan, Under Rear	4.0	55276 413AC	1							
Size	10	55070 000 A D								·
SILENCER, Floor Pan Front Tunnel         5029 630AA       1       [SRT-10]         55350 992AE       1       Gas Only         12       NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)         13       55350 920AF       1       41, 42       SILENCER, Floor Pan, Under Rear										
5029 630AA       1       [SRT-10]         55350 992AE       1       Gas Only         12       NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)         13       55350 920AF       1       41, 42       SILENCER, Floor Pan, Under Rear	44	55276 029AD	1							
55350 992AE 1 Gas Only  12 NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)  13 55350 920AF 1 41, 42 SILENCER, Floor Pan, Under Rear	11	E020 020 A A	4							
12 NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced) 13 55350 920AF 1 41, 42 SILENCER, Floor Pan, Under Rear										
SERVICED) (Not Serviced) 13 55350 920AF 1 41, 42 SILENCER, Floor Pan, Under Rear	10	33330 992AE	I							
13 55350 920AF 1 41, 42 SILENCER, Floor Pan, Under Rear	12									· · · · · · · · · · · · · · · · · · ·
	12	55350 030AE	1			11 12				, ,
		55550 920AF	ı			41, 42				

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Floor Box and Panel Figure SDR-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, D Pillar Upper
	55276 248AA	1							Right
	55276 249AA	1							Left
2									PANEL, Box Floor
	55275 516AA	1			41, 61				6.5 Floor Box
	55275 517AA	1			42, 62				8 Floor Box
3	55276 086AA	1							PANEL, Front Box
4	55275 526AB	1							CROSSMEMBER, Rear Box
5	55276 802AA	1			41, 61				CROSSMEMBER, Rear Box
6	55276 800AA	2			42, 62				CROSSMEMBER, Rear Box
7	55276 800AA	1			41, 61				CROSSMEMBER, Rear Box
8	55275 531AD	1							SILL, Box
9	55276 534AA	1							PANEL, Cab Back
10	6030 441	2							PIN, Retainer
11	55276 459AC	1			61, 62				REINFORCEMENT, Cab Back
12	55276 272AB	1			41, 42				REINFORCEMENT, Cab Back
13									FOOTMAN LOOP, Hold Down
	55257 382AA	2			41, 42				Folding Bench
		4			41, 42				60/40 Folding
14	6101 331	4			41, 42				BOLT, M6x1.00x20
15	6504 118	4			41, 42				U-NUT, M6 x 1.00, M6x1.00
16	55055 998AD	2							EXHAUSTER, Bodyside Aperture
17	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
18	55359 234AC	2							PLUG, Body
19									BRACE, Side Rail, (NOT
									SERVICED) (Not Serviced)

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Plugs, Standard Cab Figure SDR-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	10			61, 62				PLUG, Floor Pan
2	4780 521AB	2							PLUG, Top Seal
3									PLUG, Drain, (NOT SERVICED) (Not
									Serviced)
4	55257 380AD	2							PLUG
5	5255 216	2			61, 62				PLUG, Body, .875 Diameter
6	55359 234AC	2							PLUG, Body



 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI



ITEM	PART	OTV	LINE	CEDIEC	PODY	ENCINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	12			41, 42				PLUG, Floor Pan
2	4780 521AB	2							PLUG, Top Seal
3									PLUG, Drain, (NOT SERVICED) (Not
									Serviced)
4	55257 380AD	2							PLUG
5	5255 216	4			41, 42				PLUG, Body, .875 Diameter
6	55359 234AC	2							PLUG, Body

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Front Fender** Figure SDR-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Fender
	55276 208AD	1							Right
	55276 209AD	1							Left
	55276 970AA	1							[SRT-10], Right
	55276 971AA	1							[SRT-10], Left
2	6506 570AA	AR							SCREW AND WASHER, Hex Head
									M7 x 1.25 x 20.00, Fender
									Attaching
3	55276 483AC	2							BRACKET, Fender Mounting
4	6507 458AA	4							NUT/RIVET, M6x1.0
5									SEAL, Fender To Cowl
	55275 656AA	1							Right
	55275 657AA	1							Left
6	55276 453AA	2							BALL STUD
7									SHIELD, Wheelhouse
	55275 834AF	1							Right
	55275 835AF	1							Left
8									SCREW, M4.8x1.59x16.00, (NOT
									SERVICED) (Not Serviced)
9	55277 011AA	1	1						SHIELD, Air Intake
10	55277 014AA	1	1						SHIELD, Fender
11	6030 441	8	1						PIN, Retainer

 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Hood Figure SDR-510



	PART				1	1			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	5029 419AD	1							[SRT-10], With Hole, See
									Accessory Catalog for Hood
									Scoops
	55275 733AE	1	_						
2									HINGE, Hood
	55275 840AC	1							Right
	55275 841AC	1							Left
3	55276 321AC	2							SUPPORT, Hood Latch
4	55276 453AA	2							BALL STUD
5	6100 051	4							NUT AND WASHER, Hex Nut-Cor
									Washer, M8 x 1.25
6	6503 661	4							SCREW AND WASHER, Hex Hea
									M8x1.25x25, Hinge to Cowl
7	55275 843AB	1							STRIKER, Hood Latch
8	6101 455	4							SCREW AND WASHER, Hex Hea
									M6x1x20
9	55255 451AC	1							LATCH, Hood
10	55275 849AA	1							RELEASE, Hood Latch
-11	5207 294	1							GROMMET, Hood Latch Release
12	6503 794	4							CLIP, M6.3x11.2
13	55275 850AA	1							ROD, Hood Safety Catch
14	55276 482AB	2							BUMPER, Hood
15	55276 578AA	2							BUMPER, Hood to Fender
16	6505 686AA	AR							PLUG
17	55276 851AA	1							BUMPER, Hood
18	55350 891AC	1	1						SILENCER, Hood, With Power Bu
19	6504 135	12	1						PIN, Push In, M6.3x15 LG
20	5143 056AA	1							RETAINER, Hood Latch Release
									Rod
21									BEZEL, Hood
	YL23 1R4AB	1							[R4]
	YL23 1S2AB	1							[S2]
	YL23 1X8AB	1							[X8]
22	5029 484AB	1							GRILLE, Hood, Bezel
23	5029 770AA	4							NUT
24	5179 728AA	1							CLIP
25	5179 727AA	1							NUT

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### **Cowl and Dash Panel** Figure SDR-610

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							-		
1									PANEL, Cowl Side
	55275 678AB	1							Right
	55275 679AB	1							Left
2	55275 783AE	1							PANEL, Cowl And Plenum
3	55275 789AE	1							PANEL, Cowl And Plenum
4	55275 786AB	1							SUPPORT, Steering Column
5	55277 108AA	1							PANEL, Dash
6									STUD, (NOT SERVICED) (Not
									Serviced)
7	55350 873AG	1							INSULATION, Dash Panel
8	6507 622AA	7							PIN, Push
9	55056 006AE	1							PANEL, Cowl Top
-10	0153 634	2							SCREW
11	6505 411AA	6							PIN, Push
12	4475 385	2							PLUG
13									PLUG, Drain, (NOT SERVICED) (Not
									Serviced)
14	55275 977AC	1							SEAL, Hood To Plenum
15	6504 135	4							PIN, Push In, M6.3x15 LG
16	55350 922AA	1							INSULATION, Cowl Front
17	6506 099AA	3							NUT, Push-On Spring, 3
18	55350 881AE	1							INSULATION, Dash Panel

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Windshield, Backlite and Inside Mirror Figure SDR-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5101 944AC	1							WINDSHIELD, [25] Windshields
2	55276 862AA	7							SPACER, Windshield
3	55276 549AA	2							SPACER, Windshield
4									BACKLITE
	55275 539AE	1							Sliding
	55276 927AB	1							Fixed, Privacy Heated
	55277 037AA	1							Fixed, Tinted Non-Heated
5									MIRROR, Inside Rear View
	55076 403AB	1							[GNA], Day/Night
	4805 572AB	1							[GNK], Auto Dim
	5064 017AD	1							[RSP], Telematics Communication
									and [GNK], Auto Dim
6	5073 472AA	1							SCREW
7	5507 6401	1							BUTTON, Rear View Mirror
8	5093 514AA	1							GLASS, Backlite, Sliding, Includes
									Latch
9	5093 516AB	1							CHANNEL, Sliding Backlite, Upper
10	5093 515AB	1							CHANNEL, Sliding Backlite, Lower
11	5093 518AA	1							KEEPER, Outside Handle

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150


1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

#### Aperture Panel Bodyside, 2 Door Figure SDR-810

**PART** 



## Aperture Panel Bodyside, 4 Door Figure SDR-820



	PART	OT1/		055150	DODY.	-NO.			DEGODINE N
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									DANEL Dady Cide America
1									PANEL, Body Side Aperture, Complete
	5080 306AB	1			41, 42				Right
	5080 307AB	1			41, 42				Left
2	0000 001712	•			11, 12				PANEL, Body Side Aperture, Oute
									Only
	55276 050AB	1			41, 42				Right
	55276 051AB	1			41, 42				Left
3					,				EXTENSION, Body Side Aperture
	55276 446AA	1							Right
	55276 447AA	1							Left
4									REINFORCEMENT, Center Pillar
	55276 264AB	1			41, 42				Right
	55276 265AB	1			41, 42				Left
5									REINFORCEMENT, Front Side Ra
									to Dash
	55276 408AB	1							Right
	55276 409AB	1							Left
6	55275 609AD	2			41, 42				WEATHERSTRIP, Door Opening
7	55275 608AE	2			41, 42				WEATHERSTRIP, Door Opening
8	55276 957AB	2							SEAL, Body Side
9									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
10									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
11	6507 595AA	26			41, 42				SCREW
12	55276 941AA	2			41, 42				SEAL, Body Side
13	4780 259	2							STRIKER, Door
14	6506 749AA	4							SCREW, 6 Lobed
15									BAFFLE, A Pillar
	55275 990AA	1							Right
	55275 991AA	1							Left
16									BAFFLE, A Pillar
	55276 016AB	1							Right
	55276 017AB	1							Left
17	6503 221	2							PIN
18		,			44 :-				REINFORCEMENT, Center Pillar
	55276 270AA	1			41, 42				Right
	55276 271AA	11			41, 42				Left

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB) 1, 6 = 1500


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Quarter Panel** Figure SDR-910

PART



### **Quarter Panel** Figure SDR-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55276 249AA	1							Left
14									BRACE, Side Rail
	55359 894AA	1							Front Right
	55359 895AA	1							Front Left
15									BRACE, Side Rail
	55359 892AA	1							Rear Right
	55359 893AA	1							Rear Left
16	6101 718	12							SCREW AND WASHER, Oval Head,
									M6x1x25
17	6101 712	2							NUT, U, M6x1
18									SHIELD, Splash
	55276 322AB	1							Right
	55276 323AB	1							Left
19									SCREW, M4.8x1.59x16.00, (NOT
									SERVICED) (Not Serviced)
20									BOX, Pickup
	5080 829AD	1			41, 61				6.5 Foot
	5127 204AC	1			42, 62				8 Foot
	5140 397AA	1			41, 61				6.5 Foot, [SRT]
-21									SCREW AND WASHER, Hex Flange
									Head, M12x1.75x45, Box Hold
									Down
	6506 948AA-	8			42, 62				
		6			41, 61				
22									BEDLINER KIT, Under Rail
	8220 6995	1	1, 6		41, 61				6.5 Foot
	8220 6996	1			42, 62				8 Foot
23	55275 538AC	1							DOOR, Fuel Fill
24	6503 259	2							SCREW, Tapping, M6x1x20
25	5507 6327	2							BUMPER, Fuel Door
26									BRACKET, Cargo Tie Down
	55276 782AA								Right
	55276 783AA	2							Left
27									TIE DOWN, Cargo
	55276 735AB	4							With Bedliner
	55276 344AB	4							Without Bedliner
28	6506 356AA	8							SCREW, M8-1.25
29	6503 943	6							RETAINER
30									SCREW, M8x1.25x30, (NOT
									SERVICED) (Not Serviced)

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE


 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Roof Panel** Figure SDR-1110




EM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
· <del>-</del> · · ·	1.02						110000	1	2200
1	55275 801AA	1							HEADER, Roof Front
2	55275 800AC	1							HEADER, Roof Rear
3	55275 815AB	1			41, 42				BOW, Roof
4	6030 441	2							PIN, Retainer
5									ROOF, Without Sunroof
	55275 814AA	1			41, 42				
	55275 816AA	1			61, 62				
6	55276 946AA	1			41, 42				PANEL, Roof, With Sunroof

DODGE RAM 1500 (DR)-SERIES LINE


H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Sunroof Figure SDR-1210



## Tailgate Figure SDR-1310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 969AB	1							TAILGATE
2	55276 237AA	1							HANDLE, Tailgate
3	55276 236AD	1							CONTROL UNIT, Door
4	6100 515	2							NUT, Hex Flange Lock, M5
5	6507 306AA	2							STRIKER, Liftgate
6	55276 076AC	1							BUSHING, Tailgate Pivot
7	55276 077AB	1							BUSHING, Tailgate Pivot
8	55275 952AA	2							LATCH, Tailgate
9									SCREW, M8x1.25x19.75, (NOT
									SERVICED) (Not Serviced)
10	6506 949AA	2							SCREW
11	55276 074AC	2							CABLE, Tailgate
12	6506 881AA	2							SCREW, M8-1.25
13	55275 950AA	2							ROD, Tailgate Handle to Latch
14	55275 974AA	1							COVER, Tailgate
15	8220 7621	1							COVER KIT, Tailgate-Molded, With
									Bedliner
16	6507 447AA	10							SCREW
17									SPACER, Tailgate
	55276 589AA	AR							Thin
	55276 590AA	AR							Thick
18	55276 274AC	2							BUMPER, Tailgate

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### **Tonneau Cover, Soft** Figure SDR-1710




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
	1	55276 846AA	1			41, 61				COVER ASSY, Tonneau
	2	5096 074AA	1			41, 61				COVER, Tonneau
	3	55276 842AA	1			41, 61				RAIL, Tonneau Cover
	4	55276 843AA	1			41, 61				RAIL, Tonneau Cover
_	5	5096 071AA	1			41, 61				BOW, Tonneau Cover, Bow #1
	6	5096 072AA	1			41, 61				BOW, Tonneau Cover, Bow #2
	7	5096 073AA	1			41, 61				BOW, Tonneau Cover, Bow #3
	8	55276 847AA	1			42, 62				COVER ASSY, Tonneau
_	9	5096 079AA	1			42, 62				COVER, Tonneau
	10	55276 840AA	1			42, 62				RAIL, Tonneau Cover
	11	55276 841AA	1			42, 62				RAIL, Tonneau Cover
	12	5096 075AA	1			42, 62				BOW, Tonneau Cover, Bow #1
	13	5096 076AA	1			42, 62				BOW, Tonneau Cover, Bow #2
	14	5096 077AA	1			42, 62				BOW, Tonneau Cover, Bow #3
	15	5096 078AA	1			42, 62				BOW, Tonneau Cover, Bow #4
	16									RAIL ASSY, tonneau w/frame
_		55276 839AA	1			41, 61				
			1			42, 62				
	17	55276 868AB	6							CLAMP, Tonneau
	18	5086 899AA	1			42, 62				RETAINER, Tonneau Cover Hook
_										

DODGE RAM 1500 (DR)-SERIES LINE H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

### Tonneau Cover, Hard Figure SDR-1720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Deck Lid Latch
	5029 888AA	1	1						Right
	5029 889AA	1	1						Left
2	5029 948AA	1	1						SEAL, Tonneau Side Flap, Seal
3	5029 951AC	1	1						RETAINER, Tonneau Cover Hook
-4	6032 217	2							RIVET, .197 Grip187375
5	6100 266	6	1						BOLT AND WASHER, M6x1.0x20
6	6101 650	4	1						SCREW AND WASHER, M5X.
									80X20.00
7	6101 758	2							SCREW, Hex Head, M8x1.25x20
8	ZF27 TZZAA	1	1						COVER, Tonneau, Primed
9	5029 778AA	2	1						BRACKET, Prop Rod
10	5029 840AA	2	1						REINFORCEMENT, Front Hinge
									Pillar, Lower
11	5029 841AA	2	1						BRACKET, Cargo Cover
12	5029 844AB	2	1						REINFORCEMENT, Front Hinge
									Pillar
13	5029 851AA	1	1						LATCH, Tailgate
14	5029 856AA	2	1						HINGE, Tailgate
15	5029 862AA	2	1						HINGE, Toneau Cover
16	5029 949AC	1	1						RETAINER, Tonneau Cover Hook
17									BRACKET, Cargo Cover
	5029 782AB	1	1						Right
	5029 783AB	1	1						Left
18									LOCK, Tonneau Cover, (NOT
									SERVICED) (Not Serviced)
19									CABLE, Tonneau Side Flap, Cable
									(NOT SERVICED) (Not Serviced
20	5030 263AB	2	1						ROD, Tonneau Cover

 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150

1, 6 = 1500


BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Spoiler Figure SDR-1730



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5JR31 TZZAE	3 1	1						SPOILER, Rear Air Dam, Without
									Hard Tonneau Cover
2	6102 126AA	2	1						NUT AND WASHER, Hex, M6x1.0
3	6101 818	2	1						SCREW
4	5029 787AA	1	1						SPOILER, Rear Air Dam, With Hard
									Tonneau Cover
5	6101 758	22	1						SCREW, Hex Head, M8x1.25x20
6	5029 874AA	1	1						GASKET, Air Spoiler, Right
7	5029 943AB	1	1						GASKET, Air Spoiler, Center
8	5029 875AA	1	1						GASKET, Air Spoiler, Left



 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150


 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

# **Group – LBLS**

### **Labels All Vehicle Locations**





LBLS-100 Interior	LBLS-200 Under Hood	LBLS-300 Doors	LBLS-400 Exterior
LBLS-500 Rear Cargo & Storage			

#### **GROUP LBLS - Labels All Vehicle Locations**

illustration little	Group-Fig. No.
Interior Instrument Panel & Visor	Fig. LBLS-110
Under Hood Engine Compartment	Fig. LBLS-210
Doors and Pillars	Fig. LBLS-310
Exterior Fuel Filler Door	Fig. LBLS-410
Rear Cargo & Storage	Fig. LBLS-510

### **Instrument Panel & Visor** Figure LBLS-110





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Air Bag Warning
	4595 748AA	1							English/Arabic
	4664 280AD	2			61, 62				With [CJ4 And Or CJ2]
	4897 875AA	2			41, 42				
	55365 002AA	2			61, 62				English / French
	55365 003AA	2			41, 42				Decal
-2									LABEL, Air Bag Warning, Spanis
	4898 879AA-	2			61, 62				[CJ4]
		4			41, 42				[CJ2]
	5032 545AA-	2				EWC			Mexico
		2				EK0,			Mexico
						EV0,			
						EZ0			
3	4215 966	1							LABEL, Equipmemt Identification
4									LABEL, Air Bag Warning,
									Removeable
	4595 749AA	1							English/French
	4595 748AA	1							
	4664 294AA	4			41, 42				Side Airbag, English/Arabic
		2			61, 62				Side Airbag, English/Arabic
	5023 548AA	2							Airbag, English/Arabic
5	4851 416AA	1							LABEL, Air Bag Warning, Spanis
									Removeable
-6	4215 966	1							LABEL, Equipment Identification
									PTO
-7									LABEL, Transfer Case Shift, (NO
									SERVICED) (Not Serviced)


DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Engine Compartment Figure LBLS-210

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										




	ales Codes 3.7L 6 Cylinde	er Gas Engines			
=	I 4.7L Gas Eng	~			
	`	er Gas Engines			
	-	quential Multi Po	int Injected V8		
	OL Cummins 24		, ,		
		Cummins Turbo	Diesel		
	l 8.0L Gas Eng				
	-	10 Multi Point Inj	ection		
[NA1] = Ex	port Emissions	<b>3</b>			
[NAA] = Fe	deral Emission	าร			
[NAS] = U.	S. 50 State En	nissions			
[NAE] = Ca	alifornia Emissi	ons			
[XKC] = Clo	ean Fuel Fleet				
1 4	215 966	1			LABEL, Equipmemt Identification
2					LABEL, Emission
	2022 126AA	1		EK0	[NA1]
5	6037 693AA	1	41	EWC	[NAS]
	52022 137AA	1	61	EK0	[NAS]
	52022 138AA	1	62	EK0	[NAS]
	52022 139AA	1	41	EK0	[NAS,NFW]
	52022 140AA	1	41	EK0	[NAS,NFU]
	52022 141AA	1	41, 61	EK0	[NAS,NFW,XKC]
5	52022 142AA	1	41	EK0	[NAS,NFU,XKC]
		1	62	EK0	[NAS,NFV,XKC]
	52022 143AA	1	61	EVA	[NAS,NFV]
	52022 144AA	1	62	EVA	[NAS,NFV,DBB]
	52022 146AA	1	41	EVA	[NAS,NFW]
5	52022 147AA	1	41	EVA	[NAS,NFU]
		1	42	EVA	[NAS,NFV]
_		1	62	EVA	[NAS,NFV,XKC]
	52022 148AA	1	41, 61	EVA	[NAS,NFW,XKC]
	2022 149AA	1	41	EVA	[NAS,NFU,XKC]
-	2000 455 4 4	1	42, 62	EVA	[NAS,NFV,XKC]
	2022 155AA	1	41, 61	EVD	[NAA]
	2022 156AA	1	42, 62	EVD	[NAA]
	2022 157AA	1	41, 61	EZA	[NAS,NFW]
5	52022 158AA	1	41 42, 62	EZA EZA	[NAS,NFU] [NAS,NFV]

DODGE RAM	1500 (DR)—
SERIES	LINE

H = SLT L = ST 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

## Engine Compartment Figure LBLS-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	F074 F77	4				FIG			[EKO] Mavias
	5271 577AA	1				EK0,			[EK0] Mexico
						EV0,			
	5271 578AA	1				EZ0 EK0,			IEVOI Mavias
	32/1 3/6AA	ı				EVO,			[EV0] Mexico
						EZ0			
	5271 587AA	1				EKO,			[EZ0] Mexico
	0271 007701	•				EVO,			[220] MOXIGO
						EZ0			
	5271 718AB	1				EWC			Mexico
3									LABEL, Battery
	4606 818AA	1							[ABD]
	5032 786AA	1				EWC			Mexico
		1				EK0,			Mexico
						EV0,			
						EZ0			
4									LABEL, Air Conditioning System,
									With Belt Routing
	55055 956AI	1				EK0,			
						EV0,			
						EZ0			
	55056 343AA	1							[HA0,XLB] Canada
	55056 347AA	1				F1/0			[HA0,XLR] Canada
	5271 699AA	1				EK0,			Mexico
						EV0,			
5						EZ0			LABEL, Belt Routing
5	5032 784AA	1				EKO,			Mexico
	3032 704AA	'				EVO,			MEXICO
						EZ0			
	5290 384AC	1				EWC			
	5271 413AA	1				EK0,			
	0277 770703	·				EV0,			
						EZ0			
6	5271 732AA	1				EWC			LABEL, A/C Spec. and Belt Routing
									Mexico
7									LABEL, Warning, Radiator Cap,
									(NOT SERVICED) (Not Serviced)
8									LABEL, Fan Caution
	4809 615AA	1				EWC			
	53015 959AA	1							[ABD]
9									LABEL, Warning

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)


ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

TRANSMISSION
DGQ, DG4 = Multi-Speed Auto(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEC, DEJ = 6 Spd. Manual

AR = Use as required -= Non illustrated part # = New this model year



## Engine Compartment Figure LBLS-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5056 223AA	1							Fire Extinguisher
	52128 784AA	1							Brake Fluid
10									LABEL, Master Cylinder Reservoir
	5032 882AB	1							Mexico
	5271 906AA	1				EWC			Mexico Clutch Mater Cylinder
		1				EK0,			Mexico Clutch Mater Cylinder
						EV0,			
						EZ0			
11									LABEL, Fuse Block
	5032 657AA	1				EWC			Mexico
	5164 001AA	1				EK0,			Mexico
						EV0,			
						EZ0			
-12	J400 6303	4							RIVET, Dome Head Blind, .125x.27
-13	6032 217	2							RIVET, .197 Grip187375

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

4	2	

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									LABEL, Air Bag Warning
		4664 279AD	4			41, 42				English / French
			2			61, 62				English / French
		4664 294AA	2			61, 62				English / Arabic
			4			41, 42				English / Arabic
	2	4898 771AB	2							LABEL, Child Protection Lock,
										Spanish
	3	5056 072AA	2			41, 42				LABEL, Child Protection Lock,
										English
	4									LABEL, Certification, (NOT
										SERVICED) (Not Serviced)
	5	4040 858	1							OVERLAY, Vehicle Certification
_										

DODGE RAM 1500 (DR)-SERIES LINE

H = SLT L = ST 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

1)2

	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAREL Unloaded Eugl Only (NOT
<u>'</u>									LABEL, Unleaded Fuel Only, (NOT SERVICED) (Not Serviced)
2									LABEL, Fuel
_	55362 953AC	; 1			42, 62				ENDEE, FOOT
	55364 067AA				12, 02				[XLR]
	55364 068AA								[XLB]
	5271 603AA	1				EWC			Mexico
		1				EK0,			Mexico
						EV0,			
						EZ0			
-3	HFV00 516A	3- 1				EK0,			HOSE, Fuel And Vapor, 25 Foot Ro
						EV0,			5/16"
						EWC,			
						EZ0			
	M 1500 (DR)								

SERIES H = SLT L = ST LINE 1, 6 = 1500 BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI

(1)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Jack Caution
	5271 495AA	1				EWC			
		1				EKO,			
						EV0,			
	52110 392AA	1				EZ0			XLR
	52110 392AA 52110 400AB								ABD
	52110 391AB								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
-2									LABEL, Tire Pressure
	5056 246AA-	1							Large Cert & 1 Tire
	5056 247AA-	1							Large Cert & 2 Tire

 
 DODGE RAM 1500 (DR)—

 SERIES
 LINE

 H = SLT
 1, 6 = 150

 L = ST
 1, 6 = 150
 1, 6 = 1500

BODY 41 = Quad Cab (140.5 WB) 42 = Quad Cab (160.5 WB) 61 = Reg. Cab (120.5 WB) 62 = Reg. Cab (140.5 WB)

ENGINE
EZA=5.7L HEMI Magnum V8SMPI
EKG = 3.7L Magnum V6 MPI
EVA = 4.7L Magnum V8
EVD = 4.7L Magnum V8 FFV
EWC = 8.3L V10 SFI